

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
1	1.4301 (304)	1,372	0,305	0,762	0,0540	0,0120	0,0300	12,000	m	
2	1.4301 (304)	1,372	0,305	0,762	0,0540	0,0120	0,0300	20,000	m	
3	1.4301 (304)	2,000	0,400	1,200	0,0787	0,0157	0,0472	41,199	m	
4	1.4301 (304)	2,515	0,051	2,413	0,0990	0,0020	0,0950	9,000	St	
5	1.4301 (304)	4,470	0,435	3,600	0,1760	0,0171	0,1417	4,000	St	
6	1.4301 (304)	5,700	0,500	4,700	0,2244	0,0197	0,1850	7,503	m	
7	1.4301 (304)	6,700	0,500	5,700	0,2638	0,0197	0,2244	11,650	m	
8	1.4301 (304)	6,900	2,300	2,300	0,2717	0,0906	0,0906	6,300	m	
9	1.4301 (304)	9,700	0,500	8,700	0,3819	0,0197	0,3425	8,710	m	
10	1.4307	6,300	0,275	5,750	0,2480	0,0108	0,2264	9,149	m	
11	1.4452 (P 2000)	1,600	0,090	1,420	0,0630	0,0035	0,0559	9,650	m	
12	1.4452 (P 2000)	1,600	0,150	1,300	0,0630	0,0059	0,0512	7,884	m	
13	1.4452 (P 2000)	1,800	0,090	1,620	0,0709	0,0035	0,0638	13,102	m	
14	1.4452 (P 2000)	1,800	0,090	1,620	0,0709	0,0035	0,0638	31,775	m	
15	1.4452 (P 2000)	4,572	0,152	4,268	0,1800	0,0060	0,1680	20,530	m	
16	1.4541	9,576	0,114	9,348	0,3770	0,0045	0,3680	17,005	m	
17	1.4541	9,750	0,100	9,550	0,3839	0,0039	0,3760	14,722	m	
18	1.4541	9,750	0,100	9,550	0,3839	0,0039	0,3760	24,000	m	
19	1.4550	10,140	0,220	9,700	0,3992	0,0087	0,3819	14,000	St	
20	1.4568	0,690	0,125	0,440	0,0272	0,0049	0,0173	7,854	m	
21	1.4568	2,108	0,203	1,702	0,0830	0,0080	0,0670	21,630	m	

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact

The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)

or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)

or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)

west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
22	1.4568	7,214	0,381	6,452	0,2840	0,0150	0,2540	14,610	m	
23	1.4568	7,214	0,381	6,452	0,2840	0,0150	0,2540	18,335	m	
24	1.4568	7,214	0,381	6,452	0,2840	0,0150	0,2540	23,560	m	
25	1.4568	9,500	0,254	8,992	0,3740	0,0100	0,3540	6,304	m	
26	1.4568	9,647	0,342	8,963	0,3798	0,0135	0,3529	9,570	m	
27	1.4568	9,667	0,249	9,169	0,3806	0,0098	0,3610	2,009	m	
28	1.4568	10,313	0,342	9,629	0,4060	0,0135	0,3791	3,202	m	
29	1.4571	5,600	0,150	5,300	0,2205	0,0059	0,2087	278,000	St	
30	1.4571	5,950	0,150	5,700	0,2343	0,0059	0,2244	222,000	St	
31	1.4571	9,000	0,400	8,200	0,3543	0,0157	0,3228	19,500	m	
32	316L	0,550	0,100	0,350	0,0217	0,0039	0,0138	33,244	m	
33	316L	0,640	0,095	0,450	0,0252	0,0037	0,0177	185,000	m	
34	316L	1,540	0,090	1,360	0,0606	0,0035	0,0535	13,152	m	
35	316L	1,800	0,125	1,550	0,0709	0,0049	0,0610	15,422	m	
36	316L	3,200	0,300	2,600	0,1260	0,0118	0,1024	13,621	m	
37	316L	4,217	0,140	3,937	0,1660	0,0055	0,1550	3,140	m	
38	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	159,000	St	
39	316L	5,550	0,175	5,200	0,2185	0,0069	0,2047	359,805	m	
40	316LVM	0,292	0,050	0,192	0,0115	0,0020	0,0076	112,836	m	
41	316LVM	0,450	0,100	0,250	0,0177	0,0039	0,0098	57,644	m	
42	316LVM	0,521	0,038	0,445	0,0205	0,0015	0,0175	37,000	m	

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
43	316LVM	0,550	0,075	0,400	0,0217	0,0030	0,0157	27,113	m	
44	316LVM	0,650	0,175	0,300	0,0256	0,0069	0,0118	15,629	m	
45	316LVM	0,700	0,100	0,500	0,0276	0,0039	0,0197	42,246	m	
46	316LVM	0,889	0,140	0,610	0,0350	0,0055	0,0240	35,800	m	
47	316LVM	0,950	0,200	0,550	0,0374	0,0079	0,0217	38,024	m	
48	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	45,981	m	
49	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	72,562	m	
50	316LVM	0,990	0,075	0,840	0,0390	0,0030	0,0331	13,188	m	
51	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	20,960	m	
52	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	64,256	m	
53	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	67,374	m	
54	316LVM	1,400	0,130	1,140	0,0551	0,0051	0,0449	45,402	m	
55	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	18,550	m	
56	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	22,130	m	
57	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	3,450	m	
58	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	2,986	m	
59	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	9,464	m	
60	316LVM	1,753	0,039	1,675	0,0690	0,0015	0,0659	14,026	m	
61	316LVM	1,800	0,100	1,600	0,0709	0,0039	0,0630	14,544	m	
62	316LVM	1,800	0,125	1,550	0,0709	0,0049	0,0610	11,761	m	
63	316LVM	1,800	0,150	1,500	0,0709	0,0059	0,0591	13,998	m	

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
64	316LVM	1,800	0,200	1,400	0,0709	0,0079	0,0551	19,724	m	
65	316LVM	1,930	0,196	1,538	0,0760	0,0077	0,0606	47,700	m	
66	316LVM	2,100	0,100	1,900	0,0827	0,0039	0,0748	18,853	m	
67	316LVM	2,515	0,058	2,400	0,0990	0,0023	0,0945	19,953	m	
68	316LVM	3,000	0,400	2,200	0,1181	0,0157	0,0866	6,230	m	
69	316LVM	3,100	0,100	2,900	0,1220	0,0039	0,1142	59,721	m	
70	316LVM	3,500	0,500	2,500	0,1378	0,0197	0,0984	7,490	m	
71	316LVM	3,759	0,254	3,251	0,1480	0,0100	0,1280	39,148	m	
72	316LVM	4,000	0,090	3,820	0,1575	0,0035	0,1504	8,373	m	
73	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	6,483	m	
74	316LVM	4,572	0,229	4,114	0,1800	0,0090	0,1620	63,638	m	
75	316LVM	4,650	0,090	4,470	0,1831	0,0035	0,1760	16,278	m	
76	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	11,683	m	
77	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	19,984	m	
78	316LVM	5,000	0,250	4,500	0,1969	0,0098	0,1772	10,890	m	
79	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	10,340	m	
80	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	45,880	m	
81	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	19,306	m	
82	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	21,650	m	
83	316LVM	5,960	0,200	5,560	0,2346	0,0079	0,2189	21,000	m	
84	316LVM	6,000	0,279	5,442	0,2362	0,0110	0,2143	0,648	m	

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
85	316LVM	6,000	0,300	5,400	0,2362	0,0118	0,2126	32,702	m	
86	316LVM	6,198	0,229	5,740	0,2440	0,0090	0,2260	9,680	m	
87	316LVM	6,350	2,197	1,956	0,2500	0,0865	0,0770	1,596	m	
88	316LVM	7,938	0,261	7,417	0,3125	0,0103	0,2920	8,287	m	
89	316LVM	7,940	0,710	6,520	0,3126	0,0280	0,2567	11,030	m	
90	316LVM	8,000	0,150	7,700	0,3150	0,0059	0,3031	4,290	m	
91	316LVM	8,000	0,216	7,568	0,3150	0,0085	0,2980	6,251	m	
92	316LVM	9,525	0,513	8,500	0,3750	0,0202	0,3346	7,608	m	
93	Biodur 108	1,220	0,075	1,070	0,0480	0,0030	0,0421	7,542	m	
94	KC35N LT	0,270	0,025	0,220	0,0106	0,0010	0,0087	52,377	m	
95	KC35N LT	0,356	0,102	0,152	0,0140	0,0040	0,0060	27,000	St	
96	KC35N LT	0,368	0,083	0,203	0,0145	0,0033	0,0080	29,000	St	
97	KC35N LT	0,450	0,125	0,200	0,0177	0,0049	0,0079	39,137	m	
98	KC35N LT	0,510	0,050	0,410	0,0201	0,0020	0,0161	2,100	m	
99	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	2290,000	St	
100	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	915,000	St	
101	KC35N LT	0,600	0,100	0,400	0,0236	0,0039	0,0157	47,100	m	
102	KC35N LT	0,730	0,115	0,500	0,0287	0,0045	0,0197	5,666	m	
103	KC35N LT	0,960	0,050	0,860	0,0378	0,0020	0,0339	63,482	m	
104	KC35N LT	1,107	0,086	0,935	0,0436	0,0034	0,0368	28,602	m	
105	KC35N LT	1,240	0,070	1,100	0,0488	0,0028	0,0433	19,985	m	

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
106	KC35N LT	1,350	0,075	1,200	0,0531	0,0030	0,0472	57,510	m	
107	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	19,350	m	
108	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	55,750	m	
109	KC35N LT	1,600	0,105	1,390	0,0630	0,0041	0,0547	6,685	m	
110	KC35N LT	1,800	0,115	1,570	0,0709	0,0045	0,0618	0,836	m	
111	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	20,870	m	
112	KC35N LT	2,311	0,102	2,107	0,0910	0,0040	0,0830	28,500	m	
113	KC35N LT	2,350	0,150	2,050	0,0925	0,0059	0,0807	22,407	m	
114	KC35N LT	2,375	0,089	2,197	0,0935	0,0035	0,0865	1,492	m	
115	KC35N LT	2,400	0,114	2,172	0,0945	0,0045	0,0855	11,820	m	
116	KC35N LT	3,500	0,090	3,320	0,1378	0,0035	0,1307	17,303	m	
117	KC35N LT	4,200	0,100	4,000	0,1654	0,0039	0,1575	4,210	m	
118	KC35N LT	4,720	0,304	4,112	0,1858	0,0120	0,1619	50,256	m	
119	KC35N LT	5,588	0,229	5,130	0,2200	0,0090	0,2020	9,819	m	
120	KC35N LT	6,000	0,500	5,000	0,2362	0,0197	0,1969	12,940	m	
121	KC35N LT	6,400	0,075	6,250	0,2520	0,0030	0,2461	6,038	m	
122	KC35N LT	7,214	0,381	6,452	0,2840	0,0150	0,2540	3,910	m	
123	L605	0,510	0,105	0,300	0,0201	0,0041	0,0118	37,340	m	
124	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	30,988	m	
125	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	354,000	St	
126	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	42,956	m	

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
127	L605	0,720	0,130	0,460	0,0283	0,0051	0,0181	16,160	m	
128	L605	0,762	0,127	0,508	0,0300	0,0050	0,0200	38,452	m	
129	L605	1,070	0,140	0,790	0,0421	0,0055	0,0311	7,451	m	
130	L605	1,169	0,102	0,965	0,0460	0,0040	0,0380	15,914	m	
131	L605	1,219	0,127	0,965	0,0480	0,0050	0,0380	45,448	m	
132	L605	1,320	0,081	1,158	0,0520	0,0032	0,0456	3,444	m	
133	L605	1,321	0,127	1,067	0,0520	0,0050	0,0420	28,800	m	
134	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	6,131	m	
135	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	7,686	m	
136	L605	1,470	0,110	1,250	0,0579	0,0043	0,0492	16,570	m	
137	L605	1,470	0,110	1,250	0,0579	0,0043	0,0492	23,280	m	
138	L605	1,470	0,110	1,250	0,0579	0,0043	0,0492	28,770	m	
139	L605	1,470	0,130	1,210	0,0579	0,0051	0,0476	36,860	m	
140	L605	1,473	0,127	1,219	0,0580	0,0050	0,0480	26,210	m	
141	L605	1,550	0,100	1,350	0,0610	0,0039	0,0531	144,000	m	
142	L605	1,600	0,065	1,470	0,0630	0,0026	0,0579	1,377	m	
143	L605	1,600	0,080	1,440	0,0630	0,0031	0,0567	16,816	m	
144	L605	1,600	0,090	1,420	0,0630	0,0035	0,0559	5,355	m	
145	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,510	m	
146	L605	1,600	0,110	1,380	0,0630	0,0043	0,0543	189,788	m	
147	L605	1,600	0,110	1,380	0,0630	0,0043	0,0543	24,460	m	

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
148	L605	1,600	0,140	1,320	0,0630	0,0055	0,0520	16,140	m	
149	L605	1,650	0,230	1,190	0,0650	0,0091	0,0469	19,504	m	
150	L605	1,800	0,065	1,670	0,0709	0,0026	0,0657	23,271	m	
151	L605	1,800	0,085	1,630	0,0709	0,0033	0,0642	12,490	m	
152	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	173,000	m	
153	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	21,400	m	
154	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	27,300	m	
155	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	64,623	m	
156	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	9,339	m	
157	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	14,921	m	
158	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	46,200	m	
159	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,080	m	
160	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,175	m	
161	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,870	m	
162	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	67,000	St	
163	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,550	m	
164	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,798	m	
165	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	8,700	m	
166	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	85,255	m	
167	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	9,474	m	
168	L605	1,800	0,104	1,592	0,0709	0,0041	0,0627	128,291	m	



**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
169	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	107,761	m	
170	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	18,580	m	
171	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	431,611	m	
172	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	531,472	m	
173	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	560,000	m	
174	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	96,116	m	
175	L605	1,800	0,190	1,420	0,0709	0,0075	0,0559	8,711	m	
176	L605	1,880	0,127	1,626	0,0740	0,0050	0,0640	32,710	m	
177	L605	2,000	0,110	1,780	0,0787	0,0043	0,0701	46,013	m	
178	L605	3,000	0,500	2,000	0,1181	0,0197	0,0787	9,721	m	
179	L605	3,800	0,150	3,500	0,1496	0,0059	0,1378	97,397	m	
180	L605	3,850	0,170	3,510	0,1516	0,0067	0,1382	15,284	m	
181	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	106,600	m	
182	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	19,472	m	
183	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	2,296	m	
184	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	99,880	m	
185	L605	4,318	0,160	3,998	0,1700	0,0063	0,1574	16,657	m	
186	L605	4,400	0,320	3,760	0,1732	0,0126	0,1480	41,479	m	
187	L605	4,550	0,180	4,190	0,1791	0,0071	0,1650	3,919	m	
188	L605	4,700	0,180	4,340	0,1850	0,0071	0,1709	1,040	m	
189	L605	5,000	0,100	4,800	0,1969	0,0039	0,1890	1,530	m	

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
190	L605	5,500	0,210	5,080	0,2165	0,0083	0,2000	11,914	m	
191	L605	6,000	0,200	5,600	0,2362	0,0079	0,2205	4,011	m	
192	L605	6,240	0,120	6,000	0,2457	0,0047	0,2362	5,526	m	
193	L605	10,000	0,100	25,000	0,3937	0,0039	0,9843	385,000	St	
194	Mu-Metal	0,680	0,100	0,480	0,0268	0,0039	0,0189	34,020	m	
195	Mu-Metal	1,422	0,076	1,270	0,0560	0,0030	0,0500	1650,000	St	
196	Mu-Metal	1,422	0,076	1,270	0,0560	0,0030	0,0500	20,000	m	
197	Mu-Metal	3,226	0,051	3,124	0,1270	0,0020	0,1230	18,660	m	
198	Mu-Metal	3,277	0,076	3,124	0,1290	0,0030	0,1230	54,360	m	
199	NiTi	0,330	0,115	0,100	0,0130	0,0045	0,0039	7,270	m	ground
200	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	11,000	m	ground
201	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	53,000	m	ground
202	NiTi	0,400	0,150	0,100	0,0157	0,0059	0,0039	10,388	m	ground
203	NiTi	0,400	0,150	0,100	0,0157	0,0059	0,0039	46,115	m	ground
204	NiTi	0,450	0,070	0,310	0,0177	0,0028	0,0122	26,609	m	dark oxidized
205	NiTi	0,457	0,076	0,305	0,0180	0,0030	0,0120	1,829	m	polished
206	NiTi	0,457	0,076	0,305	0,0180	0,0030	0,0120	14,630	m	polished
207	NiTi	0,480	0,076	0,328	0,0189	0,0030	0,0129	6,094	m	ground
208	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	662,754	m	dark oxidized
209	NiTi	0,580	0,115	0,350	0,0228	0,0045	0,0138	113,074	m	ground
210	NiTi	0,660	0,076	0,508	0,0260	0,0030	0,0200	16,000	St	ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
211	NiTi	0,730	0,100	0,530	0,0287	0,0039	0,0209	49,742 m		ground
212	NiTi	0,940	0,080	0,780	0,0370	0,0031	0,0307	620,400 m		dark oxidized
213	NiTi	1,000	0,050	0,900	0,0394	0,0020	0,0354	20,640 m		ground
214	NiTi	1,180	0,146	0,889	0,0465	0,0057	0,0350	26,501 m		ground
215	NiTi	1,200	0,085	1,030	0,0472	0,0033	0,0406	49,800 m		ground
216	NiTi	1,220	0,133	0,954	0,0480	0,0052	0,0376	239,427 m		ground
217	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	158,813 m		ground
218	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	3,604 m		ground
219	NiTi	1,240	0,230	0,780	0,0488	0,0091	0,0307	21,245 m		ground
220	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	31,570 m		ground
221	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	4,716 m		ground
222	NiTi	1,300	0,168	0,964	0,0512	0,0066	0,0380	2,520 m		ground
223	NiTi	1,300	0,170	0,960	0,0512	0,0067	0,0378	36,539 m		ground
224	NiTi	1,300	0,220	0,860	0,0512	0,0087	0,0339	86,088 m		ground
225	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	516,632 m		ground
226	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	63,898 m		ground
227	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	19,570 m		ground out-/oxidic inside
228	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	21,797 m		ground out-/oxidic inside
229	NiTi	1,320	0,210	0,900	0,0520	0,0083	0,0354	7,436 m		ground
230	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	1,668 m		ground
231	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	10,030 m		ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
232	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	13,900 m		ground
233	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,129 m		ground
234	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,410 m		ground
235	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,000 m		ground
236	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	16,090 m		ground
237	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	173,217 m		ground
238	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	18,000 m		ground
239	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	20,800 m		ground
240	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	21,500 m		ground
241	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	27,020 m		ground
242	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	29,625 m		ground
243	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	3,380 m		ground
244	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	3,710 m		ground
245	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	3,948 m		ground
246	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	37,943 m		ground
247	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	39,549 m		ground
248	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,200 m		ground
249	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,276 m		ground
250	NiTi	1,320	0,235	0,850	0,0520	0,0093	0,0335	8,103 m		ground
251	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	2,584 m		ground
252	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	3,374 m		ground

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
253	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	7,225 m		ground
254	NiTi	1,370	0,205	0,960	0,0539	0,0081	0,0378	10,634 m		ground
255	NiTi	1,370	0,205	0,960	0,0539	0,0081	0,0378	3,394 m		ground
256	NiTi	1,390	0,120	1,150	0,0547	0,0047	0,0453	-5,524 m		ground
257	NiTi	1,390	0,120	1,150	0,0547	0,0047	0,0453	10,187 m		ground
258	NiTi	1,390	0,130	1,130	0,0547	0,0051	0,0445	5,670 m		ground
259	NiTi	1,448	0,191	1,066	0,0570	0,0075	0,0420	3,701 m		ground
260	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	1,373 m		ground
261	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	7,028 m		ground
262	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	7,383 m		ground
263	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	1,300 m		ground
264	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	55,080 m		ground out-/oxidic inside
265	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	96,900 m		ground out-/oxidic inside
266	NiTi	1,550	0,250	1,050	0,0610	0,0098	0,0413	14,007 m		ground
267	NiTi	1,590	0,215	1,160	0,0626	0,0085	0,0457	28,532 m		ground out-/oxidic inside
268	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	22,144 m		ground
269	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	243,816 m		ground out-/oxidic inside
270	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	270,135 m		ground out-/oxidic inside
271	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	306,800 m		ground out-/oxidic inside
272	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	6,077 m		ground
273	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	64,425 m		ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
274	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	9,605	m	ground
275	NiTi	1,600	0,474	0,653	0,0630	0,0187	0,0257	5,000	St	ground
276	NiTi	1,605	0,220	1,165	0,0632	0,0087	0,0459	3,490	m	ground
277	NiTi	1,626	0,140	1,346	0,0640	0,0055	0,0530	9,289	m	ground
278	NiTi	1,626	0,241	1,144	0,0640	0,0095	0,0450	100,000	St	ground
279	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	10,817	m	ground out-/oxidic inside
280	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	20,737	m	ground out-/oxidic inside
281	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	4,970	m	ground out-/oxidic inside
282	NiTi	1,630	0,225	1,180	0,0642	0,0089	0,0465	3,820	m	ground out-/oxidic inside
283	NiTi	1,630	0,225	1,180	0,0642	0,0089	0,0465	7,170	m	polished
284	NiTi	1,630	0,230	1,170	0,0642	0,0091	0,0461	3,478	m	ground
285	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	10,609	m	ground
286	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	13,965	m	ground
287	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	18,165	m	ground
288	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	55,279	m	ground
289	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	21,363	m	ground
290	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	3,627	m	ground
291	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	343,430	m	ground
292	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000	m	dark oxidized
293	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000	m	ground
294	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,390	m	ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
295	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,958 m		ground
296	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	6,000 m		ground
297	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,700 m		ground
298	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,980 m		ground
299	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,080 m		ground out-/oxidic inside
300	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,120 m		ground out-/oxidic inside
301	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,450 m		ground out-/oxidic inside
302	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,930 m		ground out-/oxidic inside
303	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	26,850 m		ground
304	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	3,560 m		ground out-/oxidic inside
305	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,150 m		ground
306	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,685 m		ground
307	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	204,474 m		ground out-/oxidic inside
308	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	287,701 m		ground out-/oxidic inside
309	NiTi	1,720	0,230	1,260	0,0677	0,0091	0,0496	67,744 m		ground
310	NiTi	1,729	0,220	1,289	0,0681	0,0087	0,0507	36,100 m		ground
311	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	172,007 m		ground
312	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	26,729 m		ground
313	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	3,500 m		ground
314	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	35,060 m		ground
315	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	4,323 m		ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
316	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	40,357	m	ground
317	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,041	m	ground
318	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	5,740	m	ground
319	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	6,450	m	ground
320	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	7,900	m	ground
321	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	8,160	m	ground
322	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	81,630	m	ground
323	NiTi	1,730	0,240	1,250	0,0681	0,0094	0,0492	28,250	m	ground
324	NiTi	1,800	0,060	1,680	0,0709	0,0024	0,0661	5,260	m	ground
325	NiTi	1,800	0,070	1,660	0,0709	0,0028	0,0654	17,365	m	ground
326	NiTi	1,800	0,075	1,650	0,0709	0,0030	0,0650	21,481	m	ground
327	NiTi	1,800	0,080	1,640	0,0709	0,0031	0,0646	6,594	m	ground
328	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	10,338	m	ground
329	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	2,202	m	ground
330	NiTi	1,801	0,089	1,623	0,0709	0,0035	0,0639	10,263	m	ground
331	NiTi	1,801	0,089	1,623	0,0709	0,0035	0,0639	14,726	m	ground
332	NiTi	1,801	0,089	1,623	0,0709	0,0035	0,0639	21,683	m	ground
333	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	3,356	m	ground
334	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,716	m	ground
335	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	9,070	m	ground
336	NiTi	1,900	0,370	1,160	0,0748	0,0146	0,0457	3,832	m	ground



**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
337	NiTi	1,907	0,203	1,501	0,0751	0,0080	0,0591	11,009	m	ground
338	NiTi	1,921	0,203	1,515	0,0756	0,0080	0,0596	96,643	m	ground
339	NiTi	2,000	0,070	1,860	0,0787	0,0028	0,0732	8,969	m	ground
340	NiTi	2,000	0,230	1,540	0,0787	0,0091	0,0606	5,990	m	ground
341	NiTi	2,000	0,240	1,520	0,0787	0,0094	0,0598	27,510	m	ground
342	NiTi	2,000	0,240	1,520	0,0787	0,0094	0,0598	36,467	m	ground
343	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	21,199	m	ground
344	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	36,134	m	ground
345	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	1,383	m	ground
346	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	9,847	m	ground
347	NiTi	2,032	0,280	1,472	0,0800	0,0110	0,0580	333,511	m	ground
348	NiTi	2,032	0,280	1,472	0,0800	0,0110	0,0580	79,725	m	ground
349	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	14,305	m	ground
350	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	23,347	m	ground
351	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	28,504	m	ground
352	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	6,506	m	ground
353	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	7,169	m	ground
354	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	130,730	m	ground
355	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	25,753	m	ground
356	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	3,772	m	ground
357	NiTi	2,161	0,086	1,989	0,0851	0,0034	0,0783	341,218	m	ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
358	NiTi	2,164	0,081	2,002	0,0852	0,0032	0,0788	14,486 m		ground
359	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	1,840 m		ground
360	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	13,550 m		ground
361	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	9,847 m		ground
362	NiTi	2,184	0,241	1,702	0,0860	0,0095	0,0670	8,283 m		ground
363	NiTi	2,184	0,381	1,422	0,0860	0,0150	0,0560	6,294 m		ground
364	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	28,627 m		ground out-/oxidic inside
365	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	57,200 m		ground out-/oxidic inside
366	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	9,659 m		ground out-/oxidic inside
367	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	25,542 m		ground
368	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	8,472 m		ground
369	NiTi	2,200	0,270	1,660	0,0866	0,0106	0,0654	42,972 m		ground
370	NiTi	2,200	0,325	1,550	0,0866	0,0128	0,0610	2,040 m		ground
371	NiTi	2,200	0,550	1,100	0,0866	0,0217	0,0433	1,880 m		ground
372	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	6,936 m		ground
373	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	74,575 m		ground
374	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	2,821 m		ground
375	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	1,414 m		ground
376	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	2,624 m		ground
377	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	4,584 m		ground
378	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	107,669 m		ground out-/oxidic inside

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
379	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	19,268 m		ground out-/oxidic inside
380	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	27,620 m		ground out-/oxidic inside
381	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	33,102 m		ground out-/oxidic inside
382	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	42,991 m		ground out-/oxidic inside
383	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	60,800 m		ground out-/oxidic inside
384	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	7,000 m		ground out-/oxidic inside
385	NiTi	2,310	0,255	1,800	0,0909	0,0100	0,0709	28,010 m		ground
386	NiTi	2,340	0,170	2,000	0,0921	0,0067	0,0787	29,031 m		ground
387	NiTi	2,340	0,170	2,000	0,0921	0,0067	0,0787	40,566 m		ground
388	NiTi	2,350	0,145	2,060	0,0925	0,0057	0,0811	8,866 m		ground
389	NiTi	2,372	0,183	2,006	0,0934	0,0072	0,0790	8,280 m		ground
390	NiTi	2,400	0,075	2,250	0,0945	0,0030	0,0886	5,203 m		ground
391	NiTi	2,400	0,076	2,248	0,0945	0,0030	0,0885	13,315 m		ground
392	NiTi	2,400	0,200	2,000	0,0945	0,0079	0,0787	34,413 m		dark oxidized
393	NiTi	2,400	0,200	2,000	0,0945	0,0079	0,0787	8,635 m		ground
394	NiTi	2,400	0,300	1,800	0,0945	0,0118	0,0709	8,126 m		ground
395	NiTi	2,400	0,500	1,400	0,0945	0,0197	0,0551	11,313 m		ground
396	NiTi	2,403	0,198	2,007	0,0946	0,0078	0,0790	4,644 m		ground
397	NiTi	2,413	0,407	1,600	0,0950	0,0160	0,0630	20,940 m		ground
398	NiTi	2,440	0,320	1,800	0,0961	0,0126	0,0709	1,760 m		dark oxidized
399	NiTi	2,500	0,070	2,360	0,0984	0,0028	0,0929	3,920 m		ground

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
400	NiTi	2,500	0,080	2,340	0,0984	0,0031	0,0921	3,708 m		ground
401	NiTi	2,500	0,190	2,120	0,0984	0,0075	0,0835	25,725 m		ground
402	NiTi	2,500	0,550	1,400	0,0984	0,0217	0,0551	6,995 m		
403	NiTi	2,550	0,180	2,190	0,1004	0,0071	0,0862	8,096 m		ground
404	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	13,249 m		ground
405	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	2,999 m		ground out-/oxidic inside
406	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	6,577 m		ground
407	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	76,526 m		ground
408	NiTi	2,590	0,076	2,438	0,1020	0,0030	0,0960	2,188 m		ground
409	NiTi	2,600	0,200	2,200	0,1024	0,0079	0,0866	17,406 m		ground
410	NiTi	2,600	0,510	1,580	0,1024	0,0201	0,0622	112,705 m		ground
411	NiTi	2,618	0,065	2,488	0,1031	0,0026	0,0980	73,023 m		ground
412	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	41,055 m		ground
413	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	56,811 m		ground
414	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	59,796 m		ground
415	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	9,617 m		ground
416	NiTi	2,680	0,089	2,502	0,1055	0,0035	0,0985	4,405 m		ground
417	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	6,022 m		ground
418	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	9,177 m		ground
419	NiTi	2,700	0,600	1,500	0,1063	0,0236	0,0591	1,143 m		ground
420	NiTi	2,743	0,432	1,879	0,1080	0,0170	0,0740	7,148 m		ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
421	NiTi	2,760	0,190	2,380	0,1087	0,0075	0,0937	4,993	m	ground
422	NiTi	2,800	0,230	2,340	0,1102	0,0091	0,0921	4,246	m	ground
423	NiTi	2,800	0,300	2,200	0,1102	0,0118	0,0866	2,971	m	ground
424	NiTi	2,800	0,610	1,580	0,1102	0,0240	0,0622	18,142	m	ground
425	NiTi	2,819	0,371	2,077	0,1110	0,0146	0,0818	7,000	St	ground
426	NiTi	2,870	0,173	2,524	0,1130	0,0068	0,0994	13,868	m	ground
427	NiTi	3,000	0,080	2,840	0,1181	0,0031	0,1118	5,982	m	ground
428	NiTi	3,000	0,150	2,700	0,1181	0,0059	0,1063	35,351	m	ground
429	NiTi	3,000	0,250	2,500	0,1181	0,0098	0,0984	4,131	m	ground
430	NiTi	3,200	0,540	2,120	0,1260	0,0213	0,0835	11,444	m	ground
431	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,471	m	ground out-/oxidic inside
432	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,863	m	ground out-/oxidic inside
433	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	10,931	m	ground out-/oxidic inside
434	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	5,955	m	ground
435	NiTi	3,363	0,102	3,159	0,1324	0,0040	0,1244	5,996	m	ground
436	NiTi	3,363	0,102	3,159	0,1324	0,0040	0,1244	50,776	m	ground
437	NiTi	3,363	0,111	3,141	0,1324	0,0044	0,1237	81,471	m	ground
438	NiTi	3,404	0,458	2,489	0,1340	0,0180	0,0980	8,009	m	ground
439	NiTi	3,500	0,075	3,350	0,1378	0,0030	0,1319	15,571	m	ground
440	NiTi	3,500	0,127	3,246	0,1378	0,0050	0,1278	9,754	m	ground
441	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	22,275	m	ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
442	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	8,819 m		ground
443	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	9,610 m		ground
444	NiTi	3,500	0,203	3,094	0,1378	0,0080	0,1218	4,241 m		ground
445	NiTi	3,500	0,440	2,620	0,1378	0,0173	0,1031	4,291 m		ground
446	NiTi	3,520	0,160	3,200	0,1386	0,0063	0,1260	1,152 m		ground
447	NiTi	3,600	0,200	3,200	0,1417	0,0079	0,1260	7,231 m		ground
448	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	25,033 m		ground
449	NiTi	4,210	0,500	3,210	0,1657	0,0197	0,1264	1,828 m		ground
450	NiTi	4,250	0,065	4,120	0,1673	0,0026	0,1622	4,333 m		polished
451	NiTi	4,500	0,060	4,380	0,1772	0,0024	0,1724	1,836 m		ground
452	NiTi	4,765	0,130	4,505	0,1876	0,0051	0,1774	1,597 m		ground
453	NiTi	4,800	0,075	4,650	0,1890	0,0030	0,1831	2,905 m		ground
454	NiTi	4,800	0,170	4,460	0,1890	0,0067	0,1756	2,707 m		ground
455	NiTi	4,950	0,155	4,640	0,1949	0,0061	0,1827	3,745 m		polished
456	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	0,227 m		ground
457	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	142,783 m		ground
458	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	29,886 m		ground out-/oxidic inside
459	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,398 m		ground out-/oxidic inside
460	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,757 m		ground
461	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835 m		ground out-/oxidic inside
462	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,534 m		ground

## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
463	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	54,498 m		ground out-/oxidic inside
464	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	6,244 m		ground
465	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	7,574 m		ground
466	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	93,614 m		ground out-/oxidic inside
467	NiTi	4,980	0,280	4,420	0,1961	0,0110	0,1740	3,032 m		ground
468	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	7,690 m		ground
469	NiTi	5,000	0,250	4,500	0,1969	0,0098	0,1772	5,870 m		ground
470	NiTi	5,000	0,400	4,200	0,1969	0,0157	0,1654	26,235 m		ground
471	NiTi	5,004	0,533	3,938	0,1970	0,0210	0,1550	2,263 m		ground out-/oxidic inside
472	NiTi	5,030	0,175	4,680	0,1980	0,0069	0,1843	6,880 m		polished
473	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	0,434 m		ground
474	NiTi	5,200	0,200	4,800	0,2047	0,0079	0,1890	20,330 m		ground
475	NiTi	5,207	0,279	4,649	0,2050	0,0110	0,1830	1,400 m		ground
476	NiTi	5,588	0,229	5,130	0,2200	0,0090	0,2020	3,553 m		ground
477	NiTi	5,944	0,572	4,800	0,2340	0,0225	0,1890	1,250 m		ground out-/oxidic inside
478	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	4,110 m		ground out-/oxidic inside
479	NiTi	5,990	0,584	4,822	0,2358	0,0230	0,1898	8,865 m		ground out-/oxidic inside
480	NiTi	5,994	0,537	4,920	0,2360	0,0211	0,1937	16,439 m		ground
481	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	21,525 m		ground
482	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	7,512 m		ground
483	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	11,073 m		ground

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
484	NiTi	6,500	0,220	6,060	0,2559	0,0087	0,2386	0,986 m		ground
485	NiTi	6,700	0,250	6,200	0,2638	0,0098	0,2441	2,135 m		ground
486	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	18,502 m		ground
487	NiTi	7,500	2,025	3,450	0,2953	0,0797	0,1358	5,177 m		ground
488	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	6,130 m		ground
489	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	6,570 m		ground
490	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	9,837 m		ground
491	NiTi	8,000	0,381	7,238	0,3150	0,0150	0,2850	4,550 m		ground
492	NiTi	8,000	0,381	7,238	0,3150	0,0150	0,2850	8,316 m		ground
493	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	0,645 m		ground
494	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	7,223 m		ground
495	NiTi	8,500	0,220	8,060	0,3346	0,0087	0,3173	3,458 m		ground
496	NiTi	9,900	0,625	8,650	0,3898	0,0246	0,3406	1,110 m		ground
497	NiTi	10,000	0,310	9,380	0,3937	0,0122	0,3693	13,438 m		ground
498	NiTi	10,000	0,406	9,188	0,3937	0,0160	0,3617	7,497 m		ground
499	NiTi	10,000	0,450	9,100	0,3937	0,0177	0,3583	1,410 m		ground
500	NiTi	10,000	0,480	9,040	0,3937	0,0189	0,3559	3,585 m		ground
501	NiTi	10,000	0,500	9,000	0,3937	0,0197	0,3543	1,193 m		ground
502	NiTi	10,000	0,500	9,000	0,3937	0,0197	0,3543	1,269 m		ground
503	NiTi	10,000	0,500	9,000	0,3937	0,0197	0,3543	2,374 m		ground
504	NiTi	10,000	0,550	8,900	0,3937	0,0217	0,3504	4,688 m		ground



## Stock list - Tubes

current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, [nicole.odenwald@euroflex.de](mailto:nicole.odenwald@euroflex.de))  
or Michaela Müller (Phone +49(0)7231.208.249, [michaela.mueller@euroflex.de](mailto:michaela.mueller@euroflex.de))  
or Valerie Stumpf (Phone +49(0)7231.208.560, [valerie.stumpf@euroflex.de](mailto:valerie.stumpf@euroflex.de))

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, [alec.niedermaier@euroflex.de](mailto:alec.niedermaier@euroflex.de))  
west USA: Keyur Amin (Phone +1 714-317-0971, [keyur.amin@euroflex.de](mailto:keyur.amin@euroflex.de))

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
505	NiTi	10,000	0,720	8,560	0,3937	0,0283	0,3370	0,874 m		ground
506	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	1,050 m		ground
507	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	13,864 m		ground
508	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	2,854 m		ground
509	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	6,601 m		ground
510	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	8,806 m		ground
511	Phynox / 2.4711	1,600	0,250	1,100	0,0630	0,0098	0,0433	11,034 m		
512	Tantal	1,600	0,090	1,420	0,0630	0,0035	0,0559	2,207 m		
513	Tantal	1,982	0,051	1,880	0,0780	0,0020	0,0740	3,897 m		
514	Tantal	4,800	0,400	4,000	0,1890	0,0157	0,1575	4,647 m		
515	Tantal	4,900	0,500	3,900	0,1929	0,0197	0,1535	2,529 m		
516	Tantal-Wolfram	1,880	0,077	1,727	0,0740	0,0030	0,0680	18,162 m		
517	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	11,210 m		ground
518	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	26,480 m		ground
519	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	28,310 m		
520	Titan Gr. 2	0,820	0,156	0,508	0,0323	0,0061	0,0200	74,736 m		
521	Titan Gr. 2	1,100	0,150	0,800	0,0433	0,0059	0,0315	664,655 m		
522	Titan Gr. 2	1,225	0,050	1,125	0,0482	0,0020	0,0443	45,777 m		
523	Titan Gr. 2	1,250	0,100	1,050	0,0492	0,0039	0,0413	62,150 m		ground
524	Titan Gr. 2	2,134	0,102	1,930	0,0840	0,0040	0,0760	6,027 m		
525	Titan Gr. 2	2,540	0,102	2,337	0,1000	0,0040	0,0920	6,490 m		

**Stock list - Tubes**current status: **04.10.2021**

To receive a quote, please contact  
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)  
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)  
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)  
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
526	Titan Gr. 2	4,000	0,050	3,900	0,1575	0,0020	0,1535	22,670	m	
527	Titan Gr. 2	4,480	0,075	4,330	0,1764	0,0030	0,1705	24,120	m	
528	Titan Gr. 2	6,883	0,356	6,172	0,2710	0,0140	0,2430	3,990	m	
529	Titan Gr. 2	7,000	0,150	6,700	0,2756	0,0059	0,2638	6,050	m	
530	Titan Gr. 2	7,925	0,889	6,147	0,3120	0,0350	0,2420	5,980	m	