

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
1		1,800	0,210	1,380	0,0709	0,0083	0,0543	1,016	m	
2		4,800	0,400	4,000	0,1890	0,0157	0,1575	6,010	m	
3		4,900	0,500	3,900	0,1929	0,0197	0,1535	3,529	m	
4	(1.4301 (304))	0,356	0,075	0,206	0,0140	0,0030	0,0081	10,000	m	
5	(1.4301 (304))	0,400	0,050	0,300	0,0157	0,0020	0,0118	1,950	m	
6	(1.4301 (304))	0,410	0,045	0,320	0,0161	0,0018	0,0126	33,600	m	
7	(1.4301 (304))	0,410	0,050	0,310	0,0161	0,0020	0,0122	36,000	m	
8	(1.4301 (304))	0,480	0,030	0,420	0,0189	0,0012	0,0165	26,670	m	
9	(1.4301 (304))	0,635	0,051	0,533	0,0250	0,0020	0,0210	3315,000	St	
10	(1.4301 (304))	1,067	0,190	0,687	0,0420	0,0075	0,0270	50,158	m	
11	(1.4301 (304))	1,372	0,305	0,762	0,0540	0,0120	0,0300	49,000	St	
12	(1.4301 (304))	2,000	0,400	1,200	0,0787	0,0157	0,0472	41,199	m	
13	(1.4301 (304))	2,057	0,051	1,956	0,0810	0,0020	0,0770	38,000	St	
14	(1.4301 (304))	2,515	0,051	2,413	0,0990	0,0020	0,0950	9,000	St	
15	(1.4301 (304))	3,000	0,300	2,400	0,1181	0,0118	0,0945	12,876	m	
16	(1.4301 (304))	5,700	0,500	4,700	0,2244	0,0197	0,1850	7,503	m	
17	(1.4301 (304))	6,700	0,500	5,700	0,2638	0,0197	0,2244	13,728	m	
18	(1.4301 (304))	6,900	2,300	2,300	0,2717	0,0906	0,0906	6,300	m	
19	(1.4301 (304))	8,700	0,500	7,700	0,3425	0,0197	0,3031	2,370	m	
20	(1.4301 (304))	9,700	0,500	8,700	0,3819	0,0197	0,3425	9,600	m	
21	(1.4307)	6,300	0,275	5,750	0,2480	0,0108	0,2264	10,716	m	

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
22	(1.4452)	1,600	0,090	1,420	0,0630	0,0035	0,0559	10,150	m	
23	(1.4452)	1,600	0,150	1,300	0,0630	0,0059	0,0512	9,960	m	
24	(1.4452)	2,350	0,150	2,050	0,0925	0,0059	0,0807	4,737	m	
25	(1.4452)	4,500	0,220	4,060	0,1772	0,0087	0,1598	2,393	m	
26	(1.4452)	4,572	0,152	4,268	0,1800	0,0060	0,1680	20,530	m	
27	(1.4568)	0,690	0,125	0,440	0,0272	0,0049	0,0173	8,854	m	
28	(1.4568)	2,108	0,203	1,702	0,0830	0,0080	0,0670	21,630	m	
29	(1.4571)	9,000	0,400	8,200	0,3543	0,0157	0,3228	21,000	m	
30	316L	0,457	0,070	0,317	0,0180	0,0028	0,0125	34,770	m	
31	316L	1,510	0,220	1,070	0,0594	0,0087	0,0421	5,753	m	
32	316L	1,540	0,090	1,360	0,0606	0,0035	0,0535	83,088	m	
33	316L	3,000	0,100	2,800	0,1181	0,0039	0,1102	10,732	m	
34	316L	3,200	0,300	2,600	0,1260	0,0118	0,1024	16,400	m	
35	316L	4,217	0,140	3,937	0,1660	0,0055	0,1550	9,723	m	
36	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	109,000	St	
37	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	166,000	St	
38	316L	6,515	0,260	5,995	0,2565	0,0102	0,2360	1,748	m	
39	316LVM	0,292	0,050	0,192	0,0115	0,0020	0,0076	165,192	m	
40	316LVM	0,450	0,075	0,300	0,0177	0,0030	0,0118	18,280	m	
41	316LVM	0,521	0,038	0,445	0,0205	0,0015	0,0175	76,000	m	
42	316LVM	0,550	0,075	0,400	0,0217	0,0030	0,0157	42,113	m	

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
43	316LVM	0,635	0,076	0,483	0,0250	0,0030	0,0190	34,000	m	
44	316LVM	0,680	0,080	0,520	0,0268	0,0031	0,0205	93,060	m	
45	316LVM	0,820	0,040	0,740	0,0323	0,0016	0,0291	4,835	m	
46	316LVM	0,960	0,120	0,720	0,0378	0,0047	0,0283	16,000	m	
47	316LVM	0,990	0,075	0,840	0,0390	0,0030	0,0331	26,431	m	
48	316LVM	1,169	0,102	0,965	0,0460	0,0040	0,0380	13,980	m	
49	316LVM	1,219	0,127	0,965	0,0480	0,0050	0,0380	14,036	m	
50	316LVM	1,575	0,127	1,321	0,0620	0,0050	0,0520	7,314	m	
51	316LVM	1,575	0,127	1,321	0,0620	0,0050	0,0520	8,128	m	
52	316LVM	1,600	0,127	1,346	0,0630	0,0050	0,0530	3,038	m	
53	316LVM	1,600	0,200	1,200	0,0630	0,0079	0,0472	8,940	m	
54	316LVM	1,676	0,127	1,422	0,0660	0,0050	0,0560	43,073	m	
55	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	22,130	m	
56	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	3,450	m	
57	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	21,197	m	
58	316LVM	1,753	0,039	1,675	0,0690	0,0015	0,0659	14,026	m	
59	316LVM	1,800	0,100	1,600	0,0709	0,0039	0,0630	29,239	m	
60	316LVM	1,800	0,125	1,550	0,0709	0,0049	0,0610	11,761	m	
61	316LVM	1,800	0,150	1,500	0,0709	0,0059	0,0591	55,270	m	
62	316LVM	2,337	0,165	2,007	0,0920	0,0065	0,0790	18,933	m	
63	316LVM	2,530	0,100	2,330	0,0996	0,0039	0,0917	11,680	m	

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
64	316LVM	2,600	0,365	1,870	0,1024	0,0144	0,0736	1,270	m	
65	316LVM	3,100	0,100	2,900	0,1220	0,0039	0,1142	78,400	m	
66	316LVM	3,110	0,105	2,900	0,1224	0,0041	0,1142	18,600	m	
67	316LVM	3,500	0,500	2,500	0,1378	0,0197	0,0984	1,867	m	
68	316LVM	4,650	0,090	4,470	0,1831	0,0035	0,1760	16,278	m	
69	316LVM	5,436	0,216	5,003	0,2140	0,0085	0,1970	3,475	m	
70	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	10,340	m	
71	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	45,880	m	
72	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	32,878	m	
73	316LVM	5,960	0,200	5,560	0,2346	0,0079	0,2189	13,250	m	
74	316LVM	6,000	0,279	5,442	0,2362	0,0110	0,2143	2,288	m	
75	316LVM	6,400	0,340	5,720	0,2520	0,0134	0,2252	7,812	m	
76	316LVM	6,400	0,340	5,720	0,2520	0,0134	0,2252	7,874	m	
77	316LVM	6,515	0,260	5,995	0,2565	0,0102	0,2360	2,230	m	
78	316LVM	7,938	0,261	7,417	0,3125	0,0103	0,2920	21,710	m	
79	316LVM	8,000	0,150	7,700	0,3150	0,0059	0,3031	7,444	m	
80	316LVM	8,000	0,216	7,568	0,3150	0,0085	0,2980	11,448	m	
81	316LVM	10,000	0,500	9,000	0,3937	0,0197	0,3543	28,295	m	
82	Biodur 108	1,220	0,075	1,070	0,0480	0,0030	0,0421	8,355	m	
83	KC35N LT	0,270	0,025	0,220	0,0106	0,0010	0,0087	88,970	m	
84	KC35N LT	0,450	0,075	0,300	0,0177	0,0030	0,0118	20,473	m	

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
85	KC35N LT	0,450	0,125	0,200	0,0177	0,0049	0,0079	52,570	m	
86	KC35N LT	0,510	0,050	0,410	0,0201	0,0020	0,0161	3,100	m	
87	KC35N LT	0,700	0,110	0,480	0,0276	0,0043	0,0189	11,947	m	
88	KC35N LT	1,080	0,040	1,000	0,0425	0,0016	0,0394	3,905	m	
89	KC35N LT	1,107	0,086	0,935	0,0436	0,0034	0,0368	30,700	m	
90	KC35N LT	1,200	0,500	0,200	0,0472	0,0197	0,0079	24,770	m	
91	KC35N LT	1,270	0,125	1,020	0,0500	0,0049	0,0402	8,446	m	
92	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	21,350	m	
93	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	56,750	m	
94	KC35N LT	1,570	0,531	0,508	0,0618	0,0209	0,0200	6,450	m	
95	KC35N LT	1,600	0,105	1,390	0,0630	0,0041	0,0547	9,675	m	
96	KC35N LT	1,800	0,115	1,570	0,0709	0,0045	0,0618	2,713	m	
97	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	15,398	m	
98	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	21,370	m	
99	KC35N LT	2,311	0,102	2,107	0,0910	0,0040	0,0830	28,500	m	
100	KC35N LT	2,375	0,089	2,197	0,0935	0,0035	0,0865	11,992	m	
101	KC35N LT	2,388	0,102	2,184	0,0940	0,0040	0,0860	44,766	m	
102	KC35N LT	2,400	0,114	2,172	0,0945	0,0045	0,0855	14,820	m	
103	KC35N LT	3,500	0,090	3,320	0,1378	0,0035	0,1307	20,317	m	
104	KC35N LT	4,720	0,304	4,112	0,1858	0,0120	0,1619	56,410	m	
105	KC35N LT	6,000	0,500	5,000	0,2362	0,0197	0,1969	12,940	m	

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
106	KC35N LT	6,000	0,550	4,900	0,2362	0,0217	0,1929	13,402	m	
107	KC35N LT	6,000	0,700	4,600	0,2362	0,0276	0,1811	1,209	m	
108	KC35N LT	6,400	0,075	6,250	0,2520	0,0030	0,2461	6,038	m	
109	L605	1,169	0,102	0,965	0,0460	0,0040	0,0380	25,689	m	
110	L605	1,219	0,127	0,965	0,0480	0,0050	0,0380	46,730	m	
111	L605	1,320	0,081	1,158	0,0520	0,0032	0,0456	6,604	m	
112	L605	1,320	0,110	1,100	0,0520	0,0043	0,0433	23,932	m	
113	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	13,764	m	
114	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	27,187	m	
115	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	28,758	m	
116	L605	1,550	0,100	1,350	0,0610	0,0039	0,0531	144,000	m	
117	L605	1,600	0,065	1,470	0,0630	0,0026	0,0579	1,377	m	
118	L605	1,600	0,080	1,440	0,0630	0,0031	0,0567	22,000	m	
119	L605	1,600	0,090	1,420	0,0630	0,0035	0,0559	21,850	m	
120	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,510	m	
121	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	11,950	m	
122	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	66,033	m	
123	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	96,600	m	
124	L605	1,600	0,110	1,380	0,0630	0,0043	0,0543	6,208	m	
125	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	13,200	m	
126	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	18,890	m	

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
127	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	9,221	m	
128	L605	1,650	0,230	1,190	0,0650	0,0091	0,0469	23,140	m	
129	L605	1,800	0,055	1,690	0,0709	0,0022	0,0665	37,200	m	
130	L605	1,800	0,065	1,670	0,0709	0,0026	0,0657	34,730	m	
131	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	255,330	m	
132	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	38,680	m	
133	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	42,670	m	
134	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	26,060	m	
135	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	379,900	m	
136	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	46,200	m	
137	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	49,000	m	
138	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	6,870	m	
139	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	6,910	m	
140	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	67,000	St	
141	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,798	m	
142	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	8,700	m	
143	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	9,474	m	
144	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	90,740	m	
145	L605	1,800	0,190	1,420	0,0709	0,0075	0,0559	7,480	m	
146	L605	2,010	0,127	1,756	0,0791	0,0050	0,0691	1,908	m	
147	L605	2,083	0,109	1,865	0,0820	0,0043	0,0734	10,355	m	

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
148	L605	2,200	0,130	1,940	0,0866	0,0051	0,0764	2,100	m	
149	L605	2,200	0,130	1,940	0,0866	0,0051	0,0764	5,390	m	
150	L605	2,500	0,160	2,180	0,0984	0,0063	0,0858	42,882	m	
151	L605	2,540	0,120	2,300	0,1000	0,0047	0,0906	6,094	m	
152	L605	2,997	0,107	2,783	0,1180	0,0042	0,1096	15,757	m	
153	L605	3,000	0,140	2,720	0,1181	0,0055	0,1071	39,010	m	
154	L605	3,000	0,160	2,680	0,1181	0,0063	0,1055	43,740	m	
155	L605	3,000	0,250	2,500	0,1181	0,0098	0,0984	4,315	m	
156	L605	3,000	0,500	2,000	0,1181	0,0197	0,0787	10,730	m	
157	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	103,710	m	
158	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	106,600	m	
159	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	16,700	m	
160	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	22,470	m	
161	Mu-Metal	0,680	0,100	0,480	0,0268	0,0039	0,0189	34,020	m	
162	Mu-Metal	3,226	0,051	3,124	0,1270	0,0020	0,1230	18,660	m	
163	Mu-Metal	3,277	0,076	3,124	0,1290	0,0030	0,1230	54,360	m	
164	NiTi	0,240	0,080	0,080	0,0094	0,0031	0,0031	57,063	m	ground
165	NiTi	0,432	0,090	0,252	0,0170	0,0035	0,0099	105,793	m	ground
166	NiTi	0,432	0,090	0,252	0,0170	0,0035	0,0099	125,226	m	ground
167	NiTi	0,432	0,090	0,252	0,0170	0,0035	0,0099	31,583	m	ground
168	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	15,776	m	dark oxidized

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
169	NiTi	0,505	0,053	0,399	0,0199	0,0021	0,0157	9,535 m		ground
170	NiTi	0,533	0,064	0,405	0,0210	0,0025	0,0159	6,069 m		ground
171	NiTi	0,559	0,051	0,457	0,0220	0,0020	0,0180	15,993 m		
172	NiTi	0,580	0,115	0,350	0,0228	0,0045	0,0138	36,025 m		ground
173	NiTi	0,635	0,051	0,533	0,0250	0,0020	0,0210	70,920 m		ground
174	NiTi	0,635	0,076	0,483	0,0250	0,0030	0,0190	3,000 m		ground
175	NiTi	0,635	0,101	0,434	0,0250	0,0040	0,0171	16,864 m		ground
176	NiTi	0,640	0,100	0,440	0,0252	0,0039	0,0173	3,811 m		ground
177	NiTi	0,640	0,113	0,414	0,0252	0,0044	0,0163	20,666 m		ground
178	NiTi	0,690	0,120	0,450	0,0272	0,0047	0,0177	24,958 m		ground
179	NiTi	0,762	0,152	0,458	0,0300	0,0060	0,0180	3,000 m	St	dark oxidized
180	NiTi	0,940	0,080	0,780	0,0370	0,0031	0,0307	63,320 m		dark oxidized
181	NiTi	1,000	0,200	0,600	0,0394	0,0079	0,0236	4,307 m		ground
182	NiTi	1,080	0,040	1,000	0,0425	0,0016	0,0394	2,986 m		ground
183	NiTi	1,102	0,051	1,000	0,0434	0,0020	0,0394	4,519 m		ground
184	NiTi	1,116	0,155	0,806	0,0439	0,0061	0,0317	104,941 m		ground
185	NiTi	1,120	0,150	0,820	0,0441	0,0059	0,0323	10,049 m		ground
186	NiTi	1,180	0,146	0,889	0,0465	0,0057	0,0350	88,270 m		ground
187	NiTi	1,200	0,100	1,000	0,0472	0,0039	0,0394	10,080 m		ground
188	NiTi	1,200	0,125	0,950	0,0472	0,0049	0,0374	30,389 m		ground out-/oxidic inside
189	NiTi	1,200	0,125	0,950	0,0472	0,0049	0,0374	4,669 m		ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA:
(midwest/east USA) Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
190	NiTi	1,200	0,150	0,900	0,0472	0,0059	0,0354	8,853 m		ground
191	NiTi	1,200	0,150	0,900	0,0472	0,0059	0,0354	9,618 m		ground
192	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	10,550 m		ground out-/oxidic inside
193	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	8,100 m		ground out-/oxidic inside
194	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	9,200 m		ground out-/oxidic inside
195	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	21,941 m		ground
196	NiTi	1,250	0,200	0,850	0,0492	0,0079	0,0335	15,468 m		ground
197	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	139,110 m		ground
198	NiTi	1,290	0,254	0,782	0,0508	0,0100	0,0308	9,676 m		ground
199	NiTi	1,296	0,110	1,076	0,0510	0,0043	0,0424	1,151 m		ground
200	NiTi	1,296	0,110	1,076	0,0510	0,0043	0,0424	12,665 m		ground
201	NiTi	1,300	0,170	0,960	0,0512	0,0067	0,0378	104,851 m		ground
202	NiTi	1,300	0,220	0,860	0,0512	0,0087	0,0339	20,200 m		ground
203	NiTi	1,300	0,250	0,800	0,0512	0,0098	0,0315	9,203 m		ground
204	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	518,702 m		ground
205	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	63,898 m		ground
206	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	19,570 m		ground out-/oxidic inside
207	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	25,118 m		ground
208	NiTi	1,320	0,210	0,900	0,0520	0,0083	0,0354	9,100 m		ground
209	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	6,700 m		ground
210	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	13,900 m		ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
211	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,129	m	ground
212	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,410	m	ground
213	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,000	m	ground
214	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,493	m	ground
215	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	18,000	m	ground
216	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	187,348	m	ground
217	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	2,300	m	ground
218	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	20,800	m	ground
219	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	21,500	m	ground
220	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	27,020	m	ground
221	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	28,480	m	ground
222	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	30,810	m	ground
223	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	32,100	m	ground
224	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	39,400	m	ground
225	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,276	m	ground
226	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	6,151	m	ground
227	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	69,112	m	ground
228	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	85,200	m	ground
229	NiTi	1,320	0,232	0,856	0,0520	0,0091	0,0337	7,900	m	ground
230	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	42,598	m	ground
231	NiTi	1,450	0,225	1,000	0,0571	0,0089	0,0394	10,776	m	ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
232	NiTi	1,450	0,225	1,000	0,0571	0,0089	0,0394	12,000	m	ground
233	NiTi	1,500	0,125	1,250	0,0591	0,0049	0,0492	12,697	m	dark oxidized
234	NiTi	1,500	0,130	1,240	0,0591	0,0051	0,0488	1,300	m	dark oxidized
235	NiTi	1,500	0,130	1,240	0,0591	0,0051	0,0488	3,103	m	dark oxidized
236	NiTi	1,500	0,180	1,140	0,0591	0,0071	0,0449	7,002	m	ground
237	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	47,764	m	ground
238	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	73,408	m	ground
239	NiTi	1,520	0,280	0,960	0,0598	0,0110	0,0378	46,054	m	ground
240	NiTi	1,524	0,114	1,296	0,0600	0,0045	0,0510	13,404	m	dark oxidized
241	NiTi	1,524	0,114	1,296	0,0600	0,0045	0,0510	36,387	m	dark oxidized
242	NiTi	1,524	0,114	1,296	0,0600	0,0045	0,0510	78,123	m	dark oxidized
243	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	12,029	m	ground
244	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	172,142	m	ground
245	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	22,959	m	ground
246	NiTi	1,540	0,210	1,120	0,0606	0,0083	0,0441	19,775	m	ground
247	NiTi	1,550	0,150	1,250	0,0610	0,0059	0,0492	25,134	m	ground
248	NiTi	1,550	0,150	1,250	0,0610	0,0059	0,0492	3,448	m	ground
249	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	59,700	m	ground out-/oxidic inside
250	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	96,900	m	ground out-/oxidic inside
251	NiTi	1,550	0,250	1,050	0,0610	0,0098	0,0413	28,395	m	ground
252	NiTi	1,590	0,215	1,160	0,0626	0,0085	0,0457	28,532	m	ground out-/oxidic inside

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
253	NiTi	1,600	0,200	1,200	0,0630	0,0079	0,0472	16,280	m	
254	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	132,150	m	ground
255	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	144,450	m	ground
256	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	51,060	m	ground
257	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	73,564	m	ground
258	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	75,072	m	ground
259	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	97,530	m	ground
260	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	11,786	m	ground
261	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	110,200	m	ground
262	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	4,053	m	ground out-/oxidic inside
263	NiTi	1,626	0,241	1,144	0,0640	0,0095	0,0450	100,000	St	ground
264	NiTi	1,630	0,180	1,270	0,0642	0,0071	0,0500	27,664	m	ground
265	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	8,142	m	ground out-/oxidic inside
266	NiTi	1,630	0,230	1,170	0,0642	0,0091	0,0461	4,631	m	ground
267	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	10,609	m	ground
268	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	18,165	m	ground
269	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	181,246	m	ground
270	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	55,279	m	ground
271	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	2,060	m	ground
272	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	22,774	m	ground
273	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	3,000	m	ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
274	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	343,430	m	ground
275	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000	m	dark oxidized
276	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000	m	ground
277	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,390	m	ground
278	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,627	m	ground
279	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,958	m	ground
280	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	6,000	m	ground
281	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	68,477	m	ground
282	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,700	m	ground
283	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,980	m	ground
284	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	49,250	m	ground
285	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	57,716	m	ground
286	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	255,144	m	ground
287	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,150	m	ground
288	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,685	m	ground
289	NiTi	1,650	0,230	1,190	0,0650	0,0091	0,0469	11,388	m	ground
290	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	250,764	m	ground out-/oxidic inside
291	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	303,619	m	ground out-/oxidic inside
292	NiTi	1,700	0,210	1,280	0,0669	0,0083	0,0504	3,078	m	ground
293	NiTi	1,700	0,220	1,260	0,0669	0,0087	0,0496	4,467	m	ground
294	NiTi	1,700	0,250	1,200	0,0669	0,0098	0,0472	82,011	m	ground

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
295	NiTi	1,720	0,230	1,260	0,0677	0,0091	0,0496	193,756	m	ground
296	NiTi	1,729	0,220	1,289	0,0681	0,0087	0,0507	36,100	m	ground
297	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	0,001	m	ground
298	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	12,247	m	ground
299	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	172,007	m	ground
300	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	26,729	m	ground
301	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	3,500	m	ground
302	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	35,060	m	ground
303	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,607	m	ground
304	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	48,823	m	ground
305	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	5,740	m	ground
306	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	7,900	m	ground
307	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	8,160	m	ground
308	NiTi	1,738	0,056	1,626	0,0684	0,0022	0,0640	9,583	m	ground
309	NiTi	1,778	0,406	0,966	0,0700	0,0160	0,0380	39,160	m	ground
310	NiTi	1,778	0,406	0,966	0,0700	0,0160	0,0380	47,584	m	ground
311	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	19,180	m	ground
312	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	9,050	m	ground
313	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	9,266	m	ground
314	NiTi	1,800	0,095	1,610	0,0709	0,0037	0,0634	21,274	m	ground out-/oxidic inside
315	NiTi	1,800	0,095	1,610	0,0709	0,0037	0,0634	22,059	m	ground out-/oxidic inside

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
316	NiTi	1,800	0,130	1,540	0,0709	0,0051	0,0606	2,906	m	ground
317	NiTi	1,800	0,220	1,360	0,0709	0,0087	0,0535	26,393	m	ground
318	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	1,340	m	ground
319	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,716	m	ground
320	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	5,537	m	ground
321	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	5,600	m	ground
322	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,049	m	ground
323	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	5,627	m	ground
324	NiTi	1,829	0,267	1,295	0,0720	0,0105	0,0510	3,000	m	ground
325	NiTi	1,829	0,292	1,245	0,0720	0,0115	0,0490	12,665	m	ground
326	NiTi	1,850	0,075	1,700	0,0728	0,0030	0,0669	5,173	m	ground
327	NiTi	1,900	0,270	1,360	0,0748	0,0106	0,0535	127,406	m	ground
328	NiTi	1,900	0,370	1,160	0,0748	0,0146	0,0457	5,591	m	ground
329	NiTi	1,930	0,305	1,320	0,0760	0,0120	0,0520	197,973	m	ground out-/oxidic inside
330	NiTi	1,930	0,305	1,320	0,0760	0,0120	0,0520	71,361	m	ground out-/oxidic inside
331	NiTi	1,950	0,075	1,800	0,0768	0,0030	0,0709	116,000	St	ground
332	NiTi	2,000	0,080	1,840	0,0787	0,0031	0,0724	56,288	m	ground
333	NiTi	2,000	0,240	1,520	0,0787	0,0094	0,0598	52,958	m	ground
334	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	107,655	m	ground
335	NiTi	2,000	0,330	1,340	0,0787	0,0130	0,0528	2,400	m	ground
336	NiTi	2,000	0,330	1,340	0,0787	0,0130	0,0528	33,103	m	ground

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
337	NiTi	2,000	0,330	1,340	0,0787	0,0130	0,0528	54,356	m	ground
338	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	19,636	m	ground
339	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	6,924	m	ground
340	NiTi	2,030	0,280	1,470	0,0799	0,0110	0,0579	10,239	m	ground
341	NiTi	2,030	0,430	1,170	0,0799	0,0169	0,0461	3,142	m	ground
342	NiTi	2,032	0,280	1,473	0,0800	0,0110	0,0580	11,623	m	ground
343	NiTi	2,032	0,280	1,473	0,0800	0,0110	0,0580	8,954	m	ground
344	NiTi	2,032	0,280	1,473	0,0800	0,0110	0,0580	9,751	m	ground
345	NiTi	2,032	0,286	1,461	0,0800	0,0113	0,0575	18,171	m	ground
346	NiTi	2,032	0,368	1,296	0,0800	0,0145	0,0510	7,300	m	ground
347	NiTi	2,083	0,381	1,321	0,0820	0,0150	0,0520	3,200	m	ground
348	NiTi	2,095	0,127	1,841	0,0825	0,0050	0,0725	9,170	m	ground
349	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	26,408	m	ground
350	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	33,516	m	ground
351	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	38,480	m	ground
352	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	45,808	m	ground
353	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	27,266	m	ground
354	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	3,772	m	ground
355	NiTi	2,164	0,081	2,002	0,0852	0,0032	0,0788	16,710	m	ground
356	NiTi	2,180	0,355	1,470	0,0858	0,0140	0,0579	24,970	m	ground
357	NiTi	2,184	0,318	1,548	0,0860	0,0125	0,0609	3,152	m	ground

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
358	NiTi	2,184	0,381	1,422	0,0860	0,0150	0,0560	12,591 m		ground
359	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	14,395 m		ground out-/oxidic inside
360	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	239,763 m		ground out-/oxidic inside
361	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	42,197 m		ground out-/oxidic inside
362	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	50,383 m		ground out-/oxidic inside
363	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	54,334 m		ground out-/oxidic inside
364	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	57,200 m		ground out-/oxidic inside
365	NiTi	2,200	0,080	2,040	0,0866	0,0031	0,0803	13,400 m		ground
366	NiTi	2,200	0,230	1,740	0,0866	0,0091	0,0685	6,047 m		ground
367	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	11,622 m		ground
368	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	25,542 m		ground
369	NiTi	2,200	0,300	1,600	0,0866	0,0118	0,0630	5,338 m		ground
370	NiTi	2,238	0,179	1,880	0,0881	0,0070	0,0740	6,252 m		ground
371	NiTi	2,280	0,280	1,720	0,0898	0,0110	0,0677	2,700 m		ground
372	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	5,700 m		ground
373	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	7,296 m		ground
374	NiTi	2,300	0,150	2,000	0,0906	0,0059	0,0787	1,293 m		ground
375	NiTi	2,300	0,150	2,000	0,0906	0,0059	0,0787	56,296 m		ground
376	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	13,178 m		ground
377	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	3,794 m		ground
378	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	4,964 m		ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
379	NiTi	2,300	0,275	1,750	0,0906	0,0108	0,0689	6,258 m		ground out-/oxidic inside
380	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	109,000 m		ground out-/oxidic inside
381	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	19,268 m		ground out-/oxidic inside
382	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	27,620 m		ground out-/oxidic inside
383	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	33,102 m		ground out-/oxidic inside
384	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	55,747 m		ground out-/oxidic inside
385	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	60,800 m		ground out-/oxidic inside
386	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	7,000 m		ground out-/oxidic inside
387	NiTi	2,320	0,220	1,880	0,0913	0,0087	0,0740	26,000	St	ground
388	NiTi	2,350	0,145	2,060	0,0925	0,0057	0,0811	6,017 m		ground
389	NiTi	2,350	0,290	1,770	0,0925	0,0114	0,0697	5,800 m		ground
390	NiTi	2,362	0,267	1,828	0,0930	0,0105	0,0720	5,000 m		ground
391	NiTi	2,400	0,051	2,298	0,0945	0,0020	0,0905	6,122 m		ground
392	NiTi	2,400	0,075	2,250	0,0945	0,0030	0,0886	6,317 m		ground
393	NiTi	2,400	0,076	2,248	0,0945	0,0030	0,0885	67,508 m		ground
394	NiTi	2,400	0,085	2,230	0,0945	0,0033	0,0878	6,193 m		ground
395	NiTi	2,400	0,090	2,220	0,0945	0,0035	0,0874	13,539 m		ground
396	NiTi	2,400	0,200	2,000	0,0945	0,0079	0,0787	78,408 m		dark oxidized
397	NiTi	2,400	0,300	1,800	0,0945	0,0118	0,0709	3,194 m		ground
398	NiTi	2,400	0,370	1,660	0,0945	0,0146	0,0654	3,800 m		ground
399	NiTi	2,413	0,407	1,600	0,0950	0,0160	0,0630	25,059 m		ground

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
400	NiTi	2,439	0,255	1,929	0,0960	0,0100	0,0759	10,043	m	ground
401	NiTi	2,500	0,085	2,330	0,0984	0,0033	0,0917	32,691	m	ground
402	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	12,021	m	ground
403	NiTi	2,540	0,340	1,860	0,1000	0,0134	0,0732	1,297	m	ground
404	NiTi	2,565	0,368	1,829	0,1010	0,0145	0,0720	1,833	m	ground
405	NiTi	2,565	0,368	1,829	0,1010	0,0145	0,0720	3,530	m	ground
406	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	11,900	m	ground
407	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	14,401	m	ground
408	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	16,040	m	ground
409	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	24,108	m	ground out-/oxidic inside
410	NiTi	2,590	0,076	2,438	0,1020	0,0030	0,0960	15,270	m	ground
411	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	166,429	m	ground out-/oxidic inside
412	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	19,325	m	ground
413	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	9,088	m	ground out-/oxidic inside
414	NiTi	2,618	0,065	2,488	0,1031	0,0026	0,0980	118,915	m	ground
415	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	12,800	m	ground
416	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	18,547	m	ground
417	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	41,055	m	ground
418	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	56,811	m	ground
419	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	83,723	m	ground
420	NiTi	2,680	0,089	2,502	0,1055	0,0035	0,0985	19,851	m	ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
421	NiTi	2,680	0,115	2,450	0,1055	0,0045	0,0965	40,545	m	ground
422	NiTi	2,700	0,320	2,060	0,1063	0,0126	0,0811	12,547	m	ground
423	NiTi	2,700	0,600	1,500	0,1063	0,0236	0,0591	15,690	m	ground
424	NiTi	2,720	0,170	2,380	0,1071	0,0067	0,0937	6,443	m	ground
425	NiTi	2,743	0,432	1,879	0,1080	0,0170	0,0740	1,269	m	ground
426	NiTi	2,750	0,065	2,620	0,1083	0,0026	0,1031	5,578	m	ground
427	NiTi	2,760	0,190	2,380	0,1087	0,0075	0,0937	11,207	m	ground
428	NiTi	2,795	0,100	2,595	0,1100	0,0039	0,1022	8,704	m	ground
429	NiTi	2,800	0,100	2,600	0,1102	0,0039	0,1024	6,214	m	ground
430	NiTi	2,800	0,300	2,200	0,1102	0,0118	0,0866	1,600	m	ground
431	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	3,998	m	ground out-/oxidic inside
432	NiTi	2,800	0,600	1,600	0,1102	0,0236	0,0630	10,635	m	ground
433	NiTi	2,800	0,600	1,600	0,1102	0,0236	0,0630	19,496	m	ground
434	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	101,427	m	ground out-/oxidic inside
435	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	14,326	m	ground out-/oxidic inside
436	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	16,525	m	ground out-/oxidic inside
437	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	31,641	m	ground out-/oxidic inside
438	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	71,752	m	ground out-/oxidic inside
439	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	8,430	m	ground out-/oxidic inside
440	NiTi	3,000	0,260	2,480	0,1181	0,0102	0,0976	11,410	m	ground
441	NiTi	3,000	0,280	2,440	0,1181	0,0110	0,0961	18,688	m	ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
442	NiTi	3,000	0,400	2,200	0,1181	0,0157	0,0866	4,983 m		ground
443	NiTi	3,000	0,500	2,000	0,1181	0,0197	0,0787	26,630 m		ground out-/oxidic inside
444	NiTi	3,000	0,500	2,000	0,1181	0,0197	0,0787	6,758 m		ground out-/oxidic inside
445	NiTi	3,048	0,229	2,590	0,1200	0,0090	0,1020	1,920 m		ground
446	NiTi	3,048	0,254	2,540	0,1200	0,0100	0,1000	28,000 St		ground
447	NiTi	3,048	0,254	2,540	0,1200	0,0100	0,1000	8,006 m		ground
448	NiTi	3,048	0,279	2,490	0,1200	0,0110	0,0980	7,013 m		ground
449	NiTi	3,112	0,222	2,668	0,1225	0,0087	0,1050	16,775 m		ground
450	NiTi	3,112	0,222	2,668	0,1225	0,0087	0,1050	3,618 m		ground
451	NiTi	3,124	0,305	2,514	0,1230	0,0120	0,0990	2,779 m		ground
452	NiTi	3,150	0,203	2,744	0,1240	0,0080	0,1080	7,833 m		ground
453	NiTi	3,160	0,170	2,820	0,1244	0,0067	0,1110	17,303 m		ground
454	NiTi	3,175	0,330	2,515	0,1250	0,0130	0,0990	12,875 m		dark oxidized
455	NiTi	3,175	0,330	2,515	0,1250	0,0130	0,0990	3,000 m		ground
456	NiTi	3,200	0,190	2,820	0,1260	0,0075	0,1110	2,000 St		ground
457	NiTi	3,200	0,200	2,800	0,1260	0,0079	0,1102	4,270 m		ground
458	NiTi	3,200	0,470	2,260	0,1260	0,0185	0,0890	2,626 m		ground
459	NiTi	3,200	0,470	2,260	0,1260	0,0185	0,0890	20,681 m		ground
460	NiTi	3,200	0,540	2,120	0,1260	0,0213	0,0835	24,984 m		ground out-/oxidic inside
461	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	1,903 m		ground
462	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	9,750 m		ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
463	NiTi	3,240	0,320	2,600	0,1276	0,0126	0,1024	8,937 m		ground
464	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	39,300 m		ground
465	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	5,100 m		ground
466	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	9,100 m		ground
467	NiTi	3,277	0,305	2,667	0,1290	0,0120	0,1050	5,951 m		ground
468	NiTi	3,280	0,115	3,050	0,1291	0,0045	0,1201	2,537 m		ground
469	NiTi	3,302	0,711	1,880	0,1300	0,0280	0,0740	17,627 m		ground
470	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,600 m		ground out-/oxidic inside
471	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	12,028 m		ground out-/oxidic inside
472	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	2,186 m		ground out-/oxidic inside
473	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	4,533 m		ground out-/oxidic inside
474	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	0,002 m		ground out-/oxidic inside
475	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	3,666 m		ground out-/oxidic inside
476	NiTi	3,400	0,400	2,600	0,1339	0,0157	0,1024	4,035 m		ground
477	NiTi	3,429	0,127	3,175	0,1350	0,0050	0,1250	31,798 m		ground
478	NiTi	3,429	0,127	3,175	0,1350	0,0050	0,1250	33,810 m		ground
479	NiTi	3,500	0,076	3,348	0,1378	0,0030	0,1318	2,635 m		ground
480	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	1,425 m		dark oxidized
481	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	2,219 m		ground
482	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	3,915 m		ground
483	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	7,700 m		ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
484	NiTi	3,500	0,203	3,094	0,1378	0,0080	0,1218	4,552	m	ground
485	NiTi	3,520	0,160	3,200	0,1386	0,0063	0,1260	3,585	m	ground
486	NiTi	3,556	0,445	2,666	0,1400	0,0175	0,1050	2,600	m	ground
487	NiTi	3,556	0,445	2,666	0,1400	0,0175	0,1050	3,700	m	ground
488	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	36,966	m	ground
489	NiTi	3,610	0,250	3,110	0,1421	0,0098	0,1224	4,542	m	ground
490	NiTi	3,683	0,457	2,769	0,1450	0,0180	0,1090	3,644	m	ground
491	NiTi	3,800	0,100	3,600	0,1496	0,0039	0,1417	1,742	m	ground
492	NiTi	3,800	0,130	3,540	0,1496	0,0051	0,1394	7,668	m	ground
493	NiTi	3,810	0,102	3,607	0,1500	0,0040	0,1420	5,921	m	ground
494	NiTi	3,810	0,120	3,570	0,1500	0,0047	0,1406	10,810	m	ground
495	NiTi	3,988	0,254	3,480	0,1570	0,0100	0,1370	6,616	m	ground
496	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	96,741	m	ground
497	NiTi	4,000	0,100	3,800	0,1575	0,0039	0,1496	1,110	m	ground
498	NiTi	4,000	0,100	3,800	0,1575	0,0039	0,1496	51,266	m	ground
499	NiTi	4,000	0,400	3,200	0,1575	0,0157	0,1260	0,608	m	ground
500	NiTi	4,000	0,400	3,200	0,1575	0,0157	0,1260	4,042	m	ground
501	NiTi	4,000	0,450	3,100	0,1575	0,0177	0,1220	2,134	m	ground
502	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	3,925	m	ground
503	NiTi	4,210	0,500	3,210	0,1657	0,0197	0,1264	19,833	m	ground
504	NiTi	4,210	0,500	3,210	0,1657	0,0197	0,1264	67,820	m	ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
505	NiTi	4,240	0,150	3,940	0,1669	0,0059	0,1551	3,012 m		ground
506	NiTi	4,240	0,165	3,910	0,1669	0,0065	0,1539	15,389 m		ground
507	NiTi	4,242	0,152	3,938	0,1670	0,0060	0,1550	22,246 m		ground
508	NiTi	4,300	0,170	3,960	0,1693	0,0067	0,1559	5,392 m		ground
509	NiTi	4,318	0,457	3,404	0,1700	0,0180	0,1340	7,000 m		ground
510	NiTi	4,445	0,261	3,924	0,1750	0,0103	0,1545	15,888 m		ground
511	NiTi	4,500	0,080	4,340	0,1772	0,0031	0,1709	8,736 m		ground
512	NiTi	4,500	0,100	4,300	0,1772	0,0039	0,1693	9,272 m		ground
513	NiTi	4,500	0,127	4,246	0,1772	0,0050	0,1672	2,264 m		ground
514	NiTi	4,500	0,150	4,200	0,1772	0,0059	0,1654	36,152 m		ground
515	NiTi	4,500	0,700	3,100	0,1772	0,0276	0,1220	0,945 m		
516	NiTi	4,700	0,100	4,500	0,1850	0,0039	0,1772	2,000 m		ground
517	NiTi	4,750	0,125	4,500	0,1870	0,0049	0,1772	31,841 m		ground
518	NiTi	4,750	0,125	4,500	0,1870	0,0049	0,1772	7,690 m		ground
519	NiTi	4,800	0,075	4,650	0,1890	0,0030	0,1831	6,700 m		ground
520	NiTi	4,800	0,170	4,460	0,1890	0,0067	0,1756	2,707 m		ground
521	NiTi	4,900	0,200	4,500	0,1929	0,0079	0,1772	16,321 m		ground
522	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	0,453 m		ground
523	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	1,179 m		ground
524	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	13,185 m		ground out-/oxidic inside
525	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	2,489 m		ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
526	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	2,516 m		ground
527	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,398 m		ground out-/oxidic inside
528	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,774 m		ground
529	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,930 m		ground
530	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,473 m		ground
531	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,612 m		ground
532	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,757 m		ground
533	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835 m		ground out-/oxidic inside
534	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835 m		ground out-/oxidic inside
535	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	48,119 m		ground
536	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,534 m		ground
537	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,714 m		ground out-/oxidic inside
538	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,976 m		ground
539	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	7,472 m		ground out-/oxidic inside
540	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	9,669 m		ground out-/oxidic inside
541	NiTi	5,000	0,105	4,790	0,1969	0,0041	0,1886	16,187 m		ground
542	NiTi	5,000	0,500	4,000	0,1969	0,0197	0,1575	110,824 m		ground
543	NiTi	5,000	0,500	4,000	0,1969	0,0197	0,1575	15,744 m		ground
544	NiTi	5,000	0,533	3,934	0,1969	0,0210	0,1549	28,378 m		ground
545	NiTi	5,000	0,533	3,934	0,1969	0,0210	0,1549	9,835 m		ground
546	NiTi	5,000	0,550	3,900	0,1969	0,0217	0,1535	2,939 m		ground

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
547	NiTi	5,004	0,533	3,938	0,1970	0,0210	0,1550	19,660 m		ground out-/oxidic inside
548	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	5,986 m		ground
549	NiTi	5,080	0,615	3,850	0,2000	0,0242	0,1516	9,010 m		ground
550	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	28,525 m		ground
551	NiTi	5,334	0,215	4,904	0,2100	0,0085	0,1931	3,879 m		ground
552	NiTi	5,500	0,065	5,370	0,2165	0,0026	0,2114	3,828 m		polished
553	NiTi	5,500	0,550	4,400	0,2165	0,0217	0,1732	15,225 m		ground
554	NiTi	5,600	0,200	5,200	0,2205	0,0079	0,2047	4,367 m		polished
555	NiTi	5,750	0,230	5,290	0,2264	0,0091	0,2083	3,351 m		ground
556	NiTi	5,850	0,140	5,570	0,2303	0,0055	0,2193	3,006 m		ground
557	NiTi	5,880	0,190	5,500	0,2315	0,0075	0,2165	3,304 m		ground
558	NiTi	5,944	0,572	4,800	0,2340	0,0225	0,1890	1,250 m		ground out-/oxidic inside
559	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	4,045 m		ground out-/oxidic inside
560	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	9,320 m		ground out-/oxidic inside
561	NiTi	5,990	0,584	4,822	0,2358	0,0230	0,1898	24,918 m		ground out-/oxidic inside
562	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	23,595 m		ground
563	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	7,512 m		ground
564	NiTi	6,000	0,064	5,872	0,2362	0,0025	0,2312	4,910 m		ground
565	NiTi	6,000	0,095	5,810	0,2362	0,0037	0,2287	2,393 m		polished
566	NiTi	6,000	0,095	5,810	0,2362	0,0037	0,2287	9,353 m		polished
567	NiTi	6,000	0,100	5,800	0,2362	0,0039	0,2283	8,712 m		ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
568	NiTi	6,000	0,110	5,780	0,2362	0,0043	0,2276	6,565	m	ground
569	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	1,777	m	ground
570	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	2,595	m	ground
571	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	3,308	m	ground
572	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	3,549	m	ground
573	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	4,036	m	ground
574	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	4,858	m	ground
575	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	5,464	m	ground
576	NiTi	6,000	0,520	4,960	0,2362	0,0205	0,1953	1,207	m	ground
577	NiTi	6,350	0,127	6,096	0,2500	0,0050	0,2400	1,845	m	ground
578	NiTi	6,480	0,230	6,020	0,2551	0,0091	0,2370	13,955	m	ground
579	NiTi	6,630	0,175	6,280	0,2610	0,0069	0,2472	2,400	m	ground
580	NiTi	6,700	0,230	6,240	0,2638	0,0091	0,2457	7,060	m	ground
581	NiTi	6,700	0,250	6,200	0,2638	0,0098	0,2441	22,915	m	ground out-/oxidic inside
582	NiTi	6,800	0,250	6,300	0,2677	0,0098	0,2480	12,723	m	ground
583	NiTi	6,820	0,160	6,500	0,2685	0,0063	0,2559	9,902	m	ground
584	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	9,354	m	ground
585	NiTi	7,000	0,105	6,790	0,2756	0,0041	0,2673	10,137	m	ground
586	NiTi	7,000	0,105	6,790	0,2756	0,0041	0,2673	16,516	m	ground
587	NiTi	7,000	0,440	6,120	0,2756	0,0173	0,2409	23,835	m	ground
588	NiTi	7,000	0,480	6,040	0,2756	0,0189	0,2378	4,843	m	ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
589	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	1,368	m	ground
590	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	1,906	m	ground
591	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	2,430	m	ground
592	NiTi	7,000	0,508	5,984	0,2756	0,0200	0,2356	5,200	m	ground
593	NiTi	7,000	0,533	5,934	0,2756	0,0210	0,2336	1,312	m	ground
594	NiTi	7,000	0,533	5,934	0,2756	0,0210	0,2336	12,985	m	ground
595	NiTi	7,000	0,533	5,934	0,2756	0,0210	0,2336	9,671	m	ground
596	NiTi	7,000	0,610	5,780	0,2756	0,0240	0,2276	1,757	m	ground
597	NiTi	7,500	2,025	3,450	0,2953	0,0797	0,1358	6,990	m	ground
598	NiTi	8,000	0,370	7,260	0,3150	0,0146	0,2858	0,920	m	ground
599	NiTi	8,000	0,370	7,260	0,3150	0,0146	0,2858	17,068	m	ground
600	NiTi	8,000	0,370	7,260	0,3150	0,0146	0,2858	7,390	m	ground
601	NiTi	8,000	0,401	7,198	0,3150	0,0158	0,2834	2,001	m	ground
602	NiTi	8,000	0,495	7,010	0,3150	0,0195	0,2760	20,021	m	ground
603	NiTi	8,000	0,495	7,010	0,3150	0,0195	0,2760	40,497	m	ground
604	NiTi	8,000	0,511	6,978	0,3150	0,0201	0,2747	4,830	m	ground
605	NiTi	8,000	0,521	6,958	0,3150	0,0205	0,2739	10,697	m	ground
606	NiTi	8,000	0,521	6,958	0,3150	0,0205	0,2739	5,466	m	ground
607	NiTi	8,000	0,526	6,948	0,3150	0,0207	0,2735	8,657	m	ground
608	NiTi	8,000	0,535	6,930	0,3150	0,0211	0,2728	9,272	m	ground
609	NiTi	8,000	0,720	6,560	0,3150	0,0283	0,2583	2,389	m	ground

Stock list - Tubes

current status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
610	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	0,645 m		ground
611	NiTi	8,200	0,250	7,700	0,3228	0,0098	0,3031	10,585 m		ground
612	NiTi	9,500	0,450	8,600	0,3740	0,0177	0,3386	1,555 m		ground
613	NiTi	9,500	0,500	8,500	0,3740	0,0197	0,3346	1,969 m		ground
614	NiTi	10,000	0,300	9,400	0,3937	0,0118	0,3701	0,725 m		ground
615	NiTi	10,500	0,630	9,240	0,4134	0,0248	0,3638	0,900 m		ground
616	Phynox / 2.4711	1,600	0,250	1,100	0,0630	0,0098	0,0433	4,954 m		
617	section	1,422	0,076	1,270	0,0560	0,0030	0,0500	1650,000		St
618	Tantal	1,600	0,051	1,498	0,0630	0,0020	0,0590	1,300 m		
619	Tantal	1,982	0,051	1,880	0,0780	0,0020	0,0740	5,067 m		
620	Tantal/Wolfram	1,880	0,077	1,727	0,0740	0,0030	0,0680	18,162 m		
621	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	16,890 m		ground
622	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	26,480 m		ground
623	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	28,310 m		
624	Titan Gr. 2	0,800	0,235	0,330	0,0315	0,0093	0,0130	26,515 m		
625	Titan Gr. 2	1,250	0,100	1,050	0,0492	0,0039	0,0413	197,011 m		ground
626	Titan Gr. 2	1,270	0,064	1,143	0,0500	0,0025	0,0450	4,920 m		
627	Titan Gr. 2	1,270	0,064	1,143	0,0500	0,0025	0,0450	9,332 m		
628	Titan Gr. 2	1,650	0,150	1,350	0,0650	0,0059	0,0531	90,674 m		
629	Titan Gr. 2	2,100	0,150	1,800	0,0827	0,0059	0,0709	272,095 m		ground
630	Titan Gr. 2	2,134	0,102	1,930	0,0840	0,0040	0,0760	6,806 m		

Stock list - Tubescurrent status: **11.04.2019**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

USA: Dave Niedermaier (Phone +1 910-603-5567, dave.niedermaier@euroflex.de)
(midwest/east USA) or Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
(west USA) or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
631	Titan Gr. 2	2,540	0,102	2,337	0,1000	0,0040	0,0920	6,490	m	
632	Titan Gr. 2	4,000	0,050	3,900	0,1575	0,0020	0,1535	22,670	m	
633	Titan Gr. 2	4,480	0,075	4,330	0,1764	0,0030	0,1705	24,120	m	
634	Titan Gr. 2	6,350	0,127	6,096	0,2500	0,0050	0,2400	10,750	m	
635	Titan Gr. 2	6,883	0,356	6,172	0,2710	0,0140	0,2430	4,140	m	
636	Titan Gr. 2	7,000	0,150	6,700	0,2756	0,0059	0,2638	6,050	m	
637	Titan Gr. 2	7,925	0,889	6,147	0,3120	0,0350	0,2420	110,600	m	
638	Titan Gr. 2	7,925	0,889	6,147	0,3120	0,0350	0,2420	6,679	m	
639	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	
640	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	