

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
1		1,600	0,200	1,200	0,0630	0,0079	0,0472	8,725	m	polished
2		1,800	0,210	1,380	0,0709	0,0083	0,0543	1,016	m	
3		4,800	0,400	4,000	0,1890	0,0157	0,1575	6,010	m	
4		4,900	0,500	3,900	0,1929	0,0197	0,1535	3,529	m	
5	(1.4301 (304))	0,356	0,075	0,206	0,0140	0,0030	0,0081	4,000	m	
6	(1.4301 (304))	0,410	0,045	0,320	0,0161	0,0018	0,0126	54,933	m	
7	(1.4301 (304))	0,790	0,035	0,720	0,0311	0,0014	0,0283	30,500	m	
8	(1.4301 (304))	0,790	0,035	0,720	0,0311	0,0014	0,0283	8,436	m	
9	(1.4301 (304))	1,372	0,305	0,762	0,0540	0,0120	0,0300	12,000	m	
10	(1.4301 (304))	1,372	0,305	0,762	0,0540	0,0120	0,0300	168,000	m	
11	(1.4301 (304))	1,372	0,305	0,762	0,0540	0,0120	0,0300	20,000	m	
12	(1.4301 (304))	1,650	0,120	1,410	0,0650	0,0047	0,0555	440,150	m	
13	(1.4301 (304))	1,650	0,120	1,410	0,0650	0,0047	0,0555	451,186	m	
14	(1.4301 (304))	2,000	0,400	1,200	0,0787	0,0157	0,0472	41,199	m	
15	(1.4301 (304))	2,515	0,051	2,413	0,0990	0,0020	0,0950	9,000	St	
16	(1.4301 (304))	3,000	0,300	2,400	0,1181	0,0118	0,0945	4,369	m	
17	(1.4301 (304))	3,600	0,300	3,000	0,1417	0,0118	0,1181	7,980	m	
18	(1.4301 (304))	4,470	0,435	3,600	0,1760	0,0171	0,1417	4,000	St	
19	(1.4301 (304))	5,700	0,500	4,700	0,2244	0,0197	0,1850	7,503	m	
20	(1.4301 (304))	6,700	0,500	5,700	0,2638	0,0197	0,2244	12,728	m	
21	(1.4301 (304))	6,900	2,300	2,300	0,2717	0,0906	0,0906	6,300	m	

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
22	(1.4301 (304))	9,700	0,500	8,700	0,3819	0,0197	0,3425	8,710	m	
23	(1.4307)	6,300	0,275	5,750	0,2480	0,0108	0,2264	9,149	m	
24	(1.4452)	1,600	0,090	1,420	0,0630	0,0035	0,0559	9,650	m	
25	(1.4452)	1,600	0,150	1,300	0,0630	0,0059	0,0512	7,884	m	
26	(1.4452)	1,800	0,090	1,620	0,0709	0,0035	0,0638	13,102	m	
27	(1.4452)	1,800	0,090	1,620	0,0709	0,0035	0,0638	31,775	m	
28	(1.4452)	2,350	0,150	2,050	0,0925	0,0059	0,0807	4,737	m	
29	(1.4452)	4,500	0,220	4,060	0,1772	0,0087	0,1598	2,393	m	
30	(1.4452)	4,572	0,152	4,268	0,1800	0,0060	0,1680	20,530	m	
31	(1.4541)	9,576	0,114	9,348	0,3770	0,0045	0,3680	17,005	m	
32	(1.4568)	0,690	0,125	0,440	0,0272	0,0049	0,0173	8,854	m	
33	(1.4568)	2,108	0,203	1,702	0,0830	0,0080	0,0670	21,630	m	
34	(1.4568)	9,500	0,254	8,992	0,3740	0,0100	0,3540	6,304	m	
35	(1.4568)	9,667	0,249	9,169	0,3806	0,0098	0,3610	2,009	m	
36	(1.4571)	9,000	0,400	8,200	0,3543	0,0157	0,3228	19,500	m	
37	00Cr18Mn15Mo3N	1,800	0,110	1,580	0,0709	0,0043	0,0622	8,000	m	
38	316L	0,457	0,070	0,317	0,0180	0,0028	0,0125	14,709	m	
39	316L	0,550	0,100	0,350	0,0217	0,0039	0,0138	45,250	m	
40	316L	0,640	0,095	0,450	0,0252	0,0037	0,0177	194,020	m	
41	316L	1,540	0,090	1,360	0,0606	0,0035	0,0535	23,136	m	
42	316L	3,000	0,100	2,800	0,1181	0,0039	0,1102	10,732	m	

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
43	316L	3,200	0,300	2,600	0,1260	0,0118	0,1024	13,621	m	
44	316L	4,217	0,140	3,937	0,1660	0,0055	0,1550	3,140	m	
45	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	107,000	St	
46	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	159,000	St	
47	316L	5,550	0,175	5,200	0,2185	0,0069	0,2047	367,466	m	
48	316LVM	0,292	0,050	0,192	0,0115	0,0020	0,0076	144,802	m	
49	316LVM	0,450	0,075	0,300	0,0177	0,0030	0,0118	18,080	m	
50	316LVM	0,521	0,038	0,445	0,0205	0,0015	0,0175	61,000	m	
51	316LVM	0,550	0,075	0,400	0,0217	0,0030	0,0157	27,113	m	
52	316LVM	0,635	0,076	0,483	0,0250	0,0030	0,0190	25,000	m	
53	316LVM	0,650	0,175	0,300	0,0256	0,0069	0,0118	23,050	m	
54	316LVM	0,724	0,100	0,524	0,0285	0,0039	0,0206	3,735	m	
55	316LVM	0,889	0,140	0,610	0,0350	0,0055	0,0240	37,212	m	
56	316LVM	0,950	0,200	0,550	0,0374	0,0079	0,0217	138,710	m	
57	316LVM	0,960	0,120	0,720	0,0378	0,0047	0,0283	9,277	m	
58	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	48,370	m	
59	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	74,290	m	
60	316LVM	0,990	0,075	0,840	0,0390	0,0030	0,0331	24,981	m	
61	316LVM	1,000	0,200	0,600	0,0394	0,0079	0,0236	51,603	m	
62	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	20,960	m	
63	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	62,780	m	

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
64	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	66,530	m	
65	316LVM	1,169	0,102	0,965	0,0460	0,0040	0,0380	6,900	m	
66	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	18,550	m	
67	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	22,130	m	
68	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	3,450	m	
69	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	8,953	m	
70	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	9,464	m	
71	316LVM	1,753	0,039	1,675	0,0690	0,0015	0,0659	14,026	m	
72	316LVM	1,800	0,100	1,600	0,0709	0,0039	0,0630	25,386	m	
73	316LVM	1,800	0,125	1,550	0,0709	0,0049	0,0610	11,761	m	
74	316LVM	1,800	0,150	1,500	0,0709	0,0059	0,0591	29,813	m	
75	316LVM	1,800	0,200	1,400	0,0709	0,0079	0,0551	21,660	m	
76	316LVM	1,930	0,196	1,538	0,0760	0,0077	0,0606	48,700	m	
77	316LVM	2,100	0,100	1,900	0,0827	0,0039	0,0748	18,853	m	
78	316LVM	2,400	0,100	2,200	0,0945	0,0039	0,0866	29,165	m	
79	316LVM	2,515	0,058	2,400	0,0990	0,0023	0,0945	29,849	m	
80	316LVM	2,530	0,100	2,330	0,0996	0,0039	0,0917	5,508	m	
81	316LVM	2,730	0,220	2,290	0,1075	0,0087	0,0902	4,880	m	
82	316LVM	3,000	0,400	2,200	0,1181	0,0157	0,0866	6,230	m	
83	316LVM	3,100	0,100	2,900	0,1220	0,0039	0,1142	77,395	m	
84	316LVM	3,110	0,105	2,900	0,1224	0,0041	0,1142	29,707	m	

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
85	316LVM	3,200	0,200	2,800	0,1260	0,0079	0,1102	1,480	m	
86	316LVM	3,500	0,500	2,500	0,1378	0,0197	0,0984	7,490	m	
87	316LVM	3,759	0,254	3,251	0,1480	0,0100	0,1280	48,250	m	
88	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	6,483	m	
89	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	9,885	m	
90	316LVM	4,650	0,090	4,470	0,1831	0,0035	0,1760	16,278	m	
91	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	11,683	m	
92	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	22,012	m	
93	316LVM	5,436	0,216	5,003	0,2140	0,0085	0,1970	3,475	m	
94	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	10,340	m	
95	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	45,880	m	
96	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	21,650	m	
97	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	30,982	m	
98	316LVM	5,960	0,200	5,560	0,2346	0,0079	0,2189	21,000	m	
99	316LVM	6,000	0,279	5,442	0,2362	0,0110	0,2143	2,288	m	
100	316LVM	6,000	0,300	5,400	0,2362	0,0118	0,2126	52,701	m	
101	316LVM	6,198	0,229	5,740	0,2440	0,0090	0,2260	9,680	m	
102	316LVM	6,350	0,254	5,842	0,2500	0,0100	0,2300	5,020	m	
103	316LVM	7,938	0,261	7,417	0,3125	0,0103	0,2920	12,404	m	
104	316LVM	7,940	0,510	6,920	0,3126	0,0201	0,2724	4,620	m	
105	316LVM	7,940	0,710	6,520	0,3126	0,0280	0,2567	11,030	m	

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
106	316LVM	8,000	0,150	7,700	0,3150	0,0059	0,3031	4,290	m	
107	316LVM	8,000	0,216	7,568	0,3150	0,0085	0,2980	8,330	m	
108	316LVM	9,525	0,513	8,500	0,3750	0,0202	0,3346	7,162	m	
109	316LVM	10,000	0,500	9,000	0,3937	0,0197	0,3543	28,295	m	
110	KC35N LT	0,270	0,025	0,220	0,0106	0,0010	0,0087	83,439	m	
111	KC35N LT	0,450	0,125	0,200	0,0177	0,0049	0,0079	48,088	m	
112	KC35N LT	0,510	0,050	0,410	0,0201	0,0020	0,0161	3,100	m	
113	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	2310,000	St	
114	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	935,000	St	
115	KC35N LT	0,730	0,115	0,500	0,0287	0,0045	0,0197	9,886	m	
116	KC35N LT	1,107	0,086	0,935	0,0436	0,0034	0,0368	28,602	m	
117	KC35N LT	1,350	0,075	1,200	0,0531	0,0030	0,0472	57,510	m	
118	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	19,350	m	
119	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	55,750	m	
120	KC35N LT	1,500	0,130	1,240	0,0591	0,0051	0,0488	23,010	m	
121	KC35N LT	1,600	0,105	1,390	0,0630	0,0041	0,0547	6,685	m	
122	KC35N LT	1,800	0,115	1,570	0,0709	0,0045	0,0618	2,013	m	
123	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	14,397	m	
124	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	20,870	m	
125	KC35N LT	2,311	0,102	2,107	0,0910	0,0040	0,0830	28,500	m	
126	KC35N LT	2,375	0,089	2,197	0,0935	0,0035	0,0865	11,992	m	

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
127	KC35N LT	2,400	0,114	2,172	0,0945	0,0045	0,0855	11,820	m	
128	KC35N LT	3,500	0,090	3,320	0,1378	0,0035	0,1307	17,303	m	
129	KC35N LT	4,200	0,100	4,000	0,1654	0,0039	0,1575	4,710	m	
130	KC35N LT	4,720	0,304	4,112	0,1858	0,0120	0,1619	56,410	m	
131	KC35N LT	5,588	0,229	5,130	0,2200	0,0090	0,2020	12,232	m	
132	KC35N LT	6,000	0,500	5,000	0,2362	0,0197	0,1969	12,940	m	
133	KC35N LT	6,000	0,550	4,900	0,2362	0,0217	0,1929	13,402	m	
134	KC35N LT	6,400	0,075	6,250	0,2520	0,0030	0,2461	6,038	m	
135	KC35N LT	7,214	0,381	6,452	0,2840	0,0150	0,2540	3,910	m	
136	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	30,988	m	
137	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	354,000	St	
138	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	42,956	m	
139	L605	1,169	0,102	0,965	0,0460	0,0040	0,0380	15,914	m	
140	L605	1,219	0,127	0,965	0,0480	0,0050	0,0380	45,448	m	
141	L605	1,320	0,081	1,158	0,0520	0,0032	0,0456	3,444	m	
142	L605	1,321	0,127	1,067	0,0520	0,0050	0,0420	28,800	m	
143	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	10,764	m	
144	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	26,260	m	
145	L605	1,470	0,110	1,250	0,0579	0,0043	0,0492	16,570	m	
146	L605	1,470	0,110	1,250	0,0579	0,0043	0,0492	23,280	m	
147	L605	1,470	0,110	1,250	0,0579	0,0043	0,0492	28,770	m	

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
148	L605	1,470	0,130	1,210	0,0579	0,0051	0,0476	36,860	m	
149	L605	1,473	0,127	1,219	0,0580	0,0050	0,0480	26,210	m	
150	L605	1,550	0,100	1,350	0,0610	0,0039	0,0531	144,000	m	
151	L605	1,600	0,065	1,470	0,0630	0,0026	0,0579	1,377	m	
152	L605	1,600	0,080	1,440	0,0630	0,0031	0,0567	16,816	m	
153	L605	1,600	0,090	1,420	0,0630	0,0035	0,0559	5,355	m	
154	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,510	m	
155	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	10,264	m	
156	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	166,877	m	
157	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	18,890	m	
158	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	9,221	m	
159	L605	1,600	0,140	1,320	0,0630	0,0055	0,0520	16,140	m	
160	L605	1,650	0,230	1,190	0,0650	0,0091	0,0469	23,140	m	
161	L605	1,800	0,065	1,670	0,0709	0,0026	0,0657	23,271	m	
162	L605	1,800	0,085	1,630	0,0709	0,0033	0,0642	12,490	m	
163	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	153,966	m	
164	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	21,400	m	
165	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	27,300	m	
166	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	9,339	m	
167	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	14,921	m	
168	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	22,750	m	

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
169	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	374,899	m	
170	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	46,200	m	
171	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,080	m	
172	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,870	m	
173	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	67,000	St	
174	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,550	m	
175	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,798	m	
176	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	8,700	m	
177	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	85,255	m	
178	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	9,474	m	
179	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	10,552	m	
180	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	111,553	m	
181	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	21,220	m	
182	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	582,780	m	
183	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	96,116	m	
184	L605	1,880	0,127	1,626	0,0740	0,0050	0,0640	32,710	m	
185	L605	2,200	0,100	2,000	0,0866	0,0039	0,0787	16,008	m	
186	L605	2,500	0,120	2,260	0,0984	0,0047	0,0890	2,270	m	
187	L605	2,540	0,178	2,184	0,1000	0,0070	0,0860	19,710	m	
188	L605	2,997	0,107	2,783	0,1180	0,0042	0,1096	6,457	m	
189	L605	3,000	0,170	2,660	0,1181	0,0067	0,1047	71,089	m	

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
190	L605	3,000	0,500	2,000	0,1181	0,0197	0,0787	16,400	m	
191	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	100,710	m	
192	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	106,600	m	
193	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	16,700	m	
194	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	19,472	m	
195	L605	4,400	0,280	3,840	0,1732	0,0110	0,1512	4,485	m	
196	L605	4,700	0,180	4,340	0,1850	0,0071	0,1709	1,040	m	
197	L605	5,000	0,200	4,600	0,1969	0,0079	0,1811	16,410	m	
198	L605	6,000	0,250	5,500	0,2362	0,0098	0,2165	9,199	m	
199	L605	8,200	0,250	7,700	0,3228	0,0098	0,3031	8,967	m	
200	Mu-Metal	0,680	0,100	0,480	0,0268	0,0039	0,0189	34,020	m	
201	Mu-Metal	3,226	0,051	3,124	0,1270	0,0020	0,1230	18,660	m	
202	Mu-Metal	3,277	0,076	3,124	0,1290	0,0030	0,1230	54,360	m	
203	NiTi	0,240	0,080	0,080	0,0094	0,0031	0,0031	210,138	m	ground
204	NiTi	0,240	0,090	0,060	0,0094	0,0035	0,0024	3,820	m	ground
205	NiTi	0,330	0,115	0,100	0,0130	0,0045	0,0039	10,757	m	ground
206	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	11,000	m	ground
207	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	57,750	m	ground
208	NiTi	0,350	0,125	0,100	0,0138	0,0049	0,0039	3,390	m	ground
209	NiTi	0,400	0,060	0,280	0,0157	0,0024	0,0110	133,457	m	dark oxidized
210	NiTi	0,400	0,060	0,280	0,0157	0,0024	0,0110	25,788	m	dark oxidized

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
211	NiTi	0,400	0,080	0,240	0,0157	0,0031	0,0094	6,620 m		ground out-/oxidic inside
212	NiTi	0,400	0,150	0,100	0,0157	0,0059	0,0039	51,080 m		ground
213	NiTi	0,400	0,150	0,100	0,0157	0,0059	0,0039	8,790 m		ground
214	NiTi	0,480	0,076	0,328	0,0189	0,0030	0,0129	16,197 m		ground
215	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	162,718 m		dark oxidized
216	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	182,274 m		dark oxidized
217	NiTi	0,550	0,060	0,430	0,0217	0,0024	0,0169	1,696 m		
218	NiTi	0,559	0,051	0,457	0,0220	0,0020	0,0180	5,387 m		
219	NiTi	0,570	0,090	0,390	0,0224	0,0035	0,0154	1,899 m		dark oxidized
220	NiTi	0,600	0,080	0,440	0,0236	0,0031	0,0173	18,000 m		ground out-/oxidic inside
221	NiTi	0,635	0,102	0,432	0,0250	0,0040	0,0170	202,331 m		ground
222	NiTi	0,660	0,076	0,508	0,0260	0,0030	0,0200	1,800 m		ground out-/oxidic inside
223	NiTi	0,730	0,150	0,430	0,0287	0,0059	0,0169	22,485 m		ground out-/oxidic inside
224	NiTi	0,730	0,150	0,430	0,0287	0,0059	0,0169	4,800 m		ground
225	NiTi	0,790	0,099	0,592	0,0311	0,0039	0,0233	11,336 m		ground
226	NiTi	0,900	0,100	0,700	0,0354	0,0039	0,0276	1,137 m		ground
227	NiTi	0,900	0,190	0,520	0,0354	0,0075	0,0205	10,810 m		dark oxidized
228	NiTi	0,940	0,080	0,780	0,0370	0,0031	0,0307	48,800 m		dark oxidized
229	NiTi	1,000	0,090	0,820	0,0394	0,0035	0,0323	4,062 m		ground
230	NiTi	1,010	0,120	0,770	0,0398	0,0047	0,0303	2,318 m		ground
231	NiTi	1,010	0,120	0,770	0,0398	0,0047	0,0303	5,934 m		ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
232	NiTi	1,070	0,100	0,870	0,0421	0,0039	0,0343	2,450	m	ground
233	NiTi	1,180	0,146	0,889	0,0465	0,0057	0,0350	42,186	m	ground
234	NiTi	1,200	0,100	1,000	0,0472	0,0039	0,0394	43,440	m	ground
235	NiTi	1,200	0,125	0,950	0,0472	0,0049	0,0374	7,900	m	ground
236	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	7,050	m	ground out-/oxidic inside
237	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	7,330	m	ground out-/oxidic inside
238	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	9,088	m	ground out-/oxidic inside
239	NiTi	1,220	0,133	0,954	0,0480	0,0052	0,0376	240,456	m	ground
240	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	213,338	m	ground
241	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	8,648	m	ground
242	NiTi	1,240	0,230	0,780	0,0488	0,0091	0,0307	29,339	m	ground
243	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	6,267	m	ground
244	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	80,843	m	ground
245	NiTi	1,296	0,110	1,076	0,0510	0,0043	0,0424	2,860	m	ground
246	NiTi	1,300	0,168	0,964	0,0512	0,0066	0,0380	2,520	m	ground
247	NiTi	1,300	0,170	0,960	0,0512	0,0067	0,0378	49,682	m	ground
248	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	516,632	m	ground
249	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	63,898	m	ground
250	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	14,990	m	ground
251	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	19,570	m	ground out-/oxidic inside
252	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	24,000	m	ground out-/oxidic inside

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
253	NiTi	1,320	0,210	0,900	0,0520	0,0083	0,0354	7,436 m		ground
254	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	10,030 m		ground
255	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	3,250 m		ground
256	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	13,900 m		ground
257	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,129 m		ground
258	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,410 m		ground
259	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,000 m		ground
260	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	16,090 m		ground
261	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	18,000 m		ground
262	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	187,348 m		ground
263	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	20,800 m		ground
264	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	21,500 m		ground
265	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	27,020 m		ground
266	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	3,380 m		ground
267	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	3,710 m		ground
268	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	30,810 m		ground
269	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	37,943 m		ground
270	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	39,400 m		ground
271	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,200 m		ground
272	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,276 m		ground
273	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	40,650 m		ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
274	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	6,151 m		ground
275	NiTi	1,320	0,235	0,850	0,0520	0,0093	0,0335	9,410 m		ground
276	NiTi	1,320	0,400	0,520	0,0520	0,0157	0,0205	3,660 m		ground
277	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	19,235 m		ground
278	NiTi	1,350	0,135	1,080	0,0531	0,0053	0,0425	-5,105 m		ground
279	NiTi	1,350	0,135	1,080	0,0531	0,0053	0,0425	36,230 m		ground
280	NiTi	1,370	0,205	0,960	0,0539	0,0081	0,0378	12,364 m		ground
281	NiTi	1,370	0,205	0,960	0,0539	0,0081	0,0378	13,991 m		ground
282	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	2,801 m		ground
283	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	3,000 m		ground
284	NiTi	1,420	0,160	1,100	0,0559	0,0063	0,0433	2,420 m		ground
285	NiTi	1,450	0,225	1,000	0,0571	0,0089	0,0394	3,630 m		ground
286	NiTi	1,450	0,225	1,000	0,0571	0,0089	0,0394	3,870 m		ground
287	NiTi	1,500	0,220	1,060	0,0591	0,0087	0,0417	1,220 m		ground
288	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	1,859 m		ground
289	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	5,762 m		ground
290	NiTi	1,520	0,280	0,960	0,0598	0,0110	0,0378	4,842 m		ground
291	NiTi	1,524	0,114	1,296	0,0600	0,0045	0,0510	7,000 St		ground
292	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	19,461 m		ground
293	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	64,005 m		ground
294	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	8,878 m		ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
295	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	87,904 m		ground
296	NiTi	1,550	0,114	1,322	0,0610	0,0045	0,0520	26,040 m		ground
297	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	1,300 m		ground
298	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	55,080 m		ground out-/oxidic inside
299	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	96,900 m		ground out-/oxidic inside
300	NiTi	1,550	0,250	1,050	0,0610	0,0098	0,0413	16,307 m		ground
301	NiTi	1,590	0,215	1,160	0,0626	0,0085	0,0457	28,532 m		ground out-/oxidic inside
302	NiTi	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,284 m		ground
303	NiTi	1,600	0,200	1,200	0,0630	0,0079	0,0472	14,569 m		
304	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	158,940 m		ground
305	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	247,196 m		ground
306	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	44,811 m		ground
307	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	75,072 m		ground
308	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	2,760 m		ground
309	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	25,640 m		ground
310	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	66,396 m		ground
311	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	9,605 m		ground
312	NiTi	1,600	0,270	1,060	0,0630	0,0106	0,0417	72,769 m		ground
313	NiTi	1,600	0,270	1,060	0,0630	0,0106	0,0417	8,403 m		ground
314	NiTi	1,605	0,220	1,165	0,0632	0,0087	0,0459	3,490 m		ground
315	NiTi	1,620	0,240	1,140	0,0638	0,0094	0,0449	39,435 m		ground out-/oxidic inside

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
316	NiTi	1,626	0,241	1,144	0,0640	0,0095	0,0450	100,000	St	ground
317	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	13,028	m	ground out-/oxidic inside
318	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	21,580	m	ground out-/oxidic inside
319	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	271,498	m	ground out-/oxidic inside
320	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	4,970	m	ground out-/oxidic inside
321	NiTi	1,630	0,225	1,180	0,0642	0,0089	0,0465	3,820	m	ground out-/oxidic inside
322	NiTi	1,630	0,225	1,180	0,0642	0,0089	0,0465	7,170	m	polished
323	NiTi	1,630	0,230	1,170	0,0642	0,0091	0,0461	4,631	m	ground
324	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	10,609	m	ground
325	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	18,165	m	ground
326	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	181,246	m	ground
327	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	55,279	m	ground
328	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	343,430	m	ground
329	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000	m	dark oxidized
330	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000	m	ground
331	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,390	m	ground
332	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,627	m	ground
333	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,958	m	ground
334	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	6,000	m	ground
335	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	61,610	m	ground
336	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,700	m	ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
337	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,980 m		ground
338	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,080 m		ground out-/oxidic inside
339	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,120 m		ground out-/oxidic inside
340	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,450 m		ground out-/oxidic inside
341	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	2,930 m		ground out-/oxidic inside
342	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	26,850 m		ground
343	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	3,560 m		ground out-/oxidic inside
344	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	255,144 m		ground
345	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,150 m		ground
346	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,685 m		ground
347	NiTi	1,700	0,125	1,450	0,0669	0,0049	0,0571	140,000 m	St	ground
348	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	243,993 m		ground out-/oxidic inside
349	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	292,100 m		ground out-/oxidic inside
350	NiTi	1,700	0,210	1,280	0,0669	0,0083	0,0504	3,078 m		ground
351	NiTi	1,700	0,300	1,100	0,0669	0,0118	0,0433	2,640 m		ground
352	NiTi	1,720	0,230	1,260	0,0677	0,0091	0,0496	193,756 m		ground
353	NiTi	1,729	0,210	1,309	0,0681	0,0083	0,0515	9,600 m		ground
354	NiTi	1,729	0,220	1,289	0,0681	0,0087	0,0507	36,100 m		ground
355	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	172,007 m		ground
356	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	26,729 m		ground
357	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	3,500 m		ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
358	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	35,060	m	ground
359	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,041	m	ground
360	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,607	m	ground
361	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	5,740	m	ground
362	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	6,450	m	ground
363	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	7,900	m	ground
364	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	8,160	m	ground
365	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	9,247	m	ground
366	NiTi	1,730	0,240	1,250	0,0681	0,0094	0,0492	28,250	m	ground
367	NiTi	1,778	0,406	0,966	0,0700	0,0160	0,0380	22,252	m	ground
368	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	2,181	m	ground
369	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	7,313	m	ground
370	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	2,202	m	ground
371	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	22,878	m	ground
372	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	64,888	m	ground
373	NiTi	1,800	0,220	1,360	0,0709	0,0087	0,0535	1,438	m	ground
374	NiTi	1,803	0,216	1,371	0,0710	0,0085	0,0540	12,890	m	ground
375	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,238	m	ground
376	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,716	m	ground
377	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	5,537	m	ground
378	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,049	m	ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
379	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,705	m	ground
380	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	5,627	m	ground
381	NiTi	1,829	0,267	1,295	0,0720	0,0105	0,0510	1,548	m	ground
382	NiTi	1,829	0,292	1,245	0,0720	0,0115	0,0490	6,710	m	ground
383	NiTi	1,900	0,270	1,360	0,0748	0,0106	0,0535	68,327	m	ground
384	NiTi	1,907	0,203	1,501	0,0751	0,0080	0,0591	40,806	m	ground
385	NiTi	1,915	0,165	1,585	0,0754	0,0065	0,0624	15,890	m	ground
386	NiTi	1,915	0,165	1,585	0,0754	0,0065	0,0624	5,860	m	ground
387	NiTi	2,000	0,220	1,560	0,0787	0,0087	0,0614	166,314	m	ground
388	NiTi	2,000	0,230	1,540	0,0787	0,0091	0,0606	5,990	m	ground
389	NiTi	2,000	0,240	1,520	0,0787	0,0094	0,0598	36,467	m	ground
390	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	21,199	m	ground
391	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	43,678	m	ground
392	NiTi	2,019	0,266	1,487	0,0795	0,0105	0,0585	3,728	m	ground
393	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	6,924	m	ground
394	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	9,847	m	ground
395	NiTi	2,032	0,280	1,472	0,0800	0,0110	0,0580	413,795	m	ground
396	NiTi	2,050	0,150	1,750	0,0807	0,0059	0,0689	9,180	m	ground
397	NiTi	2,050	0,300	1,450	0,0807	0,0118	0,0571	12,150	m	ground
398	NiTi	2,120	0,320	1,480	0,0835	0,0126	0,0583	12,945	m	ground
399	NiTi	2,130	0,075	1,980	0,0839	0,0030	0,0780	4,950	m	ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
400	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	17,172 m		ground
401	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	21,817 m		ground
402	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	23,347 m		ground
403	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	25,863 m		ground
404	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	31,296 m		ground
405	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	131,857 m		ground
406	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	27,266 m		ground
407	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	3,772 m		ground
408	NiTi	2,161	0,086	1,989	0,0851	0,0034	0,0783	343,194 m		ground
409	NiTi	2,164	0,081	2,002	0,0852	0,0032	0,0788	16,710 m		ground
410	NiTi	2,180	0,370	1,440	0,0858	0,0146	0,0567	14,260 m		ground
411	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	1,840 m		ground
412	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	13,550 m		ground
413	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	9,847 m		ground
414	NiTi	2,184	0,241	1,702	0,0860	0,0095	0,0670	9,850 m		ground
415	NiTi	2,184	0,349	1,486	0,0860	0,0137	0,0585	1,046 m		ground
416	NiTi	2,184	0,381	1,422	0,0860	0,0150	0,0560	6,294 m		ground
417	NiTi	2,185	0,350	1,485	0,0860	0,0138	0,0585	3,070 m		ground
418	NiTi	2,186	0,086	2,014	0,0861	0,0034	0,0793	8,466 m		ground
419	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	37,318 m		ground out-/oxidic inside
420	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	57,200 m		ground out-/oxidic inside

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
421	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	9,659 m		ground out-/oxidic inside
422	NiTi	2,200	0,230	1,740	0,0866	0,0091	0,0685	6,047 m		ground
423	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	10,610 m		ground
424	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	25,542 m		ground
425	NiTi	2,200	0,325	1,550	0,0866	0,0128	0,0610	2,040 m		ground
426	NiTi	2,200	0,550	1,100	0,0866	0,0217	0,0433	1,880 m		ground
427	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	46,899 m		ground
428	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	6,936 m		ground
429	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	8,747 m		ground
430	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	5,700 m		ground
431	NiTi	2,300	0,150	2,000	0,0906	0,0059	0,0787	58,387 m		ground
432	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	1,414 m		ground
433	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	3,794 m		ground
434	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	4,246 m		ground
435	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	107,669 m		ground out-/oxidic inside
436	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	19,268 m		ground out-/oxidic inside
437	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	27,620 m		ground out-/oxidic inside
438	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	33,102 m		ground out-/oxidic inside
439	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	42,991 m		ground out-/oxidic inside
440	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	60,800 m		ground out-/oxidic inside
441	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	7,000 m		ground out-/oxidic inside

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
442	NiTi	2,310	0,255	1,800	0,0909	0,0100	0,0709	28,010 m		ground
443	NiTi	2,310	0,255	1,800	0,0909	0,0100	0,0709	3,770 m		ground
444	NiTi	2,340	0,170	2,000	0,0921	0,0067	0,0787	43,543 m		ground
445	NiTi	2,350	0,145	2,060	0,0925	0,0057	0,0811	13,710 m		ground
446	NiTi	2,372	0,183	2,006	0,0934	0,0072	0,0790	13,960 m		ground
447	NiTi	2,400	0,075	2,250	0,0945	0,0030	0,0886	5,203 m		ground
448	NiTi	2,400	0,076	2,248	0,0945	0,0030	0,0885	33,572 m		ground
449	NiTi	2,400	0,085	2,230	0,0945	0,0033	0,0878	6,193 m		ground
450	NiTi	2,400	0,090	2,220	0,0945	0,0035	0,0874	9,902 m		ground
451	NiTi	2,400	0,200	2,000	0,0945	0,0079	0,0787	37,005 m		dark oxidized
452	NiTi	2,400	0,300	1,800	0,0945	0,0118	0,0709	1,612 m		ground
453	NiTi	2,400	0,500	1,400	0,0945	0,0197	0,0551	12,867 m		ground
454	NiTi	2,403	0,198	2,007	0,0946	0,0078	0,0790	11,630 m		ground
455	NiTi	2,413	0,229	1,956	0,0950	0,0090	0,0770	7,460 m		ground
456	NiTi	2,413	0,407	1,600	0,0950	0,0160	0,0630	22,067 m		ground
457	NiTi	2,440	0,320	1,800	0,0961	0,0126	0,0709	3,580 m		dark oxidized
458	NiTi	2,449	0,221	2,007	0,0964	0,0087	0,0790	19,997 m		ground
459	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	10,987 m		ground
460	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	8,106 m		ground
461	NiTi	2,480	0,225	2,030	0,0976	0,0089	0,0799	6,350 m		ground
462	NiTi	2,490	0,050	2,390	0,0980	0,0020	0,0941	2,080 m		ground

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
463	NiTi	2,500	0,070	2,360	0,0984	0,0028	0,0929	3,920 m		ground
464	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	6,653 m		ground
465	NiTi	2,500	0,180	2,140	0,0984	0,0071	0,0843	8,770 m		
466	NiTi	2,500	0,250	2,000	0,0984	0,0098	0,0787	3,445 m		ground
467	NiTi	2,565	0,368	1,829	0,1010	0,0145	0,0720	1,557 m		ground
468	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	10,510 m		ground out-/oxidic inside
469	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	16,040 m		ground
470	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	3,914 m		ground
471	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	6,577 m		ground
472	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	76,526 m		ground
473	NiTi	2,590	0,076	2,438	0,1020	0,0030	0,0960	2,188 m		ground
474	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	17,785 m		ground
475	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	22,439 m		ground out-/oxidic inside
476	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	85,086 m		ground out-/oxidic inside
477	NiTi	2,604	0,216	2,172	0,1025	0,0085	0,0855	5,040 m		ground
478	NiTi	2,618	0,065	2,488	0,1031	0,0026	0,0980	102,958 m		ground
479	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	11,355 m		ground
480	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	41,055 m		ground
481	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	56,811 m		ground
482	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	83,723 m		ground
483	NiTi	2,654	0,102	2,450	0,1045	0,0040	0,0965	12,891 m		ground

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
484	NiTi	2,667	0,241	2,185	0,1050	0,0095	0,0860	5,060	m	ground
485	NiTi	2,680	0,089	2,502	0,1055	0,0035	0,0985	4,405	m	ground
486	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	6,022	m	ground
487	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	9,177	m	ground
488	NiTi	2,700	0,600	1,500	0,1063	0,0236	0,0591	13,414	m	ground
489	NiTi	2,720	0,170	2,380	0,1071	0,0067	0,0937	6,443	m	ground
490	NiTi	2,743	0,432	1,879	0,1080	0,0170	0,0740	12,963	m	ground
491	NiTi	2,751	0,302	2,147	0,1083	0,0119	0,0845	42,540	m	ground
492	NiTi	2,760	0,190	2,380	0,1087	0,0075	0,0937	4,993	m	ground
493	NiTi	2,770	0,065	2,640	0,1091	0,0026	0,1039	2,635	m	ground
494	NiTi	2,795	0,100	2,595	0,1100	0,0039	0,1022	0,326	m	ground
495	NiTi	2,800	0,230	2,340	0,1102	0,0091	0,0921	10,073	m	ground
496	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	13,866	m	ground
497	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	3,998	m	ground out-/oxidic inside
498	NiTi	2,870	0,173	2,524	0,1130	0,0068	0,0994	16,129	m	ground
499	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	17,847	m	ground out-/oxidic inside
500	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	18,776	m	ground out-/oxidic inside
501	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	21,873	m	ground out-/oxidic inside
502	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	41,024	m	ground out-/oxidic inside
503	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	6,082	m	ground out-/oxidic inside
504	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	71,752	m	ground out-/oxidic inside

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
505	NiTi	2,906	0,191	2,524	0,1144	0,0075	0,0994	22,430	m	ground
506	NiTi	2,960	0,300	2,360	0,1165	0,0118	0,0929	4,640	m	ground
507	NiTi	2,960	0,440	2,080	0,1165	0,0173	0,0819	6,250	m	ground
508	NiTi	2,960	0,555	1,850	0,1165	0,0219	0,0728	6,390	m	ground
509	NiTi	3,000	0,110	2,780	0,1181	0,0043	0,1094	8,248	m	ground
510	NiTi	3,048	0,254	2,540	0,1200	0,0100	0,1000	13,000	St	ground
511	NiTi	3,063	0,262	2,539	0,1206	0,0103	0,1000	5,630	m	ground
512	NiTi	3,100	1,075	0,950	0,1220	0,0423	0,0374	1,150	m	ground
513	NiTi	3,160	0,170	2,820	0,1244	0,0067	0,1110	9,239	m	ground
514	NiTi	3,200	0,165	2,870	0,1260	0,0065	0,1130	2,042	m	ground
515	NiTi	3,200	0,190	2,820	0,1260	0,0075	0,1110	2,000	St	ground
516	NiTi	3,200	0,540	2,120	0,1260	0,0213	0,0835	7,690	m	ground
517	NiTi	3,200	0,540	2,120	0,1260	0,0213	0,0835	8,597	m	ground
518	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	8,695	m	ground
519	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	3,843	m	ground
520	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	6,604	m	ground
521	NiTi	3,277	0,305	2,667	0,1290	0,0120	0,1050	1,561	m	ground
522	NiTi	3,280	0,115	3,050	0,1291	0,0045	0,1201	5,050	m	ground
523	NiTi	3,302	0,711	1,880	0,1300	0,0280	0,0740	14,787	m	ground
524	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,471	m	ground out-/oxidic inside
525	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,600	m	ground out-/oxidic inside

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
526	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	5,757 m		ground out-/oxidic inside
527	NiTi	3,363	0,102	3,159	0,1324	0,0040	0,1244	54,915 m		ground
528	NiTi	3,363	0,111	3,141	0,1324	0,0044	0,1237	81,471 m		ground
529	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	3,666 m		ground out-/oxidic inside
530	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	7,000 St		ground
531	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	7,872 m		ground
532	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	14,571 m		ground
533	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	9,610 m		ground
534	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	1,425 m		dark oxidized
535	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	3,915 m		ground
536	NiTi	3,520	0,160	3,200	0,1386	0,0063	0,1260	5,520 m		ground
537	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	10,190 m		ground
538	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	11,588 m		ground
539	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	6,999 m		ground
540	NiTi	3,610	0,250	3,110	0,1421	0,0098	0,1224	4,542 m		ground
541	NiTi	3,800	0,265	3,270	0,1496	0,0104	0,1287	4,516 m		ground
542	NiTi	3,810	0,120	3,570	0,1500	0,0047	0,1406	4,565 m		ground
543	NiTi	3,900	0,260	3,380	0,1535	0,0102	0,1331	7,000 m		ground
544	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	110,766 m		ground
545	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	119,084 m		ground
546	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	23,177 m		ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
547	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	4,613 m		ground
548	NiTi	4,000	0,100	3,800	0,1575	0,0039	0,1496	110,647 m		ground
549	NiTi	4,000	0,102	3,796	0,1575	0,0040	0,1494	7,452 m		ground
550	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	23,392 m		ground
551	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	4,000 m		ground
552	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	6,566 m		ground
553	NiTi	4,210	0,500	3,210	0,1657	0,0197	0,1264	19,833 m		ground
554	NiTi	4,242	0,152	3,938	0,1670	0,0060	0,1550	14,331 m		ground
555	NiTi	4,270	0,079	4,112	0,1681	0,0031	0,1619	4,942 m		ground
556	NiTi	4,500	0,080	4,340	0,1772	0,0031	0,1709	0,744 m		ground
557	NiTi	4,500	0,127	4,246	0,1772	0,0050	0,1672	2,264 m		ground
558	NiTi	4,500	0,700	3,100	0,1772	0,0276	0,1220	8,080 m		ground
559	NiTi	4,700	0,150	4,400	0,1850	0,0059	0,1732	28,451 m		ground
560	NiTi	4,750	0,125	4,500	0,1870	0,0049	0,1772	7,390 m		ground
561	NiTi	4,765	0,130	4,505	0,1876	0,0051	0,1774	1,597 m		ground
562	NiTi	4,800	0,075	4,650	0,1890	0,0030	0,1831	5,645 m		ground
563	NiTi	4,800	0,170	4,460	0,1890	0,0067	0,1756	2,707 m		ground
564	NiTi	4,900	0,200	4,500	0,1929	0,0079	0,1772	37,806 m		ground
565	NiTi	4,950	0,155	4,640	0,1949	0,0061	0,1827	5,320 m		polished
566	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	0,453 m		ground
567	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	2,306 m		ground

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
568	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,398 m		ground out-/oxidic inside
569	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,473 m		ground
570	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,757 m		ground
571	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835 m		ground out-/oxidic inside
572	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,534 m		ground
573	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	6,244 m		ground
574	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	7,030 m		ground out-/oxidic inside
575	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	7,574 m		ground
576	NiTi	5,000	0,130	4,740	0,1969	0,0051	0,1866	1,975 m		ground
577	NiTi	5,000	0,220	4,560	0,1969	0,0087	0,1795	4,330 m		ground
578	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	1,100 m		ground
579	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	10,306 m		ground
580	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	2,510 m		ground
581	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	9,631 m		ground
582	NiTi	5,000	0,250	4,500	0,1969	0,0098	0,1772	5,870 m		ground
583	NiTi	5,000	0,400	4,200	0,1969	0,0157	0,1654	8,316 m		ground
584	NiTi	5,000	0,450	4,100	0,1969	0,0177	0,1614	2,754 m		ground
585	NiTi	5,000	0,560	3,880	0,1969	0,0220	0,1528	1,650 m		ground
586	NiTi	5,004	0,533	3,938	0,1970	0,0210	0,1550	4,518 m		ground out-/oxidic inside
587	NiTi	5,030	0,175	4,680	0,1980	0,0069	0,1843	6,880 m		polished
588	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	0,434 m		ground

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
589	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	35,820 m		ground
590	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	6,000 m		ground
591	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	25,000 m		ground
592	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	3,189 m		ground
593	NiTi	5,207	0,279	4,649	0,2050	0,0110	0,1830	3,940 m		ground
594	NiTi	5,250	0,110	5,030	0,2067	0,0043	0,1980	2,470 m		ground
595	NiTi	5,410	0,483	4,444	0,2130	0,0190	0,1750	3,010 m		ground
596	NiTi	5,500	0,065	5,370	0,2165	0,0026	0,2114	0,723 m		polished
597	NiTi	5,500	0,100	5,300	0,2165	0,0039	0,2087	2,710 m		ground
598	NiTi	5,500	0,215	5,070	0,2165	0,0085	0,1996	12,517 m		ground
599	NiTi	5,538	0,203	5,131	0,2180	0,0080	0,2020	3,490 m		ground
600	NiTi	5,588	0,229	5,130	0,2200	0,0090	0,2020	3,520 m		ground
601	NiTi	5,600	0,150	5,300	0,2205	0,0059	0,2087	1,220 m		ground
602	NiTi	5,700	0,200	5,300	0,2244	0,0079	0,2087	3,075 m		ground
603	NiTi	5,944	0,572	4,800	0,2340	0,0225	0,1890	1,250 m		ground out-/oxidic inside
604	NiTi	5,950	0,200	5,550	0,2343	0,0079	0,2185	1,260 m		ground
605	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	4,110 m		ground out-/oxidic inside
606	NiTi	5,990	0,584	4,822	0,2358	0,0230	0,1898	14,190 m		ground out-/oxidic inside
607	NiTi	5,994	0,254	5,486	0,2360	0,0100	0,2160	4,450 m		ground
608	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	21,525 m		ground
609	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	7,512 m		ground

Stock list - Tubes

current status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
610	NiTi	6,000	0,064	5,872	0,2362	0,0025	0,2312	4,910 m		ground
611	NiTi	6,000	0,100	5,800	0,2362	0,0039	0,2283	4,528 m		ground
612	NiTi	6,000	0,400	5,200	0,2362	0,0157	0,2047	3,215 m		ground
613	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	15,390 m		ground
614	NiTi	6,150	0,100	5,950	0,2421	0,0039	0,2343	26,706 m		ground
615	NiTi	6,200	0,150	5,900	0,2441	0,0059	0,2323	1,386 m		ground
616	NiTi	6,400	0,200	6,000	0,2520	0,0079	0,2362	2,011 m		ground
617	NiTi	6,700	0,250	6,200	0,2638	0,0098	0,2441	4,936 m		ground
618	NiTi	6,820	0,160	6,500	0,2685	0,0063	0,2559	5,515 m		ground
619	NiTi	6,830	0,245	6,340	0,2689	0,0096	0,2496	11,924 m		ground
620	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	3,334 m		ground
621	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	7,433 m		ground
622	NiTi	7,000	0,440	6,120	0,2756	0,0173	0,2409	14,015 m		ground
623	NiTi	7,000	0,440	6,120	0,2756	0,0173	0,2409	5,641 m		ground
624	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	2,399 m		ground
625	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,772 m		ground
626	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,922 m		ground
627	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	7,472 m		ground
628	NiTi	7,000	0,508	5,984	0,2756	0,0200	0,2356	3,885 m		ground
629	NiTi	7,000	0,533	5,934	0,2756	0,0210	0,2336	5,412 m		ground
630	NiTi	7,150	0,100	6,950	0,2815	0,0039	0,2736	11,141 m		ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
631	NiTi	7,350	0,310	6,730	0,2894	0,0122	0,2650	2,460	m	ground
632	NiTi	7,500	2,025	3,450	0,2953	0,0797	0,1358	5,777	m	ground
633	NiTi	8,000	0,160	7,680	0,3150	0,0063	0,3024	4,400	m	ground
634	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	0,710	m	ground
635	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	1,520	m	
636	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	18,020	m	ground
637	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	6,130	m	ground
638	NiTi	8,000	0,330	7,340	0,3150	0,0130	0,2890	6,570	m	ground
639	NiTi	8,000	0,381	7,238	0,3150	0,0150	0,2850	16,660	m	ground
640	NiTi	8,000	0,381	7,238	0,3150	0,0150	0,2850	4,550	m	ground
641	NiTi	8,000	0,381	7,238	0,3150	0,0150	0,2850	7,310	m	ground
642	NiTi	8,000	0,520	6,960	0,3150	0,0205	0,2740	5,983	m	ground
643	NiTi	8,000	0,720	6,560	0,3150	0,0283	0,2583	1,186	m	ground
644	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	0,645	m	ground
645	NiTi	8,300	0,310	7,680	0,3268	0,0122	0,3024	4,460	m	ground
646	NiTi	9,000	0,400	8,200	0,3543	0,0157	0,3228	4,000	St	ground
647	NiTi	9,000	0,500	8,000	0,3543	0,0197	0,3150	2,170	m	ground
648	NiTi	9,000	0,500	8,000	0,3543	0,0197	0,3150	21,260	m	ground
649	NiTi	10,000	0,200	9,600	0,3937	0,0079	0,3780	3,220	m	ground
650	NiTi	10,000	0,250	9,500	0,3937	0,0098	0,3740	1,080	m	ground
651	NiTi	10,000	0,310	9,380	0,3937	0,0122	0,3693	20,069	m	ground

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
652	NiTi	10,000	0,460	9,080	0,3937	0,0181	0,3575	3,470 m		ground
653	NiTi	10,000	0,480	9,040	0,3937	0,0189	0,3559	14,031 m		ground
654	NiTi	10,000	0,533	8,934	0,3937	0,0210	0,3517	1,184 m		ground
655	NiTi	10,000	0,625	8,750	0,3937	0,0246	0,3445	8,874 m		ground
656	NiTi	10,000	0,670	8,660	0,3937	0,0264	0,3409	3,410 m		ground
657	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	9,963 m		ground
658	Phynox / 2.4711	1,600	0,250	1,100	0,0630	0,0098	0,0433	11,034 m		
659	section	1,422	0,076	1,270	0,0560	0,0030	0,0500	1650,000	St	
660	Tantal	1,600	0,090	1,420	0,0630	0,0035	0,0559	3,053 m		
661	Tantal	1,982	0,051	1,880	0,0780	0,0020	0,0740	5,067 m		
662	Tantal/Wolfram	1,880	0,077	1,727	0,0740	0,0030	0,0680	18,162 m		
663	Tantalum	1,600	0,200	1,200	0,0630	0,0079	0,0472	1,101 m		polished
664	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	11,210 m		ground
665	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	26,480 m		ground
666	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	28,310 m		
667	Titan Gr. 2	1,100	0,150	0,800	0,0433	0,0059	0,0315	666,882 m		
668	Titan Gr. 2	1,650	0,150	1,350	0,0650	0,0059	0,0531	80,674 m		
669	Titan Gr. 2	2,134	0,102	1,930	0,0840	0,0040	0,0760	6,806 m		
670	Titan Gr. 2	2,350	0,500	1,350	0,0925	0,0197	0,0531	2,800 m		
671	Titan Gr. 2	2,540	0,102	2,337	0,1000	0,0040	0,0920	6,490 m		
672	Titan Gr. 2	4,000	0,050	3,900	0,1575	0,0020	0,1535	22,670 m		

Stock list - Tubescurrent status: **15.10.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
673	Titan Gr. 2	4,480	0,075	4,330	0,1764	0,0030	0,1705	24,120	m	
674	Titan Gr. 2	5,000	0,550	3,900	0,1969	0,0217	0,1535	8,761	m	
675	Titan Gr. 2	6,350	0,127	6,096	0,2500	0,0050	0,2400	10,750	m	
676	Titan Gr. 2	6,883	0,356	6,172	0,2710	0,0140	0,2430	3,990	m	
677	Titan Gr. 2	7,000	0,150	6,700	0,2756	0,0059	0,2638	6,050	m	
678	Titan Gr. 2	7,925	0,889	6,147	0,3120	0,0350	0,2420	6,679	m	
679	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	
680	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	