

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
1		1,800	0,210	1,380	0,0709	0,0083	0,0543	1,016	m	
2		4,800	0,400	4,000	0,1890	0,0157	0,1575	6,010	m	
3		4,900	0,500	3,900	0,1929	0,0197	0,1535	3,529	m	
4	(1.4301 (304))	0,356	0,075	0,206	0,0140	0,0030	0,0081	7,000	m	
5	(1.4301 (304))	2,000	0,400	1,200	0,0787	0,0157	0,0472	41,199	m	
6	(1.4301 (304))	2,515	0,051	2,413	0,0990	0,0020	0,0950	9,000	St	
7	(1.4301 (304))	3,000	0,300	2,400	0,1181	0,0118	0,0945	8,860	m	
8	(1.4301 (304))	4,470	0,435	3,600	0,1760	0,0171	0,1417	5,000	St	
9	(1.4301 (304))	5,700	0,500	4,700	0,2244	0,0197	0,1850	7,503	m	
10	(1.4301 (304))	6,700	0,500	5,700	0,2638	0,0197	0,2244	12,728	m	
11	(1.4301 (304))	6,900	2,300	2,300	0,2717	0,0906	0,0906	6,300	m	
12	(1.4301 (304))	9,700	0,500	8,700	0,3819	0,0197	0,3425	8,710	m	
13	(1.4307)	6,300	0,275	5,750	0,2480	0,0108	0,2264	9,149	m	
14	(1.4452)	1,600	0,090	1,420	0,0630	0,0035	0,0559	10,150	m	
15	(1.4452)	1,600	0,150	1,300	0,0630	0,0059	0,0512	9,960	m	
16	(1.4452)	1,800	0,090	1,620	0,0709	0,0035	0,0638	13,102	m	
17	(1.4452)	2,350	0,150	2,050	0,0925	0,0059	0,0807	4,737	m	
18	(1.4452)	4,500	0,220	4,060	0,1772	0,0087	0,1598	2,393	m	
19	(1.4452)	4,572	0,152	4,268	0,1800	0,0060	0,1680	20,530	m	
20	(1.4541)	9,576	0,114	9,348	0,3770	0,0045	0,3680	17,005	m	
21	(1.4568)	0,690	0,125	0,440	0,0272	0,0049	0,0173	8,854	m	

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
22	(1.4568)	2,108	0,203	1,702	0,0830	0,0080	0,0670	21,630	m	
23	(1.4568)	7,214	0,381	6,452	0,2840	0,0150	0,2540	40,320	m	
24	(1.4568)	7,214	0,381	6,452	0,2840	0,0150	0,2540	5,242	m	
25	(1.4568)	9,500	0,254	8,992	0,3740	0,0100	0,3540	6,304	m	
26	(1.4568)	9,667	0,249	9,169	0,3806	0,0098	0,3610	2,009	m	
27	(1.4571)	9,000	0,400	8,200	0,3543	0,0157	0,3228	21,000	m	
28	316L	0,457	0,070	0,317	0,0180	0,0028	0,0125	31,763	m	
29	316L	0,640	0,095	0,450	0,0252	0,0037	0,0177	194,020	m	
30	316L	1,510	0,220	1,070	0,0594	0,0087	0,0421	5,753	m	
31	316L	1,540	0,090	1,360	0,0606	0,0035	0,0535	83,088	m	
32	316L	3,000	0,100	2,800	0,1181	0,0039	0,1102	10,732	m	
33	316L	3,200	0,300	2,600	0,1260	0,0118	0,1024	14,121	m	
34	316L	4,217	0,140	3,937	0,1660	0,0055	0,1550	3,140	m	
35	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	109,000	St	
36	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	166,000	St	
37	316L	5,550	0,175	5,200	0,2185	0,0069	0,2047	383,521	m	
38	316LVM	0,292	0,050	0,192	0,0115	0,0020	0,0076	144,802	m	
39	316LVM	0,450	0,075	0,300	0,0177	0,0030	0,0118	18,080	m	
40	316LVM	0,521	0,038	0,445	0,0205	0,0015	0,0175	76,000	m	
41	316LVM	0,550	0,075	0,400	0,0217	0,0030	0,0157	42,113	m	
42	316LVM	0,635	0,076	0,483	0,0250	0,0030	0,0190	33,000	m	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
43	316LVM	0,650	0,175	0,300	0,0256	0,0069	0,0118	26,300	m	
44	316LVM	0,680	0,080	0,520	0,0268	0,0031	0,0205	4,671	m	
45	316LVM	0,889	0,140	0,610	0,0350	0,0055	0,0240	37,212	m	
46	316LVM	0,950	0,200	0,550	0,0374	0,0079	0,0217	138,710	m	
47	316LVM	0,960	0,120	0,720	0,0378	0,0047	0,0283	9,277	m	
48	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	48,370	m	
49	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	74,290	m	
50	316LVM	0,990	0,075	0,840	0,0390	0,0030	0,0331	24,981	m	
51	316LVM	1,000	0,200	0,600	0,0394	0,0079	0,0236	53,192	m	
52	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	62,780	m	
53	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	66,530	m	
54	316LVM	1,169	0,102	0,965	0,0460	0,0040	0,0380	9,639	m	
55	316LVM	1,219	0,127	0,965	0,0480	0,0050	0,0380	14,036	m	
56	316LVM	1,575	0,127	1,321	0,0620	0,0050	0,0520	4,655	m	
57	316LVM	1,575	0,127	1,321	0,0620	0,0050	0,0520	7,314	m	
58	316LVM	1,600	0,115	1,370	0,0630	0,0045	0,0539	94,720	m	
59	316LVM	1,600	0,200	1,200	0,0630	0,0079	0,0472	8,940	m	
60	316LVM	1,676	0,127	1,422	0,0660	0,0050	0,0560	43,073	m	
61	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	18,550	m	
62	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	22,130	m	
63	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	3,450	m	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
64	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	13,124	m	
65	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	8,953	m	
66	316LVM	1,753	0,039	1,675	0,0690	0,0015	0,0659	14,026	m	
67	316LVM	1,800	0,100	1,600	0,0709	0,0039	0,0630	26,142	m	
68	316LVM	1,800	0,125	1,550	0,0709	0,0049	0,0610	11,761	m	
69	316LVM	1,800	0,150	1,500	0,0709	0,0059	0,0591	29,813	m	
70	316LVM	2,100	0,100	1,900	0,0827	0,0039	0,0748	22,423	m	
71	316LVM	2,400	0,100	2,200	0,0945	0,0039	0,0866	30,410	m	
72	316LVM	2,515	0,058	2,400	0,0990	0,0023	0,0945	29,849	m	
73	316LVM	2,530	0,100	2,330	0,0996	0,0039	0,0917	11,680	m	
74	316LVM	3,100	0,100	2,900	0,1220	0,0039	0,1142	78,400	m	
75	316LVM	3,110	0,105	2,900	0,1224	0,0041	0,1142	9,494	m	
76	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	4,031	m	
77	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	9,885	m	
78	316LVM	4,650	0,090	4,470	0,1831	0,0035	0,1760	16,278	m	
79	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	28,389	m	
80	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	31,524	m	
81	316LVM	5,436	0,216	5,003	0,2140	0,0085	0,1970	3,475	m	
82	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	10,340	m	
83	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	45,880	m	
84	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	32,878	m	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
85	316LVM	6,000	0,279	5,442	0,2362	0,0110	0,2143	2,288	m	
86	316LVM	6,000	0,300	5,400	0,2362	0,0118	0,2126	52,701	m	
87	316LVM	6,515	0,260	5,995	0,2565	0,0102	0,2360	2,230	m	
88	316LVM	7,938	0,261	7,417	0,3125	0,0103	0,2920	12,404	m	
89	316LVM	7,940	0,510	6,920	0,3126	0,0201	0,2724	4,620	m	
90	316LVM	7,940	0,710	6,520	0,3126	0,0280	0,2567	12,030	m	
91	316LVM	8,000	0,150	7,700	0,3150	0,0059	0,3031	4,290	m	
92	316LVM	8,000	0,216	7,568	0,3150	0,0085	0,2980	9,400	m	
93	316LVM	9,525	0,513	8,500	0,3750	0,0202	0,3346	8,592	m	
94	316LVM	10,000	0,500	9,000	0,3937	0,0197	0,3543	28,295	m	
95	Biodur 108	1,220	0,075	1,070	0,0480	0,0030	0,0421	7,400	m	
96	KC35N LT	0,270	0,025	0,220	0,0106	0,0010	0,0087	88,970	m	
97	KC35N LT	0,450	0,125	0,200	0,0177	0,0049	0,0079	51,429	m	
98	KC35N LT	0,510	0,050	0,410	0,0201	0,0020	0,0161	3,100	m	
99	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	2310,000	St	
100	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	935,000	St	
101	KC35N LT	0,730	0,115	0,500	0,0287	0,0045	0,0197	30,533	m	
102	KC35N LT	0,730	0,115	0,500	0,0287	0,0045	0,0197	9,886	m	
103	KC35N LT	1,107	0,086	0,935	0,0436	0,0034	0,0368	29,700	m	
104	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	21,350	m	
105	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	55,750	m	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
106	KC35N LT	1,500	0,130	1,240	0,0591	0,0051	0,0488	23,010	m	
107	KC35N LT	1,600	0,105	1,390	0,0630	0,0041	0,0547	9,675	m	
108	KC35N LT	1,800	0,115	1,570	0,0709	0,0045	0,0618	2,013	m	
109	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	15,398	m	
110	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	21,370	m	
111	KC35N LT	2,311	0,102	2,107	0,0910	0,0040	0,0830	28,500	m	
112	KC35N LT	2,375	0,089	2,197	0,0935	0,0035	0,0865	11,992	m	
113	KC35N LT	2,388	0,102	2,184	0,0940	0,0040	0,0860	36,944	m	
114	KC35N LT	2,400	0,114	2,172	0,0945	0,0045	0,0855	14,820	m	
115	KC35N LT	3,500	0,090	3,320	0,1378	0,0035	0,1307	17,303	m	
116	KC35N LT	4,200	0,100	4,000	0,1654	0,0039	0,1575	4,710	m	
117	KC35N LT	4,720	0,304	4,112	0,1858	0,0120	0,1619	56,410	m	
118	KC35N LT	6,000	0,500	5,000	0,2362	0,0197	0,1969	12,940	m	
119	KC35N LT	6,000	0,550	4,900	0,2362	0,0217	0,1929	13,402	m	
120	KC35N LT	6,400	0,075	6,250	0,2520	0,0030	0,2461	6,038	m	
121	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	32,990	m	
122	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	354,000	St	
123	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	42,956	m	
124	L605	1,169	0,102	0,965	0,0460	0,0040	0,0380	15,914	m	
125	L605	1,219	0,127	0,965	0,0480	0,0050	0,0380	45,448	m	
126	L605	1,320	0,081	1,158	0,0520	0,0032	0,0456	5,604	m	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
127	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	12,764	m	
128	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	28,758	m	
129	L605	1,550	0,100	1,350	0,0610	0,0039	0,0531	144,000	m	
130	L605	1,600	0,065	1,470	0,0630	0,0026	0,0579	1,377	m	
131	L605	1,600	0,080	1,440	0,0630	0,0031	0,0567	16,816	m	
132	L605	1,600	0,090	1,420	0,0630	0,0035	0,0559	15,650	m	
133	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,510	m	
134	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	11,950	m	
135	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	174,687	m	
136	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	66,033	m	
137	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	96,600	m	
138	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	13,200	m	
139	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	166,877	m	
140	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	18,890	m	
141	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	9,221	m	
142	L605	1,650	0,230	1,190	0,0650	0,0091	0,0469	23,140	m	
143	L605	1,800	0,055	1,690	0,0709	0,0022	0,0665	35,450	m	
144	L605	1,800	0,065	1,670	0,0709	0,0026	0,0657	34,730	m	
145	L605	1,800	0,085	1,630	0,0709	0,0033	0,0642	100,763	m	
146	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	38,680	m	
147	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	56,484	m	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
148	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	57,799	m	
149	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	60,270	m	
150	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	62,790	m	
151	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	9,339	m	
152	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	136,590	m	
153	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	26,060	m	
154	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	379,900	m	
155	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	46,200	m	
156	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,080	m	
157	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,870	m	
158	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	67,000	St	
159	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,798	m	
160	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	8,700	m	
161	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	9,474	m	
162	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	10,552	m	
163	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	111,553	m	
164	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	21,220	m	
165	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	582,780	m	
166	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	96,116	m	
167	L605	1,800	0,140	1,520	0,0709	0,0055	0,0598	7,560	m	
168	L605	1,800	0,190	1,420	0,0709	0,0075	0,0559	22,617	m	

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
169	L605	2,083	0,109	1,865	0,0820	0,0043	0,0734	3,396	m	
170	L605	2,997	0,107	2,783	0,1180	0,0042	0,1096	6,457	m	
171	L605	3,000	0,500	2,000	0,1181	0,0197	0,0787	10,730	m	
172	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	100,710	m	
173	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	106,600	m	
174	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	16,700	m	
175	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	20,672	m	
176	L605	4,400	0,280	3,840	0,1732	0,0110	0,1512	4,485	m	
177	L605	8,200	0,250	7,700	0,3228	0,0098	0,3031	8,967	m	
178	Mu-Metal	0,680	0,100	0,480	0,0268	0,0039	0,0189	34,020	m	
179	Mu-Metal	3,226	0,051	3,124	0,1270	0,0020	0,1230	18,660	m	
180	Mu-Metal	3,277	0,076	3,124	0,1290	0,0030	0,1230	54,360	m	
181	NiTi	0,254	0,051	0,152	0,0100	0,0020	0,0060	22,375	m	ground
182	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	12,000	m	ground
183	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	59,000	m	ground
184	NiTi	0,400	0,060	0,280	0,0157	0,0024	0,0110	42,509	m	dark oxidized
185	NiTi	0,432	0,090	0,252	0,0170	0,0035	0,0099	11,935	m	ground
186	NiTi	0,432	0,090	0,252	0,0170	0,0035	0,0099	30,470	m	ground
187	NiTi	0,432	0,090	0,252	0,0170	0,0035	0,0099	98,618	m	ground
188	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	20,000	m	dark oxidized
189	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	209,881	m	dark oxidized

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
190	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	516,743	m	dark oxidized
191	NiTi	0,550	0,060	0,430	0,0217	0,0024	0,0169	23,332	m	
192	NiTi	0,559	0,051	0,457	0,0220	0,0020	0,0180	12,493	m	
193	NiTi	0,570	0,090	0,390	0,0224	0,0035	0,0154	22,952	m	dark oxidized
194	NiTi	0,635	0,051	0,533	0,0250	0,0020	0,0210	39,844	m	ground
195	NiTi	0,635	0,102	0,432	0,0250	0,0040	0,0170	266,533	m	ground
196	NiTi	0,640	0,100	0,440	0,0252	0,0039	0,0173	1,961	m	ground
197	NiTi	0,640	0,113	0,414	0,0252	0,0044	0,0163	10,379	m	ground
198	NiTi	0,690	0,120	0,450	0,0272	0,0047	0,0177	9,668	m	ground
199	NiTi	0,790	0,099	0,592	0,0311	0,0039	0,0233	62,935	m	ground
200	NiTi	0,940	0,080	0,780	0,0370	0,0031	0,0307	57,800	m	dark oxidized
201	NiTi	1,180	0,146	0,889	0,0465	0,0057	0,0350	58,348	m	ground
202	NiTi	1,200	0,100	1,000	0,0472	0,0039	0,0394	58,560	m	ground
203	NiTi	1,200	0,125	0,950	0,0472	0,0049	0,0374	25,572	m	ground out-/oxidic inside
204	NiTi	1,200	0,125	0,950	0,0472	0,0049	0,0374	4,669	m	ground
205	NiTi	1,200	0,150	0,900	0,0472	0,0059	0,0354	2,733	m	ground
206	NiTi	1,200	0,150	0,900	0,0472	0,0059	0,0354	8,853	m	ground
207	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	5,038	m	ground out-/oxidic inside
208	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	7,330	m	ground out-/oxidic inside
209	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	8,100	m	ground out-/oxidic inside
210	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	235,748	m	ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
211	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	8,648 m		ground
212	NiTi	1,240	0,230	0,780	0,0488	0,0091	0,0307	29,339 m		ground
213	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	124,057 m		ground
214	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	18,542 m		ground
215	NiTi	1,296	0,110	1,076	0,0510	0,0043	0,0424	1,495 m		ground
216	NiTi	1,300	0,170	0,960	0,0512	0,0067	0,0378	56,050 m		ground
217	NiTi	1,300	0,250	0,800	0,0512	0,0098	0,0315	16,880 m		ground
218	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	518,702 m		ground
219	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	63,898 m		ground
220	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	14,990 m		ground
221	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	19,570 m		ground out-/oxidic inside
222	NiTi	1,320	0,210	0,900	0,0520	0,0083	0,0354	9,100 m		ground
223	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	6,700 m		ground
224	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	13,900 m		ground
225	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,129 m		ground
226	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,410 m		ground
227	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,000 m		ground
228	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,493 m		ground
229	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	18,000 m		ground
230	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	187,348 m		ground
231	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	2,300 m		ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
232	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	20,800	m	ground
233	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	21,500	m	ground
234	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	27,020	m	ground
235	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	30,810	m	ground
236	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	32,100	m	ground
237	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	39,400	m	ground
238	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,276	m	ground
239	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	6,151	m	ground
240	NiTi	1,350	0,150	1,050	0,0531	0,0059	0,0413	26,334	m	ground
241	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	2,801	m	ground
242	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	3,000	m	ground
243	NiTi	1,500	0,130	1,240	0,0591	0,0051	0,0488	1,300	m	dark oxidized
244	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	10,812	m	ground
245	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	18,127	m	ground
246	NiTi	1,520	0,280	0,960	0,0598	0,0110	0,0378	13,993	m	ground
247	NiTi	1,524	0,114	1,296	0,0600	0,0045	0,0510	2,296	m	dark oxidized
248	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	16,543	m	ground
249	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	22,959	m	ground
250	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	8,878	m	ground
251	NiTi	1,550	0,150	1,250	0,0610	0,0059	0,0492	14,710	m	ground
252	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	10,741	m	ground

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
253	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	59,700 m		ground out-/oxidic inside
254	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	96,900 m		ground out-/oxidic inside
255	NiTi	1,550	0,250	1,050	0,0610	0,0098	0,0413	17,687 m		ground
256	NiTi	1,590	0,215	1,160	0,0626	0,0085	0,0457	28,532 m		ground out-/oxidic inside
257	NiTi	1,600	0,200	1,200	0,0630	0,0079	0,0472	15,019 m		
258	NiTi	1,600	0,200	1,200	0,0630	0,0079	0,0472	17,187 m		ground
259	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	247,196 m		ground
260	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	49,800 m		ground
261	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	75,072 m		ground
262	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	144,636 m		ground out-/oxidic inside
263	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	85,861 m		ground
264	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	9,605 m		ground
265	NiTi	1,600	0,270	1,060	0,0630	0,0106	0,0417	25,794 m		ground
266	NiTi	1,620	0,240	1,140	0,0638	0,0094	0,0449	39,435 m		ground out-/oxidic inside
267	NiTi	1,626	0,241	1,144	0,0640	0,0095	0,0450	100,000 m	St	ground
268	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	7,138 m		ground out-/oxidic inside
269	NiTi	1,630	0,230	1,170	0,0642	0,0091	0,0461	4,631 m		ground
270	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	10,609 m		ground
271	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	18,165 m		ground
272	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	181,246 m		ground
273	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	55,279 m		ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
274	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	2,060 m		ground
275	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	22,774 m		ground
276	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	343,430 m		ground
277	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000 m		dark oxidized
278	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000 m		ground
279	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,390 m		ground
280	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,627 m		ground
281	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,958 m		ground
282	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	6,000 m		ground
283	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,700 m		ground
284	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,980 m		ground
285	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	99,431 m		ground
286	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	255,144 m		ground
287	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,150 m		ground
288	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,685 m		ground
289	NiTi	1,700	0,125	1,450	0,0669	0,0049	0,0571	175,000 m	St	ground
290	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	243,993 m		ground out-/oxidic inside
291	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	292,100 m		ground out-/oxidic inside
292	NiTi	1,700	0,210	1,280	0,0669	0,0083	0,0504	3,078 m		ground
293	NiTi	1,720	0,230	1,260	0,0677	0,0091	0,0496	193,756 m		ground
294	NiTi	1,729	0,220	1,289	0,0681	0,0087	0,0507	36,100 m		ground

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
295	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	12,247	m	ground
296	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	172,007	m	ground
297	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	26,729	m	ground
298	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	3,500	m	ground
299	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	35,060	m	ground
300	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,041	m	ground
301	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,607	m	ground
302	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	5,740	m	ground
303	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	7,900	m	ground
304	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	8,160	m	ground
305	NiTi	1,778	0,406	0,966	0,0700	0,0160	0,0380	23,776	m	ground
306	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	16,727	m	ground
307	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	9,050	m	ground
308	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	48,057	m	ground
309	NiTi	1,800	0,220	1,360	0,0709	0,0087	0,0535	9,432	m	ground
310	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	1,340	m	ground
311	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,716	m	ground
312	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	5,537	m	ground
313	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	5,600	m	ground
314	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,049	m	ground
315	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	23,287	m	ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
316	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	5,627 m		ground
317	NiTi	1,829	0,267	1,295	0,0720	0,0105	0,0510	1,548 m		ground
318	NiTi	1,829	0,292	1,245	0,0720	0,0115	0,0490	6,790 m		ground
319	NiTi	1,850	0,240	1,370	0,0728	0,0094	0,0539	64,677 m		ground
320	NiTi	1,900	0,270	1,360	0,0748	0,0106	0,0535	70,757 m		ground
321	NiTi	1,900	0,370	1,160	0,0748	0,0146	0,0457	4,693 m		ground
322	NiTi	2,000	0,080	1,840	0,0787	0,0031	0,0724	14,571 m		ground
323	NiTi	2,000	0,220	1,560	0,0787	0,0087	0,0614	16,050 m		ground
324	NiTi	2,000	0,220	1,560	0,0787	0,0087	0,0614	339,571 m		ground
325	NiTi	2,000	0,240	1,520	0,0787	0,0094	0,0598	43,946 m		ground
326	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	44,861 m		ground
327	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	45,952 m		ground
328	NiTi	2,000	0,330	1,340	0,0787	0,0130	0,0528	33,103 m		ground
329	NiTi	2,000	0,330	1,340	0,0787	0,0130	0,0528	54,356 m		ground
330	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	6,924 m		ground
331	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	9,847 m		ground
332	NiTi	2,030	0,280	1,470	0,0799	0,0110	0,0579	8,040 m		ground
333	NiTi	2,032	0,280	1,472	0,0800	0,0110	0,0580	257,227 m		ground
334	NiTi	2,032	0,280	1,473	0,0800	0,0110	0,0580	7,191 m		ground
335	NiTi	2,032	0,280	1,473	0,0800	0,0110	0,0580	8,954 m		ground
336	NiTi	2,032	0,368	1,296	0,0800	0,0145	0,0510	6,043 m		ground

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
337	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	22,494	m	ground
338	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	23,347	m	ground
339	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	24,821	m	ground
340	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	37,649	m	ground
341	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	45,808	m	ground
342	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	134,919	m	ground
343	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	27,266	m	ground
344	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	3,772	m	ground
345	NiTi	2,161	0,086	1,989	0,0851	0,0034	0,0783	244,414	m	ground
346	NiTi	2,164	0,081	2,002	0,0852	0,0032	0,0788	16,710	m	ground
347	NiTi	2,180	0,355	1,470	0,0858	0,0140	0,0579	7,804	m	ground
348	NiTi	2,184	0,381	1,422	0,0860	0,0150	0,0560	7,894	m	ground
349	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	42,197	m	ground out-/oxidic inside
350	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	57,200	m	ground out-/oxidic inside
351	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	9,659	m	ground out-/oxidic inside
352	NiTi	2,200	0,230	1,740	0,0866	0,0091	0,0685	6,047	m	ground
353	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	10,610	m	ground
354	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	25,542	m	ground
355	NiTi	2,280	0,280	1,720	0,0898	0,0110	0,0677	2,700	m	ground
356	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	3,624	m	ground
357	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	5,700	m	ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
358	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	13,178 m		ground
359	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	3,794 m		ground
360	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	3,872 m		ground
361	NiTi	2,300	0,275	1,750	0,0906	0,0108	0,0689	6,258 m		ground out-/oxidic inside
362	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	107,669 m		ground out-/oxidic inside
363	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	19,268 m		ground out-/oxidic inside
364	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	27,620 m		ground out-/oxidic inside
365	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	33,102 m		ground out-/oxidic inside
366	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	53,256 m		ground out-/oxidic inside
367	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	60,800 m		ground out-/oxidic inside
368	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	7,000 m		ground out-/oxidic inside
369	NiTi	2,339	0,185	1,969	0,0921	0,0073	0,0775	2,051 m		ground
370	NiTi	2,400	0,075	2,250	0,0945	0,0030	0,0886	5,203 m		ground
371	NiTi	2,400	0,076	2,248	0,0945	0,0030	0,0885	38,640 m		ground
372	NiTi	2,400	0,085	2,230	0,0945	0,0033	0,0878	6,193 m		ground
373	NiTi	2,400	0,090	2,220	0,0945	0,0035	0,0874	9,902 m		ground
374	NiTi	2,400	0,200	2,000	0,0945	0,0079	0,0787	45,089 m		dark oxidized
375	NiTi	2,400	0,300	1,800	0,0945	0,0118	0,0709	1,612 m		ground
376	NiTi	2,413	0,407	1,600	0,0950	0,0160	0,0630	23,086 m		ground
377	NiTi	2,449	0,221	2,007	0,0964	0,0087	0,0790	24,761 m		ground
378	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	15,327 m		ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
379	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	8,106 m		ground
380	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	12,021 m		ground
381	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	17,196 m		ground
382	NiTi	2,565	0,368	1,829	0,1010	0,0145	0,0720	1,557 m		ground
383	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	10,250 m		ground
384	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	16,040 m		ground
385	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	19,854 m		ground out-/oxidic inside
386	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	17,785 m		ground
387	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	85,086 m		ground out-/oxidic inside
388	NiTi	2,618	0,065	2,488	0,1031	0,0026	0,0980	118,915 m		ground
389	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	18,547 m		ground
390	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	41,055 m		ground
391	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	56,811 m		ground
392	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	83,723 m		ground
393	NiTi	2,654	0,102	2,450	0,1045	0,0040	0,0965	17,969 m		ground
394	NiTi	2,680	0,089	2,502	0,1055	0,0035	0,0985	4,405 m		ground
395	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	6,022 m		ground
396	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	9,177 m		ground
397	NiTi	2,700	0,600	1,500	0,1063	0,0236	0,0591	13,414 m		ground
398	NiTi	2,720	0,170	2,380	0,1071	0,0067	0,0937	6,443 m		ground
399	NiTi	2,743	0,432	1,879	0,1080	0,0170	0,0740	12,963 m		ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
400	NiTi	2,750	0,300	2,150	0,1083	0,0118	0,0846	14,692	m	ground
401	NiTi	2,750	0,300	2,150	0,1083	0,0118	0,0846	21,451	m	ground
402	NiTi	2,760	0,190	2,380	0,1087	0,0075	0,0937	8,183	m	ground
403	NiTi	2,770	0,065	2,640	0,1091	0,0026	0,1039	1,270	m	ground
404	NiTi	2,770	0,065	2,640	0,1091	0,0026	0,1039	2,635	m	ground
405	NiTi	2,795	0,100	2,595	0,1100	0,0039	0,1022	3,663	m	ground
406	NiTi	2,800	0,060	2,680	0,1102	0,0024	0,1055	2,541	m	ground
407	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	13,866	m	ground
408	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	3,998	m	ground out-/oxidic inside
409	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	18,776	m	ground out-/oxidic inside
410	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	21,873	m	ground out-/oxidic inside
411	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	7,119	m	ground out-/oxidic inside
412	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	71,752	m	ground out-/oxidic inside
413	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	97,819	m	ground out-/oxidic inside
414	NiTi	3,000	0,110	2,780	0,1181	0,0043	0,1094	26,095	m	ground
415	NiTi	3,000	0,500	2,000	0,1181	0,0197	0,0787	3,643	m	ground out-/oxidic inside
416	NiTi	3,048	0,254	2,540	0,1200	0,0100	0,1000	28,000	St	ground
417	NiTi	3,048	0,254	2,540	0,1200	0,0100	0,1000	8,006	m	ground
418	NiTi	3,048	0,279	2,490	0,1200	0,0110	0,0980	5,245	m	ground
419	NiTi	3,112	0,222	2,668	0,1225	0,0087	0,1050	1,884	m	ground
420	NiTi	3,124	0,305	2,514	0,1230	0,0120	0,0990	2,779	m	ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
421	NiTi	3,160	0,170	2,820	0,1244	0,0067	0,1110	9,239	m	ground
422	NiTi	3,200	0,190	2,820	0,1260	0,0075	0,1110	2,000	St	ground
423	NiTi	3,200	0,540	2,120	0,1260	0,0213	0,0835	14,487	m	ground out-/oxidic inside
424	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	2,065	m	ground
425	NiTi	3,240	0,320	2,600	0,1276	0,0126	0,1024	8,937	m	ground
426	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	3,843	m	ground
427	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	6,604	m	ground
428	NiTi	3,277	0,305	2,667	0,1290	0,0120	0,1050	5,951	m	ground
429	NiTi	3,302	0,711	1,880	0,1300	0,0280	0,0740	14,787	m	ground
430	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,600	m	ground out-/oxidic inside
431	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	4,283	m	ground out-/oxidic inside
432	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	8,943	m	ground out-/oxidic inside
433	NiTi	3,363	0,102	3,159	0,1324	0,0040	0,1244	57,000	m	ground
434	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	3,666	m	ground out-/oxidic inside
435	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	7,000	St	ground
436	NiTi	3,400	0,400	2,600	0,1339	0,0157	0,1024	4,035	m	ground
437	NiTi	3,500	0,075	3,350	0,1378	0,0030	0,1319	7,306	m	ground
438	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	14,571	m	ground
439	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	9,610	m	ground
440	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	1,425	m	dark oxidized
441	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	3,915	m	ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
442	NiTi	3,500	0,203	3,094	0,1378	0,0080	0,1218	21,678	m	ground
443	NiTi	3,520	0,160	3,200	0,1386	0,0063	0,1260	2,462	m	ground
444	NiTi	3,556	0,445	2,666	0,1400	0,0175	0,1050	3,700	m	ground
445	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	13,160	m	ground
446	NiTi	3,610	0,250	3,110	0,1421	0,0098	0,1224	4,542	m	ground
447	NiTi	3,683	0,457	2,769	0,1450	0,0180	0,1090	2,695	m	ground
448	NiTi	3,780	0,150	3,480	0,1488	0,0059	0,1370	1,109	m	ground
449	NiTi	3,800	0,265	3,270	0,1496	0,0104	0,1287	2,770	m	ground
450	NiTi	3,810	0,120	3,570	0,1500	0,0047	0,1406	4,565	m	ground
451	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	31,199	m	ground
452	NiTi	4,000	0,400	3,200	0,1575	0,0157	0,1260	11,552	m	ground
453	NiTi	4,000	0,400	3,200	0,1575	0,0157	0,1260	4,042	m	ground
454	NiTi	4,051	0,152	3,747	0,1595	0,0060	0,1475	17,098	m	ground
455	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	13,774	m	ground
456	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	23,392	m	ground
457	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	4,000	m	ground
458	NiTi	4,210	0,500	3,210	0,1657	0,0197	0,1264	19,833	m	ground
459	NiTi	4,240	0,150	3,940	0,1669	0,0059	0,1551	6,607	m	ground
460	NiTi	4,240	0,165	3,910	0,1669	0,0065	0,1539	4,428	m	ground
461	NiTi	4,242	0,152	3,938	0,1670	0,0060	0,1550	14,331	m	ground
462	NiTi	4,270	0,079	4,112	0,1681	0,0031	0,1619	4,942	m	ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
463	NiTi	4,300	0,400	3,500	0,1693	0,0157	0,1378	7,124	m	ground
464	NiTi	4,318	0,457	3,404	0,1700	0,0180	0,1340	2,991	m	ground
465	NiTi	4,500	0,080	4,340	0,1772	0,0031	0,1709	0,744	m	ground
466	NiTi	4,500	0,100	4,300	0,1772	0,0039	0,1693	1,273	m	ground
467	NiTi	4,500	0,127	4,246	0,1772	0,0050	0,1672	2,264	m	ground
468	NiTi	4,500	0,700	3,100	0,1772	0,0276	0,1220	0,945	m	
469	NiTi	4,700	0,100	4,500	0,1850	0,0039	0,1772	1,700	m	ground
470	NiTi	4,700	0,150	4,400	0,1850	0,0059	0,1732	28,451	m	ground
471	NiTi	4,750	0,125	4,500	0,1870	0,0049	0,1772	7,390	m	ground
472	NiTi	4,765	0,130	4,505	0,1876	0,0051	0,1774	6,106	m	ground
473	NiTi	4,800	0,075	4,650	0,1890	0,0030	0,1831	5,645	m	ground
474	NiTi	4,800	0,170	4,460	0,1890	0,0067	0,1756	2,707	m	ground
475	NiTi	4,900	0,200	4,500	0,1929	0,0079	0,1772	42,595	m	ground
476	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	0,453	m	ground
477	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	2,489	m	ground
478	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,398	m	ground out-/oxidic inside
479	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,930	m	ground
480	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,473	m	ground
481	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,612	m	ground
482	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,757	m	ground
483	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835	m	ground out-/oxidic inside

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
484	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835 m		ground out-/oxidic inside
485	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	48,119 m		ground
486	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,534 m		ground
487	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	6,244 m		ground
488	NiTi	5,000	0,100	4,800	0,1969	0,0039	0,1890	7,388 m		ground
489	NiTi	5,000	0,100	4,800	0,1969	0,0039	0,1890	9,191 m		ground
490	NiTi	5,000	0,105	4,790	0,1969	0,0041	0,1886	2,465 m		ground
491	NiTi	5,000	0,130	4,740	0,1969	0,0051	0,1866	3,200 m		ground
492	NiTi	5,000	0,195	4,610	0,1969	0,0077	0,1815	5,030 m		ground
493	NiTi	5,000	0,220	4,560	0,1969	0,0087	0,1795	6,394 m		ground
494	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	15,779 m		ground
495	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	4,973 m		ground
496	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	9,631 m		ground
497	NiTi	5,000	0,533	3,934	0,1969	0,0210	0,1549	3,734 m		ground
498	NiTi	5,004	0,533	3,938	0,1970	0,0210	0,1550	16,340 m		ground out-/oxidic inside
499	NiTi	5,030	0,175	4,680	0,1980	0,0069	0,1843	6,880 m		polished
500	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	5,986 m		ground
501	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	6,000 m		ground
502	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	25,000 m		ground
503	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	9,065 m		ground
504	NiTi	5,334	0,215	4,904	0,2100	0,0085	0,1931	0,924 m		ground

Stock list - Tubes

current status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
505	NiTi	5,500	0,065	5,370	0,2165	0,0026	0,2114	3,828 m		polished
506	NiTi	5,500	0,550	4,400	0,2165	0,0217	0,1732	9,208 m		ground
507	NiTi	5,600	0,200	5,200	0,2205	0,0079	0,2047	2,912 m		polished
508	NiTi	5,944	0,572	4,800	0,2340	0,0225	0,1890	1,250 m		ground out-/oxidic inside
509	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	13,573 m		ground out-/oxidic inside
510	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	4,110 m		ground out-/oxidic inside
511	NiTi	5,990	0,584	4,822	0,2358	0,0230	0,1898	14,190 m		ground out-/oxidic inside
512	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	23,595 m		ground
513	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	7,512 m		ground
514	NiTi	6,000	0,064	5,872	0,2362	0,0025	0,2312	4,910 m		ground
515	NiTi	6,000	0,080	5,840	0,2362	0,0031	0,2299	5,584 m		ground
516	NiTi	6,000	0,400	5,200	0,2362	0,0157	0,2047	4,284 m		ground out-/oxidic inside
517	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	2,027 m		ground
518	NiTi	6,000	0,520	4,960	0,2362	0,0205	0,1953	1,207 m		ground
519	NiTi	6,700	0,250	6,200	0,2638	0,0098	0,2441	5,594 m		ground out-/oxidic inside
520	NiTi	6,820	0,160	6,500	0,2685	0,0063	0,2559	5,515 m		ground
521	NiTi	6,830	0,245	6,340	0,2689	0,0096	0,2496	13,135 m		ground
522	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	2,539 m		ground
523	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	3,334 m		ground
524	NiTi	7,000	0,240	6,520	0,2756	0,0094	0,2567	4,475 m		ground
525	NiTi	7,000	0,400	6,200	0,2756	0,0157	0,2441	4,194 m		ground

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
526	NiTi	7,000	0,450	6,100	0,2756	0,0177	0,2402	14,561	m	ground
527	NiTi	7,000	0,480	6,040	0,2756	0,0189	0,2378	1,890	m	ground
528	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	22,057	m	ground
529	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,055	m	ground
530	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,570	m	ground
531	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,922	m	ground
532	NiTi	7,000	0,508	5,984	0,2756	0,0200	0,2356	3,885	m	ground
533	NiTi	7,150	0,100	6,950	0,2815	0,0039	0,2736	22,471	m	ground
534	NiTi	7,500	2,025	3,450	0,2953	0,0797	0,1358	6,990	m	ground
535	NiTi	8,000	0,313	7,374	0,3150	0,0123	0,2903	1,732	m	ground
536	NiTi	8,000	0,521	6,958	0,3150	0,0205	0,2739	1,774	m	ground
537	NiTi	8,000	0,720	6,560	0,3150	0,0283	0,2583	1,186	m	ground
538	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	0,645	m	ground
539	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	3,423	m	ground
540	NiTi	9,000	0,610	7,780	0,3543	0,0240	0,3063	1,110	m	ground
541	NiTi	9,500	0,450	8,600	0,3740	0,0177	0,3386	5,096	m	ground
542	NiTi	10,000	0,300	9,400	0,3937	0,0118	0,3701	2,406	m	ground
543	NiTi	10,000	0,500	9,000	0,3937	0,0197	0,3543	14,014	m	ground
544	Phynox / 2.4711	1,600	0,250	1,100	0,0630	0,0098	0,0433	4,954	m	
545	section	1,422	0,076	1,270	0,0560	0,0030	0,0500	1650,000	St	
546	section	1,422	0,076	1,270	0,0560	0,0030	0,0500	3,210	m	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
547	Tantal	1,600	0,051	1,498	0,0630	0,0020	0,0590	0,988	m	
548	Tantal	1,600	0,090	1,420	0,0630	0,0035	0,0559	3,053	m	
549	Tantal	1,982	0,051	1,880	0,0780	0,0020	0,0740	5,067	m	
550	Tantal/Wolfram	1,880	0,077	1,727	0,0740	0,0030	0,0680	18,162	m	
551	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	13,210	m	ground
552	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	26,480	m	ground
553	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	28,310	m	
554	Titan Gr. 2	0,800	0,235	0,330	0,0315	0,0093	0,0130	4,300	m	
555	Titan Gr. 2	1,100	0,150	0,800	0,0433	0,0059	0,0315	669,062	m	
556	Titan Gr. 2	1,250	0,100	1,050	0,0492	0,0039	0,0413	197,011	m	ground
557	Titan Gr. 2	1,650	0,150	1,350	0,0650	0,0059	0,0531	87,674	m	
558	Titan Gr. 2	2,134	0,102	1,930	0,0840	0,0040	0,0760	6,806	m	
559	Titan Gr. 2	2,540	0,102	2,337	0,1000	0,0040	0,0920	6,490	m	
560	Titan Gr. 2	4,000	0,050	3,900	0,1575	0,0020	0,1535	22,670	m	
561	Titan Gr. 2	4,480	0,075	4,330	0,1764	0,0030	0,1705	24,120	m	
562	Titan Gr. 2	5,000	0,550	3,900	0,1969	0,0217	0,1535	8,761	m	
563	Titan Gr. 2	6,350	0,127	6,096	0,2500	0,0050	0,2400	10,750	m	
564	Titan Gr. 2	6,883	0,356	6,172	0,2710	0,0140	0,2430	4,140	m	
565	Titan Gr. 2	7,000	0,150	6,700	0,2756	0,0059	0,2638	6,050	m	
566	Titan Gr. 2	7,925	0,889	6,147	0,3120	0,0350	0,2420	6,679	m	
567	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	

Stock list - Tubescurrent status: **24.03.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA: or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
568	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	