

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
1		1,800	0,210	1,380	0,0709	0,0083	0,0543	1,016	m	
2		4,800	0,400	4,000	0,1890	0,0157	0,1575	6,010	m	
3		4,900	0,500	3,900	0,1929	0,0197	0,1535	3,529	m	
4	(1.4301 (304))	0,356	0,075	0,206	0,0140	0,0030	0,0081	4,000	m	
5	(1.4301 (304))	0,410	0,045	0,320	0,0161	0,0018	0,0126	54,933	m	
6	(1.4301 (304))	0,790	0,035	0,720	0,0311	0,0014	0,0283	30,500	m	
7	(1.4301 (304))	0,790	0,035	0,720	0,0311	0,0014	0,0283	8,436	m	
8	(1.4301 (304))	1,372	0,305	0,762	0,0540	0,0120	0,0300	168,000	m	
9	(1.4301 (304))	1,650	0,120	1,410	0,0650	0,0047	0,0555	440,150	m	
10	(1.4301 (304))	1,650	0,120	1,410	0,0650	0,0047	0,0555	451,186	m	
11	(1.4301 (304))	2,000	0,400	1,200	0,0787	0,0157	0,0472	41,199	m	
12	(1.4301 (304))	2,515	0,051	2,413	0,0990	0,0020	0,0950	9,000	St	
13	(1.4301 (304))	3,000	0,300	2,400	0,1181	0,0118	0,0945	4,369	m	
14	(1.4301 (304))	4,470	0,435	3,600	0,1760	0,0171	0,1417	4,000	St	
15	(1.4301 (304))	5,700	0,500	4,700	0,2244	0,0197	0,1850	7,503	m	
16	(1.4301 (304))	6,700	0,500	5,700	0,2638	0,0197	0,2244	12,728	m	
17	(1.4301 (304))	6,900	2,300	2,300	0,2717	0,0906	0,0906	6,300	m	
18	(1.4301 (304))	9,700	0,500	8,700	0,3819	0,0197	0,3425	8,710	m	
19	(1.4307)	6,300	0,275	5,750	0,2480	0,0108	0,2264	9,149	m	
20	(1.4452)	1,600	0,090	1,420	0,0630	0,0035	0,0559	9,650	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
21	(1.4452)	1,600	0,150	1,300	0,0630	0,0059	0,0512	7,884	m	
22	(1.4452)	1,800	0,090	1,620	0,0709	0,0035	0,0638	13,102	m	
23	(1.4452)	1,800	0,090	1,620	0,0709	0,0035	0,0638	31,775	m	
24	(1.4452)	2,350	0,150	2,050	0,0925	0,0059	0,0807	4,737	m	
25	(1.4452)	4,500	0,220	4,060	0,1772	0,0087	0,1598	2,393	m	
26	(1.4452)	4,572	0,152	4,268	0,1800	0,0060	0,1680	20,530	m	
27	(1.4541)	9,576	0,114	9,348	0,3770	0,0045	0,3680	17,005	m	
28	(1.4568)	0,690	0,125	0,440	0,0272	0,0049	0,0173	8,854	m	
29	(1.4568)	2,108	0,203	1,702	0,0830	0,0080	0,0670	21,630	m	
30	(1.4568)	9,500	0,254	8,992	0,3740	0,0100	0,3540	6,304	m	
31	(1.4568)	9,667	0,249	9,169	0,3806	0,0098	0,3610	2,009	m	
32	(1.4571)	9,000	0,400	8,200	0,3543	0,0157	0,3228	19,500	m	
33	00Cr18Mn15Mo3N	1,800	0,110	1,580	0,0709	0,0043	0,0622	8,000	m	
34	316L	0,457	0,070	0,317	0,0180	0,0028	0,0125	14,709	m	
35	316L	0,550	0,100	0,350	0,0217	0,0039	0,0138	45,250	m	
36	316L	0,640	0,095	0,450	0,0252	0,0037	0,0177	194,020	m	
37	316L	1,540	0,090	1,360	0,0606	0,0035	0,0535	23,136	m	
38	316L	3,000	0,100	2,800	0,1181	0,0039	0,1102	10,732	m	
39	316L	3,200	0,300	2,600	0,1260	0,0118	0,1024	13,621	m	
40	316L	4,217	0,140	3,937	0,1660	0,0055	0,1550	3,140	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
41	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	107,000	St	
42	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	159,000	St	
43	316L	5,550	0,175	5,200	0,2185	0,0069	0,2047	367,466	m	
44	316LVM	0,292	0,050	0,192	0,0115	0,0020	0,0076	144,802	m	
45	316LVM	0,450	0,075	0,300	0,0177	0,0030	0,0118	18,080	m	
46	316LVM	0,521	0,038	0,445	0,0205	0,0015	0,0175	61,000	m	
47	316LVM	0,550	0,075	0,400	0,0217	0,0030	0,0157	27,113	m	
48	316LVM	0,635	0,076	0,483	0,0250	0,0030	0,0190	28,000	m	
49	316LVM	0,650	0,175	0,300	0,0256	0,0069	0,0118	23,050	m	
50	316LVM	0,680	0,080	0,520	0,0268	0,0031	0,0205	2,099	m	
51	316LVM	0,889	0,140	0,610	0,0350	0,0055	0,0240	37,212	m	
52	316LVM	0,950	0,200	0,550	0,0374	0,0079	0,0217	138,710	m	
53	316LVM	0,960	0,120	0,720	0,0378	0,0047	0,0283	9,277	m	
54	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	48,370	m	
55	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	74,290	m	
56	316LVM	0,990	0,075	0,840	0,0390	0,0030	0,0331	24,981	m	
57	316LVM	1,000	0,200	0,600	0,0394	0,0079	0,0236	51,603	m	
58	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	62,780	m	
59	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	66,530	m	
60	316LVM	1,169	0,102	0,965	0,0460	0,0040	0,0380	6,900	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
61	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	18,550	m	
62	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	22,130	m	
63	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	3,450	m	
64	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	8,953	m	
65	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	9,464	m	
66	316LVM	1,753	0,039	1,675	0,0690	0,0015	0,0659	14,026	m	
67	316LVM	1,800	0,100	1,600	0,0709	0,0039	0,0630	25,386	m	
68	316LVM	1,800	0,125	1,550	0,0709	0,0049	0,0610	11,761	m	
69	316LVM	1,800	0,150	1,500	0,0709	0,0059	0,0591	29,813	m	
70	316LVM	2,100	0,100	1,900	0,0827	0,0039	0,0748	18,853	m	
71	316LVM	2,400	0,100	2,200	0,0945	0,0039	0,0866	29,165	m	
72	316LVM	2,515	0,058	2,400	0,0990	0,0023	0,0945	29,849	m	
73	316LVM	2,530	0,100	2,330	0,0996	0,0039	0,0917	6,508	m	
74	316LVM	3,100	0,100	2,900	0,1220	0,0039	0,1142	77,395	m	
75	316LVM	3,110	0,105	2,900	0,1224	0,0041	0,1142	29,707	m	
76	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	6,483	m	
77	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	9,885	m	
78	316LVM	4,650	0,090	4,470	0,1831	0,0035	0,1760	16,278	m	
79	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	11,683	m	
80	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	22,012	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
81	316LVM	5,436	0,216	5,003	0,2140	0,0085	0,1970	3,475	m	
82	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	10,340	m	
83	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	45,880	m	
84	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	30,982	m	
85	316LVM	6,000	0,279	5,442	0,2362	0,0110	0,2143	2,288	m	
86	316LVM	6,000	0,300	5,400	0,2362	0,0118	0,2126	52,701	m	
87	316LVM	7,938	0,261	7,417	0,3125	0,0103	0,2920	12,404	m	
88	316LVM	7,940	0,510	6,920	0,3126	0,0201	0,2724	4,620	m	
89	316LVM	7,940	0,710	6,520	0,3126	0,0280	0,2567	11,030	m	
90	316LVM	8,000	0,150	7,700	0,3150	0,0059	0,3031	4,290	m	
91	316LVM	8,000	0,216	7,568	0,3150	0,0085	0,2980	8,330	m	
92	316LVM	9,525	0,513	8,500	0,3750	0,0202	0,3346	7,162	m	
93	316LVM	10,000	0,500	9,000	0,3937	0,0197	0,3543	28,295	m	
94	Biodur 108	1,220	0,075	1,070	0,0480	0,0030	0,0421	7,400	m	
95	KC35N LT	0,270	0,025	0,220	0,0106	0,0010	0,0087	83,439	m	
96	KC35N LT	0,450	0,125	0,200	0,0177	0,0049	0,0079	48,088	m	
97	KC35N LT	0,510	0,050	0,410	0,0201	0,0020	0,0161	3,100	m	
98	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	2310,000	St	
99	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	935,000	St	
100	KC35N LT	0,730	0,115	0,500	0,0287	0,0045	0,0197	9,886	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
101	KC35N LT	1,107	0,086	0,935	0,0436	0,0034	0,0368	29,700	m	
102	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	19,350	m	
103	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	55,750	m	
104	KC35N LT	1,500	0,130	1,240	0,0591	0,0051	0,0488	23,010	m	
105	KC35N LT	1,600	0,105	1,390	0,0630	0,0041	0,0547	6,685	m	
106	KC35N LT	1,800	0,115	1,570	0,0709	0,0045	0,0618	2,013	m	
107	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	15,398	m	
108	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	20,870	m	
109	KC35N LT	2,311	0,102	2,107	0,0910	0,0040	0,0830	28,500	m	
110	KC35N LT	2,375	0,089	2,197	0,0935	0,0035	0,0865	11,992	m	
111	KC35N LT	2,400	0,114	2,172	0,0945	0,0045	0,0855	11,820	m	
112	KC35N LT	3,500	0,090	3,320	0,1378	0,0035	0,1307	17,303	m	
113	KC35N LT	4,200	0,100	4,000	0,1654	0,0039	0,1575	4,710	m	
114	KC35N LT	4,720	0,304	4,112	0,1858	0,0120	0,1619	56,410	m	
115	KC35N LT	5,588	0,229	5,130	0,2200	0,0090	0,2020	12,232	m	
116	KC35N LT	6,000	0,500	5,000	0,2362	0,0197	0,1969	12,940	m	
117	KC35N LT	6,000	0,550	4,900	0,2362	0,0217	0,1929	13,402	m	
118	KC35N LT	6,400	0,075	6,250	0,2520	0,0030	0,2461	6,038	m	
119	KC35N LT	7,214	0,381	6,452	0,2840	0,0150	0,2540	3,910	m	
120	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	30,988	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
121	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	354,000	St	
122	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	42,956	m	
123	L605	1,169	0,102	0,965	0,0460	0,0040	0,0380	15,914	m	
124	L605	1,219	0,127	0,965	0,0480	0,0050	0,0380	45,448	m	
125	L605	1,320	0,081	1,158	0,0520	0,0032	0,0456	3,444	m	
126	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	10,764	m	
127	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	26,260	m	
128	L605	1,550	0,100	1,350	0,0610	0,0039	0,0531	144,000	m	
129	L605	1,600	0,065	1,470	0,0630	0,0026	0,0579	1,377	m	
130	L605	1,600	0,080	1,440	0,0630	0,0031	0,0567	16,816	m	
131	L605	1,600	0,090	1,420	0,0630	0,0035	0,0559	5,355	m	
132	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,510	m	
133	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	13,200	m	
134	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	166,877	m	
135	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	18,890	m	
136	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	9,221	m	
137	L605	1,650	0,230	1,190	0,0650	0,0091	0,0469	23,140	m	
138	L605	1,800	0,065	1,670	0,0709	0,0026	0,0657	23,271	m	
139	L605	1,800	0,085	1,630	0,0709	0,0033	0,0642	13,490	m	
140	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	21,400	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
141	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	27,300	m	
142	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	9,339	m	
143	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	14,921	m	
144	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	374,899	m	
145	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	46,200	m	
146	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,080	m	
147	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,870	m	
148	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	67,000	St	
149	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,798	m	
150	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	8,700	m	
151	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	85,255	m	
152	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	9,474	m	
153	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	10,552	m	
154	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	111,553	m	
155	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	21,220	m	
156	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	582,780	m	
157	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	96,116	m	
158	L605	1,880	0,127	1,626	0,0740	0,0050	0,0640	32,710	m	
159	L605	2,200	0,100	2,000	0,0866	0,0039	0,0787	16,008	m	
160	L605	2,540	0,178	2,184	0,1000	0,0070	0,0860	19,710	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
161	L605	2,997	0,107	2,783	0,1180	0,0042	0,1096	6,457	m	
162	L605	3,000	0,170	2,660	0,1181	0,0067	0,1047	71,089	m	
163	L605	3,000	0,500	2,000	0,1181	0,0197	0,0787	10,730	m	
164	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	100,710	m	
165	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	106,600	m	
166	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	16,700	m	
167	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	19,472	m	
168	L605	4,400	0,280	3,840	0,1732	0,0110	0,1512	4,485	m	
169	L605	5,000	0,200	4,600	0,1969	0,0079	0,1811	16,410	m	
170	L605	8,200	0,250	7,700	0,3228	0,0098	0,3031	8,967	m	
171	Mu-Metal	0,680	0,100	0,480	0,0268	0,0039	0,0189	34,020	m	
172	Mu-Metal	3,226	0,051	3,124	0,1270	0,0020	0,1230	18,660	m	
173	Mu-Metal	3,277	0,076	3,124	0,1290	0,0030	0,1230	54,360	m	
174	NiTi	0,240	0,080	0,080	0,0094	0,0031	0,0031	211,538	m	ground
175	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	11,000	m	ground
176	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	58,000	m	ground
177	NiTi	0,400	0,060	0,280	0,0157	0,0024	0,0110	133,457	m	dark oxidized
178	NiTi	0,400	0,060	0,280	0,0157	0,0024	0,0110	25,788	m	dark oxidized
179	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	162,718	m	dark oxidized
180	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	200,538	m	dark oxidized

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
181	NiTi	0,550	0,060	0,430	0,0217	0,0024	0,0169	6,742 m		
182	NiTi	0,559	0,051	0,457	0,0220	0,0020	0,0180	5,387 m		
183	NiTi	0,570	0,090	0,390	0,0224	0,0035	0,0154	1,899 m		dark oxidized
184	NiTi	0,635	0,051	0,533	0,0250	0,0020	0,0210	24,447 m		ground
185	NiTi	0,635	0,102	0,432	0,0250	0,0040	0,0170	205,838 m		ground
186	NiTi	0,730	0,150	0,430	0,0287	0,0059	0,0169	22,485 m		ground out-/oxidic inside
187	NiTi	0,790	0,099	0,592	0,0311	0,0039	0,0233	15,838 m		ground
188	NiTi	0,940	0,080	0,780	0,0370	0,0031	0,0307	48,800 m		dark oxidized
189	NiTi	1,000	0,090	0,820	0,0394	0,0035	0,0323	6,210 m		ground
190	NiTi	1,000	0,100	0,800	0,0394	0,0039	0,0315	23,448 m		ground
191	NiTi	1,010	0,120	0,770	0,0398	0,0047	0,0303	5,934 m		ground
192	NiTi	1,120	0,150	0,820	0,0441	0,0059	0,0323	1,840 m		ground
193	NiTi	1,180	0,146	0,889	0,0465	0,0057	0,0350	42,186 m		ground
194	NiTi	1,200	0,100	1,000	0,0472	0,0039	0,0394	43,440 m		ground
195	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	7,050 m		ground out-/oxidic inside
196	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	7,330 m		ground out-/oxidic inside
197	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	9,088 m		ground out-/oxidic inside
198	NiTi	1,220	0,133	0,954	0,0480	0,0052	0,0376	240,456 m		ground
199	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	224,338 m		ground
200	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	8,648 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
201	NiTi	1,240	0,230	0,780	0,0488	0,0091	0,0307	29,339 m		ground
202	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	12,242 m		ground
203	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	80,843 m		ground
204	NiTi	1,270	0,305	0,660	0,0500	0,0120	0,0260	4,100 m		ground
205	NiTi	1,296	0,110	1,076	0,0510	0,0043	0,0424	2,860 m		ground
206	NiTi	1,300	0,168	0,964	0,0512	0,0066	0,0380	2,520 m		ground
207	NiTi	1,300	0,170	0,960	0,0512	0,0067	0,0378	49,682 m		ground
208	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	516,632 m		ground
209	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	63,898 m		ground
210	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	14,990 m		ground
211	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	19,570 m		ground out-/oxidic inside
212	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	24,000 m		ground out-/oxidic inside
213	NiTi	1,320	0,210	0,900	0,0520	0,0083	0,0354	9,100 m		ground
214	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	6,700 m		ground
215	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	13,900 m		ground
216	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,129 m		ground
217	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,410 m		ground
218	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,000 m		ground
219	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,493 m		ground
220	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	18,000 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
221	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	187,348 m		ground
222	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	2,300 m		ground
223	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	20,800 m		ground
224	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	21,500 m		ground
225	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	27,020 m		ground
226	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	3,380 m		ground
227	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	30,810 m		ground
228	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	32,100 m		ground
229	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	39,400 m		ground
230	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,276 m		ground
231	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	6,151 m		ground
232	NiTi	1,320	0,235	0,850	0,0520	0,0093	0,0335	9,410 m		ground
233	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	-20,144 m		ground
234	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	20,235 m		ground
235	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	79,515 m		ground
236	NiTi	1,350	0,135	1,080	0,0531	0,0053	0,0425	36,230 m		ground
237	NiTi	1,370	0,205	0,960	0,0539	0,0081	0,0378	12,364 m		ground
238	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	2,801 m		ground
239	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	3,000 m		ground
240	NiTi	1,420	0,160	1,100	0,0559	0,0063	0,0433	2,420 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
241	NiTi	1,450	0,225	1,000	0,0571	0,0089	0,0394	3,870 m		ground
242	NiTi	1,500	0,220	1,060	0,0591	0,0087	0,0417	1,220 m		ground
243	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	1,859 m		ground
244	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	5,762 m		ground
245	NiTi	1,520	0,280	0,960	0,0598	0,0110	0,0378	4,842 m		ground
246	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	19,461 m		ground
247	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	64,005 m		ground
248	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	8,878 m		ground
249	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	87,904 m		ground
250	NiTi	1,550	0,114	1,322	0,0610	0,0045	0,0520	26,040 m		ground
251	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	1,300 m		ground
252	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	55,080 m		ground out-/oxidic inside
253	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	96,900 m		ground out-/oxidic inside
254	NiTi	1,550	0,250	1,050	0,0610	0,0098	0,0413	16,307 m		ground
255	NiTi	1,590	0,215	1,160	0,0626	0,0085	0,0457	28,532 m		ground out-/oxidic inside
256	NiTi	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,284 m		ground
257	NiTi	1,600	0,200	1,200	0,0630	0,0079	0,0472	14,569 m		
258	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	158,940 m		ground
259	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	247,196 m		ground
260	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	44,811 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
261	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	75,072 m		ground
262	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	66,396 m		ground
263	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	9,605 m		ground
264	NiTi	1,600	0,270	1,060	0,0630	0,0106	0,0417	8,403 m		ground
265	NiTi	1,620	0,240	1,140	0,0638	0,0094	0,0449	39,435 m		ground out-/oxidic inside
266	NiTi	1,626	0,241	1,144	0,0640	0,0095	0,0450	100,000 m	St	ground
267	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	271,498 m		ground out-/oxidic inside
268	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	5,138 m		ground out-/oxidic inside
269	NiTi	1,630	0,225	1,180	0,0642	0,0089	0,0465	7,170 m		polished
270	NiTi	1,630	0,230	1,170	0,0642	0,0091	0,0461	4,631 m		ground
271	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	10,609 m		ground
272	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	18,165 m		ground
273	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	181,246 m		ground
274	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	55,279 m		ground
275	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	343,430 m		ground
276	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000 m		dark oxidized
277	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000 m		ground
278	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,390 m		ground
279	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,627 m		ground
280	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,958 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
281	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	6,000 m		ground
282	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	61,610 m		ground
283	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,700 m		ground
284	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,980 m		ground
285	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	26,850 m		ground
286	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	255,144 m		ground
287	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,150 m		ground
288	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,685 m		ground
289	NiTi	1,700	0,125	1,450	0,0669	0,0049	0,0571	140,000 St		ground
290	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	243,993 m		ground out-/oxidic inside
291	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	292,100 m		ground out-/oxidic inside
292	NiTi	1,700	0,210	1,280	0,0669	0,0083	0,0504	3,078 m		ground
293	NiTi	1,700	0,300	1,100	0,0669	0,0118	0,0433	2,640 m		ground
294	NiTi	1,720	0,230	1,260	0,0677	0,0091	0,0496	193,756 m		ground
295	NiTi	1,729	0,220	1,289	0,0681	0,0087	0,0507	36,100 m		ground
296	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	172,007 m		ground
297	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	26,729 m		ground
298	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	3,500 m		ground
299	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	35,060 m		ground
300	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,041 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
301	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,607 m		ground
302	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	5,740 m		ground
303	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	7,900 m		ground
304	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	8,160 m		ground
305	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	9,247 m		ground
306	NiTi	1,778	0,406	0,966	0,0700	0,0160	0,0380	22,252 m		ground
307	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	16,727 m		ground
308	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	4,433 m		ground
309	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	22,878 m		ground
310	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	64,888 m		ground
311	NiTi	1,800	0,220	1,360	0,0709	0,0087	0,0535	1,438 m		ground
312	NiTi	1,803	0,216	1,371	0,0710	0,0085	0,0540	12,890 m		ground
313	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,238 m		ground
314	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,716 m		ground
315	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	5,537 m		ground
316	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,049 m		ground
317	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,705 m		ground
318	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	5,627 m		ground
319	NiTi	1,829	0,267	1,295	0,0720	0,0105	0,0510	1,548 m		ground
320	NiTi	1,829	0,292	1,245	0,0720	0,0115	0,0490	6,790 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
321	NiTi	1,900	0,270	1,360	0,0748	0,0106	0,0535	70,757 m		ground
322	NiTi	1,900	0,370	1,160	0,0748	0,0146	0,0457	2,296 m		ground
323	NiTi	1,907	0,203	1,501	0,0751	0,0080	0,0591	42,006 m		ground
324	NiTi	2,000	0,170	1,660	0,0787	0,0067	0,0654	4,950 m		ground
325	NiTi	2,000	0,220	1,560	0,0787	0,0087	0,0614	166,314 m		ground
326	NiTi	2,000	0,230	1,540	0,0787	0,0091	0,0606	5,990 m		ground
327	NiTi	2,000	0,240	1,520	0,0787	0,0094	0,0598	36,467 m		ground
328	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	21,199 m		ground
329	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	43,678 m		ground
330	NiTi	2,019	0,266	1,487	0,0795	0,0105	0,0585	3,728 m		ground
331	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	6,924 m		ground
332	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	9,847 m		ground
333	NiTi	2,032	0,280	1,472	0,0800	0,0110	0,0580	413,795 m		ground
334	NiTi	2,050	0,300	1,450	0,0807	0,0118	0,0571	12,150 m		ground
335	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	17,172 m		ground
336	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	21,817 m		ground
337	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	23,347 m		ground
338	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	25,863 m		ground
339	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	34,349 m		ground
340	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	131,857 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
341	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	27,266 m		ground
342	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	3,772 m		ground
343	NiTi	2,161	0,086	1,989	0,0851	0,0034	0,0783	343,194 m		ground
344	NiTi	2,164	0,081	2,002	0,0852	0,0032	0,0788	16,710 m		ground
345	NiTi	2,180	0,370	1,440	0,0858	0,0146	0,0567	14,260 m		ground
346	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	1,840 m		ground
347	NiTi	2,184	0,349	1,486	0,0860	0,0137	0,0585	1,046 m		ground
348	NiTi	2,184	0,381	1,422	0,0860	0,0150	0,0560	6,294 m		ground
349	NiTi	2,186	0,086	2,014	0,0861	0,0034	0,0793	8,466 m		ground
350	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	39,745 m		ground out-/oxidic inside
351	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	57,200 m		ground out-/oxidic inside
352	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	9,659 m		ground out-/oxidic inside
353	NiTi	2,200	0,230	1,740	0,0866	0,0091	0,0685	6,047 m		ground
354	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	10,610 m		ground
355	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	25,542 m		ground
356	NiTi	2,200	0,550	1,100	0,0866	0,0217	0,0433	1,880 m		ground
357	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	46,899 m		ground
358	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	6,936 m		ground
359	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	8,747 m		ground
360	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	5,700 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
361	NiTi	2,300	0,150	2,000	0,0906	0,0059	0,0787	59,950 m		ground
362	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	1,414 m		ground
363	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	3,794 m		ground
364	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	4,246 m		ground
365	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	107,669 m		ground out-/oxidic inside
366	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	19,268 m		ground out-/oxidic inside
367	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	27,620 m		ground out-/oxidic inside
368	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	33,102 m		ground out-/oxidic inside
369	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	42,991 m		ground out-/oxidic inside
370	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	5,881 m		ground out-/oxidic inside
371	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	60,800 m		ground out-/oxidic inside
372	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	7,000 m		ground out-/oxidic inside
373	NiTi	2,310	0,255	1,800	0,0909	0,0100	0,0709	28,010 m		ground
374	NiTi	2,340	0,170	2,000	0,0921	0,0067	0,0787	43,543 m		ground
375	NiTi	2,372	0,183	2,006	0,0934	0,0072	0,0790	13,960 m		ground
376	NiTi	2,400	0,075	2,250	0,0945	0,0030	0,0886	5,203 m		ground
377	NiTi	2,400	0,076	2,248	0,0945	0,0030	0,0885	33,572 m		ground
378	NiTi	2,400	0,085	2,230	0,0945	0,0033	0,0878	6,193 m		ground
379	NiTi	2,400	0,090	2,220	0,0945	0,0035	0,0874	9,902 m		ground
380	NiTi	2,400	0,200	2,000	0,0945	0,0079	0,0787	37,005 m		dark oxidized

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
381	NiTi	2,400	0,300	1,800	0,0945	0,0118	0,0709	1,612 m		ground
382	NiTi	2,400	0,500	1,400	0,0945	0,0197	0,0551	12,867 m		ground
383	NiTi	2,403	0,198	2,007	0,0946	0,0078	0,0790	11,630 m		ground
384	NiTi	2,413	0,407	1,600	0,0950	0,0160	0,0630	22,067 m		ground
385	NiTi	2,440	0,320	1,800	0,0961	0,0126	0,0709	3,580 m		dark oxidized
386	NiTi	2,449	0,221	2,007	0,0964	0,0087	0,0790	19,997 m		ground
387	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	10,987 m		ground
388	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	8,106 m		ground
389	NiTi	2,480	0,225	2,030	0,0976	0,0089	0,0799	6,350 m		ground
390	NiTi	2,490	0,050	2,390	0,0980	0,0020	0,0941	2,080 m		ground
391	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	6,653 m		ground
392	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	8,401 m		ground
393	NiTi	2,500	0,250	2,000	0,0984	0,0098	0,0787	3,445 m		ground
394	NiTi	2,565	0,368	1,829	0,1010	0,0145	0,0720	1,557 m		ground
395	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	10,510 m		ground out-/oxidic inside
396	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	16,040 m		ground
397	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	3,914 m		ground
398	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	6,577 m		ground
399	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	76,526 m		ground
400	NiTi	2,580	0,210	2,160	0,1016	0,0083	0,0850	3,050 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
401	NiTi	2,590	0,076	2,438	0,1020	0,0030	0,0960	2,188 m		ground
402	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	17,785 m		ground
403	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	22,439 m		ground out-/oxidic inside
404	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	85,086 m		ground out-/oxidic inside
405	NiTi	2,618	0,065	2,488	0,1031	0,0026	0,0980	102,958 m		ground
406	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	18,547 m		ground
407	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	41,055 m		ground
408	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	56,811 m		ground
409	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	83,723 m		ground
410	NiTi	2,654	0,102	2,450	0,1045	0,0040	0,0965	12,891 m		ground
411	NiTi	2,680	0,089	2,502	0,1055	0,0035	0,0985	4,405 m		ground
412	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	6,022 m		ground
413	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	9,177 m		ground
414	NiTi	2,700	0,600	1,500	0,1063	0,0236	0,0591	13,414 m		ground
415	NiTi	2,720	0,170	2,380	0,1071	0,0067	0,0937	6,443 m		ground
416	NiTi	2,743	0,432	1,879	0,1080	0,0170	0,0740	12,963 m		ground
417	NiTi	2,751	0,302	2,147	0,1083	0,0119	0,0845	42,540 m		ground
418	NiTi	2,760	0,190	2,380	0,1087	0,0075	0,0937	4,993 m		ground
419	NiTi	2,770	0,065	2,640	0,1091	0,0026	0,1039	2,635 m		ground
420	NiTi	2,795	0,100	2,595	0,1100	0,0039	0,1022	0,326 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
421	NiTi	2,800	0,230	2,340	0,1102	0,0091	0,0921	10,073	m	ground
422	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	13,866	m	ground
423	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	3,998	m	ground out-/oxidic inside
424	NiTi	2,870	0,173	2,524	0,1130	0,0068	0,0994	16,129	m	ground
425	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	17,847	m	ground out-/oxidic inside
426	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	18,776	m	ground out-/oxidic inside
427	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	21,873	m	ground out-/oxidic inside
428	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	41,024	m	ground out-/oxidic inside
429	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	6,082	m	ground out-/oxidic inside
430	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	71,752	m	ground out-/oxidic inside
431	NiTi	2,906	0,191	2,524	0,1144	0,0075	0,0994	22,430	m	ground
432	NiTi	3,000	0,110	2,780	0,1181	0,0043	0,1094	9,248	m	ground
433	NiTi	3,000	0,500	2,000	0,1181	0,0197	0,0787	15,959	m	ground out-/oxidic inside
434	NiTi	3,016	0,245	2,526	0,1187	0,0096	0,0994	2,640	m	ground out-/oxidic inside
435	NiTi	3,048	0,254	2,540	0,1200	0,0100	0,1000	16,000	St	ground
436	NiTi	3,100	1,075	0,950	0,1220	0,0423	0,0374	1,150	m	ground
437	NiTi	3,160	0,170	2,820	0,1244	0,0067	0,1110	9,239	m	ground
438	NiTi	3,200	0,165	2,870	0,1260	0,0065	0,1130	4,560	m	ground
439	NiTi	3,200	0,190	2,820	0,1260	0,0075	0,1110	2,000	St	ground
440	NiTi	3,200	0,470	2,260	0,1260	0,0185	0,0890	4,556	m	around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
441	NiTi	3,200	0,540	2,120	0,1260	0,0213	0,0835	7,690 m		ground
442	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	2,065 m		ground
443	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	8,695 m		ground
444	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	3,843 m		ground
445	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	6,604 m		ground
446	NiTi	3,277	0,305	2,667	0,1290	0,0120	0,1050	1,561 m		ground
447	NiTi	3,280	0,115	3,050	0,1291	0,0045	0,1201	5,050 m		ground
448	NiTi	3,302	0,711	1,880	0,1300	0,0280	0,0740	14,787 m		ground
449	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,471 m		ground out-/oxidic inside
450	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,600 m		ground out-/oxidic inside
451	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	5,757 m		ground out-/oxidic inside
452	NiTi	3,363	0,102	3,159	0,1324	0,0040	0,1244	54,915 m		ground
453	NiTi	3,363	0,111	3,141	0,1324	0,0044	0,1237	81,471 m		ground
454	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	3,666 m		ground out-/oxidic inside
455	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	7,000 St		ground
456	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	7,872 m		ground
457	NiTi	3,500	0,060	3,380	0,1378	0,0024	0,1331	2,294 m		ground
458	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	14,571 m		ground
459	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	9,610 m		ground
460	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	1,425 m		dark oxidized

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
461	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	3,915 m		ground
462	NiTi	3,520	0,160	3,200	0,1386	0,0063	0,1260	5,520 m		ground
463	NiTi	3,556	0,445	2,666	0,1400	0,0175	0,1050	3,100 m		ground
464	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	10,190 m		ground
465	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	11,588 m		ground
466	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	6,999 m		ground
467	NiTi	3,610	0,250	3,110	0,1421	0,0098	0,1224	4,542 m		ground
468	NiTi	3,800	0,265	3,270	0,1496	0,0104	0,1287	4,516 m		ground
469	NiTi	3,810	0,120	3,570	0,1500	0,0047	0,1406	4,565 m		ground
470	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	111,785 m		ground
471	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	119,084 m		ground
472	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	23,177 m		ground
473	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	4,613 m		ground
474	NiTi	4,000	0,100	3,800	0,1575	0,0039	0,1496	110,647 m		ground
475	NiTi	4,000	0,102	3,796	0,1575	0,0040	0,1494	7,452 m		ground
476	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	13,774 m		ground
477	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	23,392 m		ground
478	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	4,000 m		ground
479	NiTi	4,210	0,500	3,210	0,1657	0,0197	0,1264	19,833 m		ground
480	NiTi	4.242	0.152	3.938	0.1670	0.0060	0.1550	14.331 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
481	NiTi	4,270	0,079	4,112	0,1681	0,0031	0,1619	4,942 m		ground
482	NiTi	4,500	0,080	4,340	0,1772	0,0031	0,1709	0,744 m		ground
483	NiTi	4,500	0,127	4,246	0,1772	0,0050	0,1672	2,264 m		ground
484	NiTi	4,500	0,700	3,100	0,1772	0,0276	0,1220	8,080 m		ground
485	NiTi	4,700	0,150	4,400	0,1850	0,0059	0,1732	28,451 m		ground
486	NiTi	4,750	0,125	4,500	0,1870	0,0049	0,1772	7,390 m		ground
487	NiTi	4,765	0,130	4,505	0,1876	0,0051	0,1774	6,106 m		ground
488	NiTi	4,800	0,075	4,650	0,1890	0,0030	0,1831	5,645 m		ground
489	NiTi	4,800	0,170	4,460	0,1890	0,0067	0,1756	2,707 m		ground
490	NiTi	4,900	0,200	4,500	0,1929	0,0079	0,1772	37,806 m		ground
491	NiTi	4,950	0,155	4,640	0,1949	0,0061	0,1827	5,320 m		polished
492	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	0,453 m		ground
493	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	2,306 m		ground
494	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,398 m		ground out-/oxidic inside
495	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,473 m		ground
496	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,757 m		ground
497	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835 m		ground out-/oxidic inside
498	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,534 m		ground
499	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	6,244 m		ground
500	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	7,574 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
501	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	89,219 m		ground out-/oxidic inside
502	NiTi	5,000	0,105	4,790	0,1969	0,0041	0,1886	2,465 m		ground
503	NiTi	5,000	0,130	4,740	0,1969	0,0051	0,1866	1,975 m		ground
504	NiTi	5,000	0,220	4,560	0,1969	0,0087	0,1795	4,330 m		ground
505	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	10,306 m		ground
506	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	2,510 m		ground
507	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	9,631 m		ground
508	NiTi	5,000	0,250	4,500	0,1969	0,0098	0,1772	5,870 m		ground
509	NiTi	5,000	0,450	4,100	0,1969	0,0177	0,1614	2,754 m		ground
510	NiTi	5,000	0,450	4,100	0,1969	0,0177	0,1614	9,330 m		ground
511	NiTi	5,000	0,560	3,880	0,1969	0,0220	0,1528	1,650 m		ground
512	NiTi	5,004	0,533	3,938	0,1970	0,0210	0,1550	4,518 m		ground out-/oxidic inside
513	NiTi	5,030	0,175	4,680	0,1980	0,0069	0,1843	6,880 m		polished
514	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	0,434 m		ground
515	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	35,820 m		ground
516	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	6,000 m		ground
517	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	25,000 m		ground
518	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	3,189 m		ground
519	NiTi	5,500	0,065	5,370	0,2165	0,0026	0,2114	2,268 m		polished
520	NiTi	5,500	0,100	5,300	0,2165	0,0039	0,2087	2,710 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
521	NiTi	5,700	0,200	5,300	0,2244	0,0079	0,2087	3,075 m		ground
522	NiTi	5,944	0,572	4,800	0,2340	0,0225	0,1890	1,250 m		ground out-/oxidic inside
523	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	4,110 m		ground out-/oxidic inside
524	NiTi	5,990	0,584	4,822	0,2358	0,0230	0,1898	14,190 m		ground out-/oxidic inside
525	NiTi	5,994	0,254	5,486	0,2360	0,0100	0,2160	4,450 m		ground
526	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	21,525 m		ground
527	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	7,512 m		ground
528	NiTi	6,000	0,064	5,872	0,2362	0,0025	0,2312	4,910 m		ground
529	NiTi	6,000	0,100	5,800	0,2362	0,0039	0,2283	4,528 m		ground
530	NiTi	6,000	0,100	5,800	0,2362	0,0039	0,2283	6,914 m		ground
531	NiTi	6,000	0,400	5,200	0,2362	0,0157	0,2047	13,355 m		ground
532	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	15,390 m		ground
533	NiTi	6,150	0,100	5,950	0,2421	0,0039	0,2343	26,706 m		ground
534	NiTi	6,200	0,150	5,900	0,2441	0,0059	0,2323	1,386 m		ground
535	NiTi	6,510	0,245	6,020	0,2563	0,0096	0,2370	11,328 m		ground
536	NiTi	6,820	0,160	6,500	0,2685	0,0063	0,2559	5,515 m		ground
537	NiTi	6,830	0,245	6,340	0,2689	0,0096	0,2496	11,924 m		ground
538	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	3,334 m		ground
539	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	7,433 m		ground
540	NiTi	7,000	0,450	6,100	0,2756	0,0177	0,2402	7,560 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
541	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	2,399 m		ground
542	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,772 m		ground
543	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,922 m		ground
544	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	7,472 m		ground
545	NiTi	7,000	0,508	5,984	0,2756	0,0200	0,2356	3,885 m		ground
546	NiTi	7,000	0,533	5,934	0,2756	0,0210	0,2336	5,412 m		ground
547	NiTi	7,150	0,100	6,950	0,2815	0,0039	0,2736	11,141 m		ground
548	NiTi	7,500	2,025	3,450	0,2953	0,0797	0,1358	5,777 m		ground
549	NiTi	8,000	0,520	6,960	0,3150	0,0205	0,2740	5,983 m		ground
550	NiTi	8,000	0,720	6,560	0,3150	0,0283	0,2583	1,186 m		ground
551	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	0,645 m		ground
552	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	3,423 m		ground
553	NiTi	8,300	0,310	7,680	0,3268	0,0122	0,3024	4,460 m		ground
554	NiTi	8,800	0,450	7,900	0,3465	0,0177	0,3110	1,447 m		ground
555	NiTi	9,000	0,500	8,000	0,3543	0,0197	0,3150	2,170 m		ground
556	NiTi	9,000	0,500	8,000	0,3543	0,0197	0,3150	21,260 m		ground
557	NiTi	10,000	0,310	9,380	0,3937	0,0122	0,3693	23,260 m		ground
558	NiTi	10,000	0,480	9,040	0,3937	0,0189	0,3559	14,031 m		ground
559	NiTi	10,000	0,533	8,934	0,3937	0,0210	0,3517	3,508 m		ground
560	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	9,963 m		around

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
561	Phynox / 2.4711	1,600	0,250	1,100	0,0630	0,0098	0,0433	4,954	m	
562	section	1,422	0,076	1,270	0,0560	0,0030	0,0500	1650,000	St	
563	Tantal	1,600	0,090	1,420	0,0630	0,0035	0,0559	3,053	m	
564	Tantal	1,982	0,051	1,880	0,0780	0,0020	0,0740	5,067	m	
565	Tantal/Wolfram	1,880	0,077	1,727	0,0740	0,0030	0,0680	18,162	m	
566	Tantalum	1,600	0,200	1,200	0,0630	0,0079	0,0472	1,101	m	polished
567	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	11,210	m	ground
568	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	26,480	m	ground
569	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	28,310	m	
570	Titan Gr. 2	1,100	0,150	0,800	0,0433	0,0059	0,0315	666,882	m	
571	Titan Gr. 2	1,650	0,150	1,350	0,0650	0,0059	0,0531	80,674	m	
572	Titan Gr. 2	2,134	0,102	1,930	0,0840	0,0040	0,0760	6,806	m	
573	Titan Gr. 2	2,540	0,102	2,337	0,1000	0,0040	0,0920	6,490	m	
574	Titan Gr. 2	4,000	0,050	3,900	0,1575	0,0020	0,1535	22,670	m	
575	Titan Gr. 2	4,480	0,075	4,330	0,1764	0,0030	0,1705	24,120	m	
576	Titan Gr. 2	5,000	0,550	3,900	0,1969	0,0217	0,1535	8,761	m	
577	Titan Gr. 2	6,350	0,127	6,096	0,2500	0,0050	0,2400	10,750	m	
578	Titan Gr. 2	6,883	0,356	6,172	0,2710	0,0140	0,2430	3,990	m	
579	Titan Gr. 2	7,000	0,150	6,700	0,2756	0,0059	0,2638	6,050	m	
580	Titan Gr. 2	7,925	0,889	6.147	0.3120	0.0350	0.2420	6.679	m	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface
581	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	
582	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
1		1,800	0,210	1,380	0,0709	0,0083	0,0543	1,016	m		
2		4,800	0,400	4,000	0,1890	0,0157	0,1575	6,010	m		
3		4,900	0,500	3,900	0,1929	0,0197	0,1535	3,529	m		
4	(1.4301 (304))	0,356	0,075	0,206	0,0140	0,0030	0,0081	4,000	m		
5	(1.4301 (304))	0,410	0,045	0,320	0,0161	0,0018	0,0126	54,933	m		
6	(1.4301 (304))	0,790	0,035	0,720	0,0311	0,0014	0,0283	30,500	m		
7	(1.4301 (304))	0,790	0,035	0,720	0,0311	0,0014	0,0283	8,436	m		
8	(1.4301 (304))	1,372	0,305	0,762	0,0540	0,0120	0,0300	168,000	m		
9	(1.4301 (304))	1,650	0,120	1,410	0,0650	0,0047	0,0555	440,150	m		
10	(1.4301 (304))	1,650	0,120	1,410	0,0650	0,0047	0,0555	451,186	m		
11	(1.4301 (304))	2,000	0,400	1,200	0,0787	0,0157	0,0472	41,199	m		
12	(1.4301 (304))	2,515	0,051	2,413	0,0990	0,0020	0,0950	9,000	St		
13	(1.4301 (304))	3,000	0,300	2,400	0,1181	0,0118	0,0945	4,369	m		
14	(1.4301 (304))	4,470	0,435	3,600	0,1760	0,0171	0,1417	4,000	St		
15	(1.4301 (304))	5,700	0,500	4,700	0,2244	0,0197	0,1850	7,503	m		
16	(1.4301 (304))	6,700	0,500	5,700	0,2638	0,0197	0,2244	12,728	m		
17	(1.4301 (304))	6,900	2,300	2,300	0,2717	0,0906	0,0906	6,300	m		
18	(1.4301 (304))	9,700	0,500	8,700	0,3819	0,0197	0,3425	8,710	m		
19	(1.4307)	6,300	0,275	5,750	0,2480	0,0108	0,2264	9,149	m		
20	(1.4452)	1,600	0,090	1,420	0,0630	0,0035	0,0559	9,650	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
21	(1.4452)	1,600	0,150	1,300	0,0630	0,0059	0,0512	7,884	m		
22	(1.4452)	1,800	0,090	1,620	0,0709	0,0035	0,0638	13,102	m		
23	(1.4452)	1,800	0,090	1,620	0,0709	0,0035	0,0638	31,775	m		
24	(1.4452)	2,350	0,150	2,050	0,0925	0,0059	0,0807	4,737	m		
25	(1.4452)	4,500	0,220	4,060	0,1772	0,0087	0,1598	2,393	m		
26	(1.4452)	4,572	0,152	4,268	0,1800	0,0060	0,1680	20,530	m		
27	(1.4541)	9,576	0,114	9,348	0,3770	0,0045	0,3680	17,005	m		
28	(1.4568)	0,690	0,125	0,440	0,0272	0,0049	0,0173	8,854	m		
29	(1.4568)	2,108	0,203	1,702	0,0830	0,0080	0,0670	21,630	m		
30	(1.4568)	9,500	0,254	8,992	0,3740	0,0100	0,3540	6,304	m		
31	(1.4568)	9,667	0,249	9,169	0,3806	0,0098	0,3610	2,009	m		
32	(1.4571)	9,000	0,400	8,200	0,3543	0,0157	0,3228	19,500	m		
33	00Cr18Mn15Mo3N	1,800	0,110	1,580	0,0709	0,0043	0,0622	8,000	m		
34	316L	0,457	0,070	0,317	0,0180	0,0028	0,0125	14,709	m		
35	316L	0,550	0,100	0,350	0,0217	0,0039	0,0138	45,250	m		
36	316L	0,640	0,095	0,450	0,0252	0,0037	0,0177	194,020	m		
37	316L	1,540	0,090	1,360	0,0606	0,0035	0,0535	23,136	m		
38	316L	3,000	0,100	2,800	0,1181	0,0039	0,1102	10,732	m		
39	316L	3,200	0,300	2,600	0,1260	0,0118	0,1024	13,621	m		
40	316L	4,217	0,140	3,937	0,1660	0,0055	0,1550	3,140	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
41	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	107,000	St		
42	316L	5,300	0,300	4,700	0,2087	0,0118	0,1850	159,000	St		
43	316L	5,550	0,175	5,200	0,2185	0,0069	0,2047	367,466	m		
44	316LVM	0,292	0,050	0,192	0,0115	0,0020	0,0076	144,802	m		
45	316LVM	0,450	0,075	0,300	0,0177	0,0030	0,0118	18,080	m		
46	316LVM	0,521	0,038	0,445	0,0205	0,0015	0,0175	61,000	m		
47	316LVM	0,550	0,075	0,400	0,0217	0,0030	0,0157	27,113	m		
48	316LVM	0,635	0,076	0,483	0,0250	0,0030	0,0190	28,000	m		
49	316LVM	0,650	0,175	0,300	0,0256	0,0069	0,0118	23,050	m		
50	316LVM	0,680	0,080	0,520	0,0268	0,0031	0,0205	2,099	m		
51	316LVM	0,889	0,140	0,610	0,0350	0,0055	0,0240	37,212	m		
52	316LVM	0,950	0,200	0,550	0,0374	0,0079	0,0217	138,710	m		
53	316LVM	0,960	0,120	0,720	0,0378	0,0047	0,0283	9,277	m		
54	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	48,370	m		
55	316LVM	0,975	0,078	0,820	0,0384	0,0031	0,0323	74,290	m		
56	316LVM	0,990	0,075	0,840	0,0390	0,0030	0,0331	24,981	m		
57	316LVM	1,000	0,200	0,600	0,0394	0,0079	0,0236	51,603	m		
58	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	62,780	m		
59	316LVM	1,100	0,150	0,800	0,0433	0,0059	0,0315	66,530	m		
60	316LVM	1,169	0,102	0,965	0,0460	0,0040	0,0380	6,900	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
61	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	18,550	m		
62	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	22,130	m		
63	316LVM	1,700	0,100	1,500	0,0669	0,0039	0,0591	3,450	m		
64	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	8,953	m		
65	316LVM	1,700	0,450	0,800	0,0669	0,0177	0,0315	9,464	m		
66	316LVM	1,753	0,039	1,675	0,0690	0,0015	0,0659	14,026	m		
67	316LVM	1,800	0,100	1,600	0,0709	0,0039	0,0630	25,386	m		
68	316LVM	1,800	0,125	1,550	0,0709	0,0049	0,0610	11,761	m		
69	316LVM	1,800	0,150	1,500	0,0709	0,0059	0,0591	29,813	m		
70	316LVM	2,100	0,100	1,900	0,0827	0,0039	0,0748	18,853	m		
71	316LVM	2,400	0,100	2,200	0,0945	0,0039	0,0866	29,165	m		
72	316LVM	2,515	0,058	2,400	0,0990	0,0023	0,0945	29,849	m		
73	316LVM	2,530	0,100	2,330	0,0996	0,0039	0,0917	6,508	m		
74	316LVM	3,100	0,100	2,900	0,1220	0,0039	0,1142	77,395	m		
75	316LVM	3,110	0,105	2,900	0,1224	0,0041	0,1142	29,707	m		
76	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	6,483	m		
77	316LVM	4,551	0,218	4,115	0,1792	0,0086	0,1620	9,885	m		
78	316LVM	4,650	0,090	4,470	0,1831	0,0035	0,1760	16,278	m		
79	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	11,683	m		
80	316LVM	4,763	0,229	4,305	0,1875	0,0090	0,1695	22,012	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
81	316LVM	5,436	0,216	5,003	0,2140	0,0085	0,1970	3,475	m		
82	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	10,340	m		
83	316LVM	5,840	0,140	5,560	0,2299	0,0055	0,2189	45,880	m		
84	316LVM	5,860	0,150	5,560	0,2307	0,0059	0,2189	30,982	m		
85	316LVM	6,000	0,279	5,442	0,2362	0,0110	0,2143	2,288	m		
86	316LVM	6,000	0,300	5,400	0,2362	0,0118	0,2126	52,701	m		
87	316LVM	7,938	0,261	7,417	0,3125	0,0103	0,2920	12,404	m		
88	316LVM	7,940	0,510	6,920	0,3126	0,0201	0,2724	4,620	m		
89	316LVM	7,940	0,710	6,520	0,3126	0,0280	0,2567	11,030	m		
90	316LVM	8,000	0,150	7,700	0,3150	0,0059	0,3031	4,290	m		
91	316LVM	8,000	0,216	7,568	0,3150	0,0085	0,2980	8,330	m		
92	316LVM	9,525	0,513	8,500	0,3750	0,0202	0,3346	7,162	m		
93	316LVM	10,000	0,500	9,000	0,3937	0,0197	0,3543	28,295	m		
94	Biodur 108	1,220	0,075	1,070	0,0480	0,0030	0,0421	7,400	m		
95	KC35N LT	0,270	0,025	0,220	0,0106	0,0010	0,0087	83,439	m		
96	KC35N LT	0,450	0,125	0,200	0,0177	0,0049	0,0079	48,088	m		
97	KC35N LT	0,510	0,050	0,410	0,0201	0,0020	0,0161	3,100	m		
98	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	2310,000	St		
99	KC35N LT	0,520	0,050	0,420	0,0205	0,0020	0,0165	935,000	St		
100	KC35N LT	0,730	0,115	0,500	0,0287	0,0045	0,0197	9,886	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
101	KC35N LT	1,107	0,086	0,935	0,0436	0,0034	0,0368	29,700	m		
102	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	19,350	m		
103	KC35N LT	1,400	0,100	1,200	0,0551	0,0039	0,0472	55,750	m		
104	KC35N LT	1,500	0,130	1,240	0,0591	0,0051	0,0488	23,010	m		
105	KC35N LT	1,600	0,105	1,390	0,0630	0,0041	0,0547	6,685	m		
106	KC35N LT	1,800	0,115	1,570	0,0709	0,0045	0,0618	2,013	m		
107	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	15,398	m		
108	KC35N LT	2,134	0,102	1,930	0,0840	0,0040	0,0760	20,870	m		
109	KC35N LT	2,311	0,102	2,107	0,0910	0,0040	0,0830	28,500	m		
110	KC35N LT	2,375	0,089	2,197	0,0935	0,0035	0,0865	11,992	m		
111	KC35N LT	2,400	0,114	2,172	0,0945	0,0045	0,0855	11,820	m		
112	KC35N LT	3,500	0,090	3,320	0,1378	0,0035	0,1307	17,303	m		
113	KC35N LT	4,200	0,100	4,000	0,1654	0,0039	0,1575	4,710	m		
114	KC35N LT	4,720	0,304	4,112	0,1858	0,0120	0,1619	56,410	m		
115	KC35N LT	5,588	0,229	5,130	0,2200	0,0090	0,2020	12,232	m		
116	KC35N LT	6,000	0,500	5,000	0,2362	0,0197	0,1969	12,940	m		
117	KC35N LT	6,000	0,550	4,900	0,2362	0,0217	0,1929	13,402	m		
118	KC35N LT	6,400	0,075	6,250	0,2520	0,0030	0,2461	6,038	m		
119	KC35N LT	7,214	0,381	6,452	0,2840	0,0150	0,2540	3,910	m		
120	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	30,988	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
121	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	354,000	St		
122	L605	0,630	0,100	0,430	0,0248	0,0039	0,0169	42,956	m		
123	L605	1,169	0,102	0,965	0,0460	0,0040	0,0380	15,914	m		
124	L605	1,219	0,127	0,965	0,0480	0,0050	0,0380	45,448	m		
125	L605	1,320	0,081	1,158	0,0520	0,0032	0,0456	3,444	m		
126	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	10,764	m		
127	L605	1,400	0,110	1,180	0,0551	0,0043	0,0465	26,260	m		
128	L605	1,550	0,100	1,350	0,0610	0,0039	0,0531	144,000	m		
129	L605	1,600	0,065	1,470	0,0630	0,0026	0,0579	1,377	m		
130	L605	1,600	0,080	1,440	0,0630	0,0031	0,0567	16,816	m		
131	L605	1,600	0,090	1,420	0,0630	0,0035	0,0559	5,355	m		
132	L605	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,510	m		
133	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	13,200	m		
134	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	166,877	m		
135	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	18,890	m		
136	L605	1,600	0,120	1,360	0,0630	0,0047	0,0535	9,221	m		
137	L605	1,650	0,230	1,190	0,0650	0,0091	0,0469	23,140	m		
138	L605	1,800	0,065	1,670	0,0709	0,0026	0,0657	23,271	m		
139	L605	1,800	0,085	1,630	0,0709	0,0033	0,0642	13,490	m		
140	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	21,400	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
141	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	27,300	m		
142	L605	1,800	0,090	1,620	0,0709	0,0035	0,0638	9,339	m		
143	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	14,921	m		
144	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	374,899	m		
145	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	46,200	m		
146	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,080	m		
147	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	5,870	m		
148	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	67,000	St		
149	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	7,798	m		
150	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	8,700	m		
151	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	85,255	m		
152	L605	1,800	0,100	1,600	0,0709	0,0039	0,0630	9,474	m		
153	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	10,552	m		
154	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	111,553	m		
155	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	21,220	m		
156	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	582,780	m		
157	L605	1,800	0,110	1,580	0,0709	0,0043	0,0622	96,116	m		
158	L605	1,880	0,127	1,626	0,0740	0,0050	0,0640	32,710	m		
159	L605	2,200	0,100	2,000	0,0866	0,0039	0,0787	16,008	m		
160	L605	2,540	0,178	2,184	0,1000	0,0070	0,0860	19,710	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
161	L605	2,997	0,107	2,783	0,1180	0,0042	0,1096	6,457	m		
162	L605	3,000	0,170	2,660	0,1181	0,0067	0,1047	71,089	m		
163	L605	3,000	0,500	2,000	0,1181	0,0197	0,0787	10,730	m		
164	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	100,710	m		
165	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	106,600	m		
166	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	16,700	m		
167	L605	4,000	0,400	3,200	0,1575	0,0157	0,1260	19,472	m		
168	L605	4,400	0,280	3,840	0,1732	0,0110	0,1512	4,485	m		
169	L605	5,000	0,200	4,600	0,1969	0,0079	0,1811	16,410	m		
170	L605	8,200	0,250	7,700	0,3228	0,0098	0,3031	8,967	m		
171	Mu-Metal	0,680	0,100	0,480	0,0268	0,0039	0,0189	34,020	m		
172	Mu-Metal	3,226	0,051	3,124	0,1270	0,0020	0,1230	18,660	m		
173	Mu-Metal	3,277	0,076	3,124	0,1290	0,0030	0,1230	54,360	m		
174	NiTi	0,240	0,080	0,080	0,0094	0,0031	0,0031	211,538	m	ground	max. 15 °
175	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	11,000	m	ground	max. 15 °
176	NiTi	0,345	0,110	0,125	0,0136	0,0043	0,0049	58,000	m	ground	max. 15 °
177	NiTi	0,400	0,060	0,280	0,0157	0,0024	0,0110	133,457	m	dark oxidized	max. 15 °
178	NiTi	0,400	0,060	0,280	0,0157	0,0024	0,0110	25,788	m	dark oxidized	max. 15 °
179	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	162,718	m	dark oxidized	max. 15 °
180	NiTi	0,500	0,075	0,350	0,0197	0,0030	0,0138	200,538	m	dark oxidized	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
181	NiTi	0,550	0,060	0,430	0,0217	0,0024	0,0169	6,742 m			max. 15 °
182	NiTi	0,559	0,051	0,457	0,0220	0,0020	0,0180	5,387 m			max. 15 °
183	NiTi	0,570	0,090	0,390	0,0224	0,0035	0,0154	1,899 m		dark oxidized	max. 15 °
184	NiTi	0,635	0,051	0,533	0,0250	0,0020	0,0210	24,447 m		ground	max. 15 °
185	NiTi	0,635	0,102	0,432	0,0250	0,0040	0,0170	205,838 m		ground	max. 15 °
186	NiTi	0,730	0,150	0,430	0,0287	0,0059	0,0169	22,485 m		ground out-/oxidic inside	max. 15 °
187	NiTi	0,790	0,099	0,592	0,0311	0,0039	0,0233	15,838 m		ground	max. 15 °
188	NiTi	0,940	0,080	0,780	0,0370	0,0031	0,0307	48,800 m		dark oxidized	max. 15 °
189	NiTi	1,000	0,090	0,820	0,0394	0,0035	0,0323	6,210 m		ground	
190	NiTi	1,000	0,100	0,800	0,0394	0,0039	0,0315	23,448 m		ground	max. 15 °
191	NiTi	1,010	0,120	0,770	0,0398	0,0047	0,0303	5,934 m		ground	max. 15 °
192	NiTi	1,120	0,150	0,820	0,0441	0,0059	0,0323	1,840 m		ground	max. 15 °
193	NiTi	1,180	0,146	0,889	0,0465	0,0057	0,0350	42,186 m		ground	max. 15 °
194	NiTi	1,200	0,100	1,000	0,0472	0,0039	0,0394	43,440 m		ground	max. 15 °
195	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	7,050 m		ground out-/oxidic inside	
196	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	7,330 m		ground out-/oxidic inside	
197	NiTi	1,200	0,160	0,880	0,0472	0,0063	0,0346	9,088 m		ground out-/oxidic inside	max. 15 °
198	NiTi	1,220	0,133	0,954	0,0480	0,0052	0,0376	240,456 m		ground	max. 15 °
199	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	224,338 m		ground	max. 15 °
200	NiTi	1,230	0,220	0,790	0,0484	0,0087	0,0311	8,648 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
201	NiTi	1,240	0,230	0,780	0,0488	0,0091	0,0307	29,339 m		ground	max. 15 °
202	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	12,242 m		ground	max. 15 °
203	NiTi	1,269	0,152	0,965	0,0500	0,0060	0,0380	80,843 m		ground	max. 15 °
204	NiTi	1,270	0,305	0,660	0,0500	0,0120	0,0260	4,100 m		ground	max. 15 °
205	NiTi	1,296	0,110	1,076	0,0510	0,0043	0,0424	2,860 m		ground	max. 15 °
206	NiTi	1,300	0,168	0,964	0,0512	0,0066	0,0380	2,520 m		ground	max. 15 °
207	NiTi	1,300	0,170	0,960	0,0512	0,0067	0,0378	49,682 m		ground	max. 15 °
208	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	516,632 m		ground	max. 15 °
209	NiTi	1,320	0,180	0,960	0,0520	0,0071	0,0378	63,898 m		ground	max. 15 °
210	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	14,990 m		ground	max. 15 °
211	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	19,570 m		ground out-/oxidic inside	
212	NiTi	1,320	0,200	0,920	0,0520	0,0079	0,0362	24,000 m		ground out-/oxidic inside	
213	NiTi	1,320	0,210	0,900	0,0520	0,0083	0,0354	9,100 m		ground	
214	NiTi	1,320	0,215	0,890	0,0520	0,0085	0,0350	6,700 m		ground	
215	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	13,900 m		ground	
216	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,129 m		ground	
217	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	14,410 m		ground	
218	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,000 m		ground	
219	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	15,493 m		ground	
220	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	18,000 m		around	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
221	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	187,348 m		ground	
222	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	2,300 m		ground	
223	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	20,800 m		ground	
224	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	21,500 m		ground	
225	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	27,020 m		ground	
226	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	3,380 m		ground	max. 15 °
227	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	30,810 m		ground	max. 15 °
228	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	32,100 m		ground	max. 15 °
229	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	39,400 m		ground	
230	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	4,276 m		ground	
231	NiTi	1,320	0,225	0,870	0,0520	0,0089	0,0343	6,151 m		ground	
232	NiTi	1,320	0,235	0,850	0,0520	0,0093	0,0335	9,410 m		ground	
233	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	-20,144 m		ground	max. 15 °
234	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	20,235 m		ground	max. 15 °
235	NiTi	1,350	0,120	1,110	0,0531	0,0047	0,0437	79,515 m		ground	max. 15 °
236	NiTi	1,350	0,135	1,080	0,0531	0,0053	0,0425	36,230 m		ground	max. 15 °
237	NiTi	1,370	0,205	0,960	0,0539	0,0081	0,0378	12,364 m		ground	max. 15 °
238	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	2,801 m		ground	max. 15 °
239	NiTi	1,400	0,240	0,920	0,0551	0,0094	0,0362	3,000 m		ground	max. 15 °
240	NiTi	1,420	0,160	1,100	0,0559	0,0063	0,0433	2,420 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
241	NiTi	1,450	0,225	1,000	0,0571	0,0089	0,0394	3,870 m		ground	max. 15 °
242	NiTi	1,500	0,220	1,060	0,0591	0,0087	0,0417	1,220 m		ground	max. 15 °
243	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	1,859 m		ground	max. 15 °
244	NiTi	1,500	0,250	1,000	0,0591	0,0098	0,0394	5,762 m		ground	max. 15 °
245	NiTi	1,520	0,280	0,960	0,0598	0,0110	0,0378	4,842 m		ground	max. 15 °
246	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	19,461 m		ground	max. 15 °
247	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	64,005 m		ground	max. 15 °
248	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	8,878 m		ground	max. 15 °
249	NiTi	1,524	0,279	0,966	0,0600	0,0110	0,0380	87,904 m		ground	max. 15 °
250	NiTi	1,550	0,114	1,322	0,0610	0,0045	0,0520	26,040 m		ground	
251	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	1,300 m		ground	max. 15 °
252	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	55,080 m		ground out-/oxidic inside	max. 15 °
253	NiTi	1,550	0,200	1,150	0,0610	0,0079	0,0453	96,900 m		ground out-/oxidic inside	max. 15 °
254	NiTi	1,550	0,250	1,050	0,0610	0,0098	0,0413	16,307 m		ground	max. 15 °
255	NiTi	1,590	0,215	1,160	0,0626	0,0085	0,0457	28,532 m		ground out-/oxidic inside	max. 15 °
256	NiTi	1,600	0,100	1,400	0,0630	0,0039	0,0551	1,284 m		ground	max. 15 °
257	NiTi	1,600	0,200	1,200	0,0630	0,0079	0,0472	14,569 m			70 - 110 °
258	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	158,940 m		ground	max. 15 °
259	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	247,196 m		ground	max. 15 °
260	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	44,811 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
261	NiTi	1,600	0,240	1,120	0,0630	0,0094	0,0441	75,072 m		ground	max. 15 °
262	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	66,396 m		ground	max. 15 °
263	NiTi	1,600	0,260	1,080	0,0630	0,0102	0,0425	9,605 m		ground	max. 15 °
264	NiTi	1,600	0,270	1,060	0,0630	0,0106	0,0417	8,403 m		ground	max. 15 °
265	NiTi	1,620	0,240	1,140	0,0638	0,0094	0,0449	39,435 m		ground out-/oxidic inside	max. 15 °
266	NiTi	1,626	0,241	1,144	0,0640	0,0095	0,0450	100,000 m	St	ground	max. 15 °
267	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	271,498 m		ground out-/oxidic inside	max. 15 °
268	NiTi	1,630	0,220	1,190	0,0642	0,0087	0,0469	5,138 m		ground out-/oxidic inside	max. 15 °
269	NiTi	1,630	0,225	1,180	0,0642	0,0089	0,0465	7,170 m		polished	max. 15 °
270	NiTi	1,630	0,230	1,170	0,0642	0,0091	0,0461	4,631 m		ground	max. 15 °
271	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	10,609 m		ground	max. 15 °
272	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	18,165 m		ground	
273	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	181,246 m		ground	max. 15 °
274	NiTi	1,630	0,235	1,160	0,0642	0,0093	0,0457	55,279 m		ground	max. 15 °
275	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	343,430 m		ground	
276	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000 m		dark oxidized	
277	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,000 m		ground	
278	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,390 m		ground	
279	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,627 m		ground	
280	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	4,958 m		around	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
281	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	6,000 m		ground	
282	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	61,610 m		ground	max. 15 °
283	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,700 m		ground	
284	NiTi	1,630	0,240	1,150	0,0642	0,0094	0,0453	7,980 m		ground	
285	NiTi	1,630	0,255	1,120	0,0642	0,0100	0,0441	26,850 m		ground	
286	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	255,144 m		ground	max. 15 °
287	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,150 m		ground	max. 15 °
288	NiTi	1,631	0,228	1,175	0,0642	0,0090	0,0463	41,685 m		ground	max. 15 °
289	NiTi	1,700	0,125	1,450	0,0669	0,0049	0,0571	140,000 St		ground	max. 15 °
290	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	243,993 m		ground out-/oxidic inside	max. 15 °
291	NiTi	1,700	0,200	1,300	0,0669	0,0079	0,0512	292,100 m		ground out-/oxidic inside	max. 15 °
292	NiTi	1,700	0,210	1,280	0,0669	0,0083	0,0504	3,078 m		ground	max. 15 °
293	NiTi	1,700	0,300	1,100	0,0669	0,0118	0,0433	2,640 m		ground	max. 15 °
294	NiTi	1,720	0,230	1,260	0,0677	0,0091	0,0496	193,756 m		ground	max. 15 °
295	NiTi	1,729	0,220	1,289	0,0681	0,0087	0,0507	36,100 m		ground	
296	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	172,007 m		ground	
297	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	26,729 m		ground	max. 15 °
298	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	3,500 m		ground	
299	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	35,060 m		ground	max. 15 °
300	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,041 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
301	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	43,607 m		ground	max. 15 °
302	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	5,740 m		ground	
303	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	7,900 m		ground	
304	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	8,160 m		ground	max. 15 °
305	NiTi	1,729	0,240	1,249	0,0681	0,0094	0,0492	9,247 m		ground	max. 15 °
306	NiTi	1,778	0,406	0,966	0,0700	0,0160	0,0380	22,252 m		ground	max. 15 °
307	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	16,727 m		ground	max. 15 °
308	NiTi	1,796	0,250	1,296	0,0707	0,0098	0,0510	4,433 m		ground	max. 15 °
309	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	22,878 m		ground	max. 15 °
310	NiTi	1,800	0,090	1,620	0,0709	0,0035	0,0638	64,888 m		ground	max. 15 °
311	NiTi	1,800	0,220	1,360	0,0709	0,0087	0,0535	1,438 m		ground	max. 15 °
312	NiTi	1,803	0,216	1,371	0,0710	0,0085	0,0540	12,890 m		ground	max. 15 °
313	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,238 m		ground	max. 15 °
314	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	4,716 m		ground	max. 15 °
315	NiTi	1,820	0,255	1,310	0,0717	0,0100	0,0516	5,537 m		ground	max. 15 °
316	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,049 m		ground	max. 15 °
317	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	11,705 m		ground	max. 15 °
318	NiTi	1,820	0,270	1,280	0,0717	0,0106	0,0504	5,627 m		ground	max. 15 °
319	NiTi	1,829	0,267	1,295	0,0720	0,0105	0,0510	1,548 m		ground	max. 15 °
320	NiTi	1,829	0,292	1,245	0,0720	0,0115	0,0490	6,790 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
321	NiTi	1,900	0,270	1,360	0,0748	0,0106	0,0535	70,757 m		ground	max. 15 °
322	NiTi	1,900	0,370	1,160	0,0748	0,0146	0,0457	2,296 m		ground	max. 15 °
323	NiTi	1,907	0,203	1,501	0,0751	0,0080	0,0591	42,006 m		ground	max. 15 °
324	NiTi	2,000	0,170	1,660	0,0787	0,0067	0,0654	4,950 m		ground	max. 15 °
325	NiTi	2,000	0,220	1,560	0,0787	0,0087	0,0614	166,314 m		ground	max. 15 °
326	NiTi	2,000	0,230	1,540	0,0787	0,0091	0,0606	5,990 m		ground	max. 15 °
327	NiTi	2,000	0,240	1,520	0,0787	0,0094	0,0598	36,467 m		ground	max. 15 °
328	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	21,199 m		ground	max. 15 °
329	NiTi	2,000	0,250	1,500	0,0787	0,0098	0,0591	43,678 m		ground	max. 15 °
330	NiTi	2,019	0,266	1,487	0,0795	0,0105	0,0585	3,728 m		ground	max. 15 °
331	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	6,924 m		ground	max. 15 °
332	NiTi	2,030	0,250	1,530	0,0799	0,0098	0,0602	9,847 m		ground	max. 15 °
333	NiTi	2,032	0,280	1,472	0,0800	0,0110	0,0580	413,795 m		ground	max. 15 °
334	NiTi	2,050	0,300	1,450	0,0807	0,0118	0,0571	12,150 m		ground	max. 15 °
335	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	17,172 m		ground	max. 15 °
336	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	21,817 m		ground	max. 15 °
337	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	23,347 m		ground	max. 15 °
338	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	25,863 m		ground	max. 15 °
339	NiTi	2,159	0,076	2,007	0,0850	0,0030	0,0790	34,349 m		ground	max. 15 °
340	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	131,857 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
341	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	27,266 m		ground	max. 15 °
342	NiTi	2,159	0,254	1,651	0,0850	0,0100	0,0650	3,772 m		ground	max. 15 °
343	NiTi	2,161	0,086	1,989	0,0851	0,0034	0,0783	343,194 m		ground	max. 15 °
344	NiTi	2,164	0,081	2,002	0,0852	0,0032	0,0788	16,710 m		ground	max. 15 °
345	NiTi	2,180	0,370	1,440	0,0858	0,0146	0,0567	14,260 m		ground	max. 15 °
346	NiTi	2,184	0,212	1,760	0,0860	0,0083	0,0693	1,840 m		ground	max. 15 °
347	NiTi	2,184	0,349	1,486	0,0860	0,0137	0,0585	1,046 m		ground	max. 15 °
348	NiTi	2,184	0,381	1,422	0,0860	0,0150	0,0560	6,294 m		ground	max. 15 °
349	NiTi	2,186	0,086	2,014	0,0861	0,0034	0,0793	8,466 m		ground	max. 15 °
350	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	39,745 m		ground out-/oxidic inside	max. 15 °
351	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	57,200 m		ground out-/oxidic inside	max. 15 °
352	NiTi	2,190	0,079	2,032	0,0862	0,0031	0,0800	9,659 m		ground out-/oxidic inside	max. 15 °
353	NiTi	2,200	0,230	1,740	0,0866	0,0091	0,0685	6,047 m		ground	max. 15 °
354	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	10,610 m		ground	max. 15 °
355	NiTi	2,200	0,240	1,720	0,0866	0,0094	0,0677	25,542 m		ground	max. 15 °
356	NiTi	2,200	0,550	1,100	0,0866	0,0217	0,0433	1,880 m		ground	max. 15 °
357	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	46,899 m		ground	max. 15 °
358	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	6,936 m		ground	max. 15 °
359	NiTi	2,286	0,216	1,854	0,0900	0,0085	0,0730	8,747 m		ground	max. 15 °
360	NiTi	2,286	0,254	1,778	0,0900	0,0100	0,0700	5,700 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
361	NiTi	2,300	0,150	2,000	0,0906	0,0059	0,0787	59,950 m		ground	max. 15 °
362	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	1,414 m		ground	max. 15 °
363	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	3,794 m		ground	max. 15 °
364	NiTi	2,300	0,250	1,800	0,0906	0,0098	0,0709	4,246 m		ground	max. 15 °
365	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	107,669 m		ground out-/oxidic inside	max. 15 °
366	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	19,268 m		ground out-/oxidic inside	max. 15 °
367	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	27,620 m		ground out-/oxidic inside	max. 15 °
368	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	33,102 m		ground out-/oxidic inside	max. 15 °
369	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	42,991 m		ground out-/oxidic inside	max. 15 °
370	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	5,881 m		ground out-/oxidic inside	max. 15 °
371	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	60,800 m		ground out-/oxidic inside	max. 15 °
372	NiTi	2,300	0,500	1,300	0,0906	0,0197	0,0512	7,000 m		ground out-/oxidic inside	max. 15 °
373	NiTi	2,310	0,255	1,800	0,0909	0,0100	0,0709	28,010 m		ground	
374	NiTi	2,340	0,170	2,000	0,0921	0,0067	0,0787	43,543 m		ground	max. 15 °
375	NiTi	2,372	0,183	2,006	0,0934	0,0072	0,0790	13,960 m		ground	
376	NiTi	2,400	0,075	2,250	0,0945	0,0030	0,0886	5,203 m		ground	max. 15 °
377	NiTi	2,400	0,076	2,248	0,0945	0,0030	0,0885	33,572 m		ground	max. 15 °
378	NiTi	2,400	0,085	2,230	0,0945	0,0033	0,0878	6,193 m		ground	max. 15 °
379	NiTi	2,400	0,090	2,220	0,0945	0,0035	0,0874	9,902 m		ground	max. 15 °
380	NiTi	2,400	0,200	2,000	0,0945	0,0079	0,0787	37,005 m		dark oxidized	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
381	NiTi	2,400	0,300	1,800	0,0945	0,0118	0,0709	1,612 m		ground	max. 15 °
382	NiTi	2,400	0,500	1,400	0,0945	0,0197	0,0551	12,867 m		ground	max. 15 °
383	NiTi	2,403	0,198	2,007	0,0946	0,0078	0,0790	11,630 m		ground	
384	NiTi	2,413	0,407	1,600	0,0950	0,0160	0,0630	22,067 m		ground	max. 15 °
385	NiTi	2,440	0,320	1,800	0,0961	0,0126	0,0709	3,580 m		dark oxidized	
386	NiTi	2,449	0,221	2,007	0,0964	0,0087	0,0790	19,997 m		ground	max. 15 °
387	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	10,987 m		ground	max. 15 °
388	NiTi	2,464	0,089	2,286	0,0970	0,0035	0,0900	8,106 m		ground	max. 15 °
389	NiTi	2,480	0,225	2,030	0,0976	0,0089	0,0799	6,350 m		ground	max. 15 °
390	NiTi	2,490	0,050	2,390	0,0980	0,0020	0,0941	2,080 m		ground	max. 15 °
391	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	6,653 m		ground	max. 15 °
392	NiTi	2,500	0,127	2,246	0,0984	0,0050	0,0884	8,401 m		ground	max. 15 °
393	NiTi	2,500	0,250	2,000	0,0984	0,0098	0,0787	3,445 m		ground	max. 15 °
394	NiTi	2,565	0,368	1,829	0,1010	0,0145	0,0720	1,557 m		ground	max. 15 °
395	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	10,510 m		ground out-/oxidic inside	max. 15 °
396	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	16,040 m		ground	max. 15 °
397	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	3,914 m		ground	max. 15 °
398	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	6,577 m		ground	max. 15 °
399	NiTi	2,565	0,381	1,803	0,1010	0,0150	0,0710	76,526 m		ground	max. 15 °
400	NiTi	2,580	0,210	2,160	0,1016	0,0083	0,0850	3,050 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
401	NiTi	2,590	0,076	2,438	0,1020	0,0030	0,0960	2,188 m		ground	max. 15 °
402	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	17,785 m		ground	max. 15 °
403	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	22,439 m		ground out-/oxidic inside	max. 15 °
404	NiTi	2,600	0,500	1,600	0,1024	0,0197	0,0630	85,086 m		ground out-/oxidic inside	max. 15 °
405	NiTi	2,618	0,065	2,488	0,1031	0,0026	0,0980	102,958 m		ground	max. 15 °
406	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	18,547 m		ground	max. 15 °
407	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	41,055 m		ground	max. 15 °
408	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	56,811 m		ground	max. 15 °
409	NiTi	2,637	0,074	2,489	0,1038	0,0029	0,0980	83,723 m		ground	max. 15 °
410	NiTi	2,654	0,102	2,450	0,1045	0,0040	0,0965	12,891 m		ground	max. 15 °
411	NiTi	2,680	0,089	2,502	0,1055	0,0035	0,0985	4,405 m		ground	max. 15 °
412	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	6,022 m		ground	max. 15 °
413	NiTi	2,692	0,406	1,880	0,1060	0,0160	0,0740	9,177 m		ground	max. 15 °
414	NiTi	2,700	0,600	1,500	0,1063	0,0236	0,0591	13,414 m		ground	max. 15 °
415	NiTi	2,720	0,170	2,380	0,1071	0,0067	0,0937	6,443 m		ground	max. 15 °
416	NiTi	2,743	0,432	1,879	0,1080	0,0170	0,0740	12,963 m		ground	max. 15 °
417	NiTi	2,751	0,302	2,147	0,1083	0,0119	0,0845	42,540 m		ground	max. 15 °
418	NiTi	2,760	0,190	2,380	0,1087	0,0075	0,0937	4,993 m		ground	max. 15 °
419	NiTi	2,770	0,065	2,640	0,1091	0,0026	0,1039	2,635 m		ground	max. 15 °
420	NiTi	2,795	0,100	2,595	0,1100	0,0039	0,1022	0,326 m		around	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
421	NiTi	2,800	0,230	2,340	0,1102	0,0091	0,0921	10,073 m		ground	max. 15 °C
422	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	13,866 m		ground	max. 15 °C
423	NiTi	2,800	0,500	1,800	0,1102	0,0197	0,0709	3,998 m		ground out-/oxidic inside	15 °C
424	NiTi	2,870	0,173	2,524	0,1130	0,0068	0,0994	16,129 m		ground	max. 15 °C
425	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	17,847 m		ground out-/oxidic inside	max. 15 °C
426	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	18,776 m		ground out-/oxidic inside	max. 15 °C
427	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	21,873 m		ground out-/oxidic inside	max. 15 °C
428	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	41,024 m		ground out-/oxidic inside	max. 15 °C
429	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	6,082 m		ground out-/oxidic inside	max. 15 °C
430	NiTi	2,895	0,114	2,667	0,1140	0,0045	0,1050	71,752 m		ground out-/oxidic inside	max. 15 °C
431	NiTi	2,906	0,191	2,524	0,1144	0,0075	0,0994	22,430 m		ground	max. 15 °C
432	NiTi	3,000	0,110	2,780	0,1181	0,0043	0,1094	9,248 m		ground	max. 15 °C
433	NiTi	3,000	0,500	2,000	0,1181	0,0197	0,0787	15,959 m		ground out-/oxidic inside	max. 15 °C
434	NiTi	3,016	0,245	2,526	0,1187	0,0096	0,0994	2,640 m		ground out-/oxidic inside	max. 15 °C
435	NiTi	3,048	0,254	2,540	0,1200	0,0100	0,1000	16,000 m	St	ground	max. 15 °C
436	NiTi	3,100	1,075	0,950	0,1220	0,0423	0,0374	1,150 m		ground	
437	NiTi	3,160	0,170	2,820	0,1244	0,0067	0,1110	9,239 m		ground	max. 15 °C
438	NiTi	3,200	0,165	2,870	0,1260	0,0065	0,1130	4,560 m		ground	max. 15 °C
439	NiTi	3,200	0,190	2,820	0,1260	0,0075	0,1110	2,000 m	St	ground	max. 15 °C
440	NiTi	3,200	0,470	2,260	0,1260	0,0185	0,0890	4,556 m		around	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
441	NiTi	3,200	0,540	2,120	0,1260	0,0213	0,0835	7,690 m		ground	max. 15 °
442	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	2,065 m		ground	max. 15 °
443	NiTi	3,240	0,210	2,820	0,1276	0,0083	0,1110	8,695 m		ground	max. 15 °
444	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	3,843 m		ground	max. 15 °
445	NiTi	3,260	0,140	2,980	0,1283	0,0055	0,1173	6,604 m		ground	max. 15 °
446	NiTi	3,277	0,305	2,667	0,1290	0,0120	0,1050	1,561 m		ground	max. 15 °
447	NiTi	3,280	0,115	3,050	0,1291	0,0045	0,1201	5,050 m		ground	max. 15 °
448	NiTi	3,302	0,711	1,880	0,1300	0,0280	0,0740	14,787 m		ground	max. 15 °
449	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,471 m		ground out-/oxidic inside	max. 15 °
450	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	1,600 m		ground out-/oxidic inside	max. 15 °
451	NiTi	3,350	0,165	3,020	0,1319	0,0065	0,1189	5,757 m		ground out-/oxidic inside	max. 15 °
452	NiTi	3,363	0,102	3,159	0,1324	0,0040	0,1244	54,915 m		ground	max. 15 °
453	NiTi	3,363	0,111	3,141	0,1324	0,0044	0,1237	81,471 m		ground	max. 15 °
454	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	3,666 m		ground out-/oxidic inside	max. 15 °
455	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	7,000 m	St	ground	max. 15 °
456	NiTi	3,400	0,250	2,900	0,1339	0,0098	0,1142	7,872 m		ground	max. 15 °
457	NiTi	3,500	0,060	3,380	0,1378	0,0024	0,1331	2,294 m		ground	
458	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	14,571 m		ground	max. 15 °
459	NiTi	3,500	0,165	3,170	0,1378	0,0065	0,1248	9,610 m		ground	max. 15 °
460	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	1,425 m		dark oxidized	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
461	NiTi	3,500	0,170	3,160	0,1378	0,0067	0,1244	3,915 m		ground	max. 15 °
462	NiTi	3,520	0,160	3,200	0,1386	0,0063	0,1260	5,520 m		ground	max. 15 °
463	NiTi	3,556	0,445	2,666	0,1400	0,0175	0,1050	3,100 m		ground	max. 15 °
464	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	10,190 m		ground	max. 15 °
465	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	11,588 m		ground	max. 15 °
466	NiTi	3,600	0,250	3,100	0,1417	0,0098	0,1220	6,999 m		ground	max. 15 °
467	NiTi	3,610	0,250	3,110	0,1421	0,0098	0,1224	4,542 m		ground	max. 15 °
468	NiTi	3,800	0,265	3,270	0,1496	0,0104	0,1287	4,516 m		ground	
469	NiTi	3,810	0,120	3,570	0,1500	0,0047	0,1406	4,565 m		ground	max. 15 °
470	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	111,785 m		ground	max. 15 °
471	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	119,084 m		ground	max. 15 °
472	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	23,177 m		ground	max. 15 °
473	NiTi	4,000	0,080	3,840	0,1575	0,0031	0,1512	4,613 m		ground	max. 15 °
474	NiTi	4,000	0,100	3,800	0,1575	0,0039	0,1496	110,647 m		ground	max. 15 °
475	NiTi	4,000	0,102	3,796	0,1575	0,0040	0,1494	7,452 m		ground	max. 15 °
476	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	13,774 m		ground	max. 15 °
477	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	23,392 m		ground	max. 15 °
478	NiTi	4,150	0,100	3,950	0,1634	0,0039	0,1555	4,000 m		ground	max. 15 °
479	NiTi	4,210	0,500	3,210	0,1657	0,0197	0,1264	19,833 m		ground	
480	NiTi	4.242	0.152	3.938	0.1670	0.0060	0.1550	14.331 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
481	NiTi	4,270	0,079	4,112	0,1681	0,0031	0,1619	4,942 m		ground	max. 15 °
482	NiTi	4,500	0,080	4,340	0,1772	0,0031	0,1709	0,744 m		ground	max. 15 °
483	NiTi	4,500	0,127	4,246	0,1772	0,0050	0,1672	2,264 m		ground	max. 15 °
484	NiTi	4,500	0,700	3,100	0,1772	0,0276	0,1220	8,080 m		ground	max. 15 °
485	NiTi	4,700	0,150	4,400	0,1850	0,0059	0,1732	28,451 m		ground	max. 15 °
486	NiTi	4,750	0,125	4,500	0,1870	0,0049	0,1772	7,390 m		ground	max. 15 °
487	NiTi	4,765	0,130	4,505	0,1876	0,0051	0,1774	6,106 m		ground	max. 15 °
488	NiTi	4,800	0,075	4,650	0,1890	0,0030	0,1831	5,645 m		ground	max. 15 °
489	NiTi	4,800	0,170	4,460	0,1890	0,0067	0,1756	2,707 m		ground	max. 15 °
490	NiTi	4,900	0,200	4,500	0,1929	0,0079	0,1772	37,806 m		ground	max. 15 °
491	NiTi	4,950	0,155	4,640	0,1949	0,0061	0,1827	5,320 m		polished	max. 15 °
492	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	0,453 m		ground	max. 15 °
493	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	2,306 m		ground	max. 15 °
494	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	3,398 m		ground out-/oxidic inside	max. 15 °
495	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,473 m		ground	max. 15 °
496	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,757 m		ground	max. 15 °
497	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	4,835 m		ground out-/oxidic inside	max. 15 °
498	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	5,534 m		ground	max. 15 °
499	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	6,244 m		ground	max. 15 °
500	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	7,574 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
501	NiTi	4,950	0,625	3,700	0,1949	0,0246	0,1457	89,219 m		ground out-/oxidic inside	max. 15 °
502	NiTi	5,000	0,105	4,790	0,1969	0,0041	0,1886	2,465 m		ground	max. 15 °
503	NiTi	5,000	0,130	4,740	0,1969	0,0051	0,1866	1,975 m		ground	
504	NiTi	5,000	0,220	4,560	0,1969	0,0087	0,1795	4,330 m		ground	max. 15 °
505	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	10,306 m		ground	max. 15 °
506	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	2,510 m		ground	max. 15 °
507	NiTi	5,000	0,240	4,520	0,1969	0,0094	0,1780	9,631 m		ground	max. 15 °
508	NiTi	5,000	0,250	4,500	0,1969	0,0098	0,1772	5,870 m		ground	
509	NiTi	5,000	0,450	4,100	0,1969	0,0177	0,1614	2,754 m		ground	max. 15 °
510	NiTi	5,000	0,450	4,100	0,1969	0,0177	0,1614	9,330 m		ground	max. 15 °
511	NiTi	5,000	0,560	3,880	0,1969	0,0220	0,1528	1,650 m		ground	
512	NiTi	5,004	0,533	3,938	0,1970	0,0210	0,1550	4,518 m		ground out-/oxidic inside	max. 15 °
513	NiTi	5,030	0,175	4,680	0,1980	0,0069	0,1843	6,880 m		polished	max. 15 °
514	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	0,434 m		ground	max. 15 °
515	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	35,820 m		ground	max. 15 °
516	NiTi	5,055	0,203	4,649	0,1990	0,0080	0,1830	6,000 m		ground	max. 15 °
517	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	25,000 m		ground	max. 15 °
518	NiTi	5,150	0,100	4,950	0,2028	0,0039	0,1949	3,189 m		ground	max. 15 °
519	NiTi	5,500	0,065	5,370	0,2165	0,0026	0,2114	2,268 m		polished	max. 15 °
520	NiTi	5,500	0,100	5,300	0,2165	0,0039	0,2087	2,710 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
521	NiTi	5,700	0,200	5,300	0,2244	0,0079	0,2087	3,075 m		ground	max. 15 °
522	NiTi	5,944	0,572	4,800	0,2340	0,0225	0,1890	1,250 m		ground out-/oxidic inside	max. 15 °
523	NiTi	5,990	0,546	4,898	0,2358	0,0215	0,1928	4,110 m		ground out-/oxidic inside	max. 15 °
524	NiTi	5,990	0,584	4,822	0,2358	0,0230	0,1898	14,190 m		ground out-/oxidic inside	max. 15 °
525	NiTi	5,994	0,254	5,486	0,2360	0,0100	0,2160	4,450 m		ground	max. 15 °
526	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	21,525 m		ground	max. 15 °
527	NiTi	5,994	0,559	4,876	0,2360	0,0220	0,1920	7,512 m		ground	max. 15 °
528	NiTi	6,000	0,064	5,872	0,2362	0,0025	0,2312	4,910 m		ground	max. 15 °
529	NiTi	6,000	0,100	5,800	0,2362	0,0039	0,2283	4,528 m		ground	max. 15 °
530	NiTi	6,000	0,100	5,800	0,2362	0,0039	0,2283	6,914 m		ground	max. 15 °
531	NiTi	6,000	0,400	5,200	0,2362	0,0157	0,2047	13,355 m		ground	max. 15 °
532	NiTi	6,000	0,500	5,000	0,2362	0,0197	0,1969	15,390 m		ground	max. 15 °
533	NiTi	6,150	0,100	5,950	0,2421	0,0039	0,2343	26,706 m		ground	max. 15 °
534	NiTi	6,200	0,150	5,900	0,2441	0,0059	0,2323	1,386 m		ground	max. 15 °
535	NiTi	6,510	0,245	6,020	0,2563	0,0096	0,2370	11,328 m		ground	max. 15 °
536	NiTi	6,820	0,160	6,500	0,2685	0,0063	0,2559	5,515 m		ground	max. 15 °
537	NiTi	6,830	0,245	6,340	0,2689	0,0096	0,2496	11,924 m		ground	max. 15 °
538	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	3,334 m		ground	max. 15 °
539	NiTi	7,000	0,100	6,800	0,2756	0,0039	0,2677	7,433 m		ground	max. 15 °
540	NiTi	7,000	0,450	6,100	0,2756	0,0177	0,2402	7,560 m		around	max. 15 °

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
541	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	2,399 m		ground	max. 15 °
542	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,772 m		ground	max. 15 °
543	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	3,922 m		ground	max. 15 °
544	NiTi	7,000	0,500	6,000	0,2756	0,0197	0,2362	7,472 m		ground	max. 15 °
545	NiTi	7,000	0,508	5,984	0,2756	0,0200	0,2356	3,885 m		ground	max. 15 °
546	NiTi	7,000	0,533	5,934	0,2756	0,0210	0,2336	5,412 m		ground	max. 15 °
547	NiTi	7,150	0,100	6,950	0,2815	0,0039	0,2736	11,141 m		ground	max. 15 °
548	NiTi	7,500	2,025	3,450	0,2953	0,0797	0,1358	5,777 m		ground	max. 15 °
549	NiTi	8,000	0,520	6,960	0,3150	0,0205	0,2740	5,983 m		ground	max. 15 °
550	NiTi	8,000	0,720	6,560	0,3150	0,0283	0,2583	1,186 m		ground	max. 15 °
551	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	0,645 m		ground	max. 15 °
552	NiTi	8,000	0,750	6,500	0,3150	0,0295	0,2559	3,423 m		ground	max. 15 °
553	NiTi	8,300	0,310	7,680	0,3268	0,0122	0,3024	4,460 m		ground	max. 15 °
554	NiTi	8,800	0,450	7,900	0,3465	0,0177	0,3110	1,447 m		ground	max. 15 °
555	NiTi	9,000	0,500	8,000	0,3543	0,0197	0,3150	2,170 m		ground	max. 15 °
556	NiTi	9,000	0,500	8,000	0,3543	0,0197	0,3150	21,260 m		ground	max. 15 °
557	NiTi	10,000	0,310	9,380	0,3937	0,0122	0,3693	23,260 m		ground	max. 15 °
558	NiTi	10,000	0,480	9,040	0,3937	0,0189	0,3559	14,031 m		ground	max. 15 °
559	NiTi	10,000	0,533	8,934	0,3937	0,0210	0,3517	3,508 m		ground	max. 15 °
560	NiTi	10,000	0,787	8,426	0,3937	0,0310	0,3317	9,963 m		around	

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
561	Phynox / 2.4711	1,600	0,250	1,100	0,0630	0,0098	0,0433	4,954	m		
562	section	1,422	0,076	1,270	0,0560	0,0030	0,0500	1650,000	St		
563	Tantal	1,600	0,090	1,420	0,0630	0,0035	0,0559	3,053	m		
564	Tantal	1,982	0,051	1,880	0,0780	0,0020	0,0740	5,067	m		
565	Tantal/Wolfram	1,880	0,077	1,727	0,0740	0,0030	0,0680	18,162	m		
566	Tantalum	1,600	0,200	1,200	0,0630	0,0079	0,0472	1,101	m	polished	
567	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	11,210	m	ground	
568	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	26,480	m	ground	
569	Titan Gr. 2	0,790	0,270	0,250	0,0311	0,0106	0,0098	28,310	m		
570	Titan Gr. 2	1,100	0,150	0,800	0,0433	0,0059	0,0315	666,882	m		
571	Titan Gr. 2	1,650	0,150	1,350	0,0650	0,0059	0,0531	80,674	m		
572	Titan Gr. 2	2,134	0,102	1,930	0,0840	0,0040	0,0760	6,806	m		
573	Titan Gr. 2	2,540	0,102	2,337	0,1000	0,0040	0,0920	6,490	m		
574	Titan Gr. 2	4,000	0,050	3,900	0,1575	0,0020	0,1535	22,670	m		
575	Titan Gr. 2	4,480	0,075	4,330	0,1764	0,0030	0,1705	24,120	m		
576	Titan Gr. 2	5,000	0,550	3,900	0,1969	0,0217	0,1535	8,761	m		
577	Titan Gr. 2	6,350	0,127	6,096	0,2500	0,0050	0,2400	10,750	m		
578	Titan Gr. 2	6,883	0,356	6,172	0,2710	0,0140	0,2430	3,990	m		
579	Titan Gr. 2	7,000	0,150	6,700	0,2756	0,0059	0,2638	6,050	m		
580	Titan Gr. 2	7,925	0,889	6.147	0.3120	0.0350	0.2420	6.679	m		

Stock list - Tubes

current status: **16.09.2020**

To receive a quote, please contact
The minimum order value is € 400.

Nicole Odenwald (Phone +49(0)7231.208.426, nicole.odenwald@euroflex.de)
or Michaela Müller (Phone +49(0)7231.208.249, michaela.mueller@euroflex.de)
or Valerie Stumpf (Phone +49(0)7231.208.560, valerie.stumpf@euroflex.de)

midwest/east USA: Alec Niedermaier (Phone +1 952-649-2853, alec.niedermaier@euroflex.de)
west USA or Keyur Amin (Phone +1 714-317-0971, keyur.amin@euroflex.de)

Pos	Material	OD (mm)	WT (mm)	ID (mm)	OD (inch)	WT (inch)	ID (inch)	Available	Me	Surface	AF
581	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St		
582	Titan Gr. 2	10,000	4,450	1,100	0,3937	0,1752	0,0433	24,000	St		